

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 19191	2. Status Change Date: 3/6/18	3. Change Num: C2	4. Field Office: 04	5. GMD: 03
---------------------------------	---	-----------------------------	-------------------------------	----------------------

6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return	7. Filing Date of Change: 1/31/18
--	---

8a. Applicant(s) New to system <input type="checkbox"/>	Person ID 16759 Add Seq# 1
PHILLIP W SMITH 31806 4 RD COPELAND KS 67837	

8c. Landowner(s) New to system <input type="checkbox"/>	Person ID _____ Add Seq# _____
NC	

8b. Landowner(s) New to system <input type="checkbox"/>	Person ID _____ Add Seq# _____
NC	

8d. WUC New to system <input type="checkbox"/>	Person ID _____ Add Seq# _____
nc	

9. Documents and Enclosure(s): <input checked="" type="checkbox"/> DWR Meter(s) Date to Comply: 12/31/18 <input checked="" type="checkbox"/> N & P Date to Comply: 12/31/18	
<input type="checkbox"/> Anti-Reverse Meter <input type="checkbox"/> Meter Seal <input type="checkbox"/> Check Valve <input type="checkbox"/> N & P Form <input type="checkbox"/> Water Tube <input type="checkbox"/> Driller Copy <input type="checkbox"/> H & E Letter <input type="checkbox"/> Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____	

10. Use Made of Water From: _____ To: _____

Date Prepared: 2/20/18	By: TPM
Date Entered: _____	By: _____

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
GARDEN CITY FIELD OFFICE
2508 JOHNS STREET
GARDEN CITY, KS 67846-2804



PHONE: (620) 276-2901
FAX: (620) 276-9315
www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.
JACKIE McCLASKEY, SECRETARY OF AGRICULTURE

March 6, 2018

PHILLIP W SMITH
31806 4 RD
COPELAND KS 67837

RE: Change in Point of Diversion Water Right, File No 19191

Dear Mr. Smith:

Enclosed you will find a *Summary Order Approving Application for Change in Points of Diversion* for the above referenced file. This order modifies the authorized well location under the referenced file. This order modifies the original document; it should be recorded at the County Register of Deeds.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this order. The diversion works should be completed and reported to the Division of Water Resources by **December 31, 2018**. Enclosed is a form for this purpose, along with other information for reference.

A condition of this order is that an acceptable flow meter must be properly installed on the diversion works authorized under the referenced file number in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12. This water flow meter shall be used to provide information required on the annual water use report.

This order shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order. The date of service is the date listed on the enclosed *Certificate of Service*.

Should you have any questions, please feel free to call this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Thomas P. Makens
Assistant Water Commissioner


TPM:tpm
Enclosures
GMD#3

CERTIFICATE OF SERVICE

On this 7th day of March 2018, I hereby certify that the attached original Approval of Application to Change the Point of Diversion under Water Right, File No. 19191 dated March 6, 2018 was mailed postage prepaid, first class, US mail to the following:

PHILLIP W SMITH
31806 4 RD
COPELAND KS 67837

Copy provided to GMD#3

A handwritten signature in black ink, appearing to be 'M. C.', written over a horizontal line.

Division of Water Resources

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 862-6300
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
www.ksda.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

 File No. 19191

RECEIVED
 2:35 PM
 JAN 31 2018

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Garden City Field Office
Division of Water Resources

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: PHILLIP W SMITH
31806 4 RD COPELAND KS 67837

Phone Number: () Email address: _____

Name and address of Water Use Correspondent: CHAD STAPLETON
33902 10 RD MONTEZUMA KS 67867

Phone Number: () Email address: _____

3. The presently authorized place of use is:
 Owner of Land ----- NAME: PHILLIP W SMITH & LEO MCDUGAL TRUST

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES	
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:
 Owner of Land ----- NAME: no change to irrigated acres

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES	
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		

For Office Use Only: Code _____ Fee \$ <u>200</u> TR # _____ Receipt Date <u>1/31/18</u> Check # <u>9091</u>
--

5. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ cs Quarter of the _____ nw Quarter
 of Section _____ 10 _____, Township _____ 29 _____ South, Range _____ 30 _____ W,
 in Gray _____ County, Kansas, _____ 2658 _____ feet North _____ 4135 _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
 (DWR use only: Computer ID No. 2 GPS 2711 feet North 4198 feet West)
 This point will not be changed This point will be changed as follows:
Proposed point of diversion: (Complete only if change is requested)
 One in the _____ se Quarter of the _____ se Quarter of the _____ nw Quarter
 of Section _____ 10 _____, Township _____ 29 _____ South, Range _____ 30 _____ W,
 in Gray _____ County, Kansas, _____ 2708 _____ feet North _____ 2963 _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ W,
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows:
Proposed point of diversion: (Complete only if change is requested)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. Why do you need a new point of diversion? _____
 old well needs to be replaced _____

8. If a well, is the test hole log attached? Yes No


9. When do you propose to complete the new point of diversion?
February 29, 2018

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
plug
 (b) When will this be done? 2018

11. Groundwater Management District recommendation attached? Yes No

12. Assisted by tpm

13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.)



13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines.

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regard to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Cape Land, Kansas, this 31st day of Jan, 2018.

Philip W. Smith
(Owner)
Philip W. Smith
(Please Print)

(Spouse)

(Please Print)

(Spouse)

(Please Print)

(Spouse)

(Please Print)

(Owner)

(Please Print)

(Owner)

(Please Print)


State of Kansas }
County of Gray } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 31st day of January, 2018.

Lindie Andreas
Notary Public

My Commission Expires 4/22/2018

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners must be affixed to the application; and the appropriate fee must be paid.



FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 *et. seq.* With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 19191.



1. A change application was received on JANUARY 31, 2018 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 300 foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. Applicable Not Applicable
5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
6. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
7. Installation of the works for diversion of water shall be completed on or before December 31, 2018, or within any authorized extension of time. By March 1, 2019 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
8. The completed well log shall be submitted with the required notice. Applicable Not Applicable
9. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
10. Additional Conditions are attached. Yes No
11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.


Administrative Appeal and Effective Date of Order

You have the right to a hearing in accordance with K.A.R. 5-14-3 before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the **Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 109 SW 9th Street, Topeka, Kansas 66612**, within 15 days after the date shown on the Certificate of Service attached hereto. If a hearing is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown on the Certificate of Service.

For Use by Register of Deeds


FOR OFFICE USE ONLY
APPLICATION APPROVED AND SUMMARY ORDER ISSUED

By: 
Duly Authorized Designee of the Chief Engineer
(Print Name): THOMAS P. MAKOWS
Division of Water Resources - Kansas Department of Agriculture
Date of Issuance: MARCH 6, 2018
State of Kansas)
County of Finney) SS
Acknowledged before me on March 6, 2018
by Thomas P Makows
Signature: 
Notary Public



My commission expires: _____
(Notary Seal)

19191



WELL LOG

DATE: 1/19/2018



CUSTOMER NAME: PHIL SMITH

LEGAL: NW 10-29S-30W

COUNTY: GRAY

GPS: 37 32' 28.78" N

-100 35' 21.48" W

T.H. #2

DRILLER: CHRIS P

WO#: 17-890

TW	FROM	TO	TYPE	HARDNESS	COLOR	SPEED	PULL DOWN	OTHER / DRILLING ACTION
	0	2	TOP SOIL	FIRM	DARK	SLOW		SMOOTH
	2	48	CLAY AND SILTY CLAY	FIRM	DARK	SLOW		SMOOTH
X	48	59	FINE-MEDIUM GRAVEL	SOFT	RED	FAST		SMOOTH
	59	111	SILTY CLAY WITH TRACES OF FINE SAND	SOFT	TAN	SLOW		SMOOTH
X	111	156	FINE-MEDIUM GRAVEL AND SOME COARSE SAND	SOFT	RED	FAST		CHATTER
	156	169	SILTY CLAY WITH TRACES OF FINE SAND	SOFT	TAN	FAST		SMOOTH
	169	184	FINE-MEDIUM SAND	SOFT	RED	SLOW		SLIGHT CHATTER
	184	202	SANDY CLAY AND SOME FINE SAND	SOFT	TAN	SLOW		SMOOTH
X	202	236	FINE-MEDIUM SAND AND FINE GRAVEL	SOFT	RED	FAST		CHATTER
X	236	272	FINE-MEDIUM GRAVEL	SOFT	RED	FAST		CHATTER
X	272	291	FINE-MEDIUM GRAVEL AND MEDIUM-SOME COARSE SAND	SOFT	RED	FAST		CHATTER
X	291	305	FINE SAND AND SILT	SOFT	RED	VERY FAST		SLIGHT CHATTER
X	305	342	COARSE SAND AND FINE-MEDIUM GRAVEL	SOFT	RED	FAST		CHATTER
X	342	345	FINE-TR. MEDIUM GRAVEL W/ THIN SANDY CLAY LENSE	SOFT	RED	FAST		IN & OUT CHATTER
X	345	366	FINE-MEDIUM GRAVEL	SOFT	RED	FAST		CHATTER
	366	395	FINE SAND AND SILT WITH SANDY CLAY LAYERS	SOFT	RED	SEMI FAST		SOME CHATTER
	395	422	SANDY CLAY W/FEW FINE SAND LENSES	SEMI DENSE	TAN	SLOW		SMOOTHER
	422	425	FINE SAND	SOFT	TAN	FASTER		SLIGHT CHATTER
	425	451	SANDY CLAY W/F. SAND LENSES @ 438 - 443	SEMI DENSE	TAN	SLOW		SMOOTHER
	451	465	FINE - TR. MED SAND	SOFT	RED	FAST		SLIGHT CHATTER
	465	475	CLAY	FIRM	GRAY	SLOW	X	SMOOTH
	475	500	SHALE	FIRM	DARK GRAY	SLOW	X	SMOOTH

SWK 230'
 6
 36
 19
 7
 37
 2
 21
 21
 3
 5
 14
 171



Garden City Field Office
2508 Johns Street
Garden City, Kansas 67846-2804

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Michael A. Meyer, Water Commissioner

Phone: (620) 276-2901
Fax: (620) 276-9315
www.agriculture.ks.gov
Sam Brownback, Governor

January 31, 2018

Southwest Kansas Groundwater
Management District No 3
409 Campus Drive, Suite 106
Garden City KS 67846

Re: Water Right file number 19191

Dear Mr. Norquest;

The Philip Smith has applied to relocate the wells authorized by the above water right number. There are no neighboring wells within ½ mile of the requested.

We are delaying action for 15 days on the change application to allow you time to review and provide a recommendation if you feel one is warranted.


Thank you and as always feel free to call or write us at any time.

Sincerely;

A handwritten signature in black ink, appearing to read "Thomas P Makens".

Thomas P Makens

TPM:tpm
enc



**Southwest Kansas
Groundwater Management District No. 3**
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone (620) 275-1431 fax
www.gmd3.org

February 9, 2018

Thomas P. Makens
Division of Water Resources
2508 N Johns Street
Garden City, Kansas 67846

RECEIVED

FEB 13 2018

RE: Application for Change in Point of Diversion
Water Right, File No. 19191


Garden City Field Office
Division of Water Resources

Dear Thomas:


We have completed a review of the application for the above referenced water right. The proposal is not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). The proposed distance moved and well spacing is in accordance with K.A.R. 5-23-3. It is therefore recommended that the application be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,



Jason L. Norquest
Assistant Manager



Southwest Kansas
Groundwater Management District No. 3
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone (620) 275-1431 fax
www.gmd3.org

February 9, 2018

Thomas P. Makens
Division of Water Resources
2508 N Johns Street
Garden City, Kansas 67846

RECEIVED

FEB 12 2018

Garden City Field Office
Division of Water Resources


RE: Application for Change in Point of Diversion
Water Right, File No. 19191

Dear Thomas:

We have completed a review of the application for the above referenced water right. The proposal is not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). The proposed distance moved and well spacing is in accordance with K.A.R. 5-23-3. It is therefore recommended that the application be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,



Jason L. Norquest
Assistant Manager

GMD3 Change Review

File No(s): 19191. DWR office: GC.

App filed to change: PD.

Is Landowner(s) correct in WRIS: Appears so.

If NO, is documentation included?

Is Water Use Correspondent correct in WRIS? Yes.

If NO, is documentation included?

Regulation(s) Reviewed: KAR 5-23-3

Point of diversion ID No(s) 02 being changed.

	ft. North	ft. West	
Authorized PD	2658	4135	Sect. 10-29-30
Proposed PD	2708	2963	
Difference	-50 N	1172 E	
a2 + b2 = c2	2500	1373584	1173.066 foot move SE

GPS for proposed PD: Lat: 37.541327 Long: -100.589302.

Is proposed PD stacking on existing WRs? No.

Is Proposed PU overlapping existing WRs? ___.

Land Owner(s) notified: Yes.

Name ___. Name ___.

Address ___. Address ___.

Zip ___. Zip ___.

Neighboring certified well(s) notified: ___.

Name ___. Name ___.

Address ___. Address ___.

Zip ___. Zip ___.

Domestic well(s) notified: None found in area of concern.

Name ___. Name ___.

Address ___. Address ___.

Zip ___. Zip ___.

Base Acres: ___.

Perfected Acres: ___.

Irr. Return-Flow ___%

Is a waiver needed: No.

Final Recommendation: After review of all available information, it appears that current area rules are met. Staff therefore recommends approval of the application.


RECEIVED

FEB 12 2018

Garden City Field Office
Division of Water Resources




19191 Change Review, PD



February 9, 2018 10:46 AM
 DISCLAIMER: This map is not intended for conveyances, nor is it a legal survey. The information is presented on a best-efforts basis, and should not be relied upon for making financial, survey, legal or other commitments.

Wells: ? Other + CON ? DEW • IRR
 FPR ▲
 MUN \$
 THX
 HYD P-
 REC ?
 Empty
 IND ☆
 STK □
 Sections

RECEIVED
 FEB 12 2018
 Garden City Field Office
 Division of Water Resources



Water Rights and Points of Diversion Within 1.00 miles of point defined as:

2708 ft N and 2963 ft W of the SE Corner of Section 10, T 29S, R 30W

Located at: 100.589260 West Longitude and 37.540472 North Latitude

GROUNDWATER ONLY

File Number	Use	ST	SR	Dist (ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan	Unit		
A__ 14730	00	IRR	NK	G*	2725	--	--	CW	SW	43	305	10	29	30W	1		320.00	320.00	AF	
A__ 19191	00	IRR	NK	G*	1173	--	--	CS	NW	2658	4135	10	29	30W	2		630.00	630.00	AF	
A__ 21624	00	IRR	NK	G	5069	--	--	SW	NW	SW	1550	5175	2	29	30W	2		320.00	320.00	AF
A__ 25908	00	IRR	NK	G	4371	--	--	SW	SE	SE	150	1200	9	29	30W	2		320.00	320.00	AF
A__ 25909	00	IRR	NK	G	3248	--	--	SW	SE	SE	90	1040	10	29	30W	5		320.00	320.00	AF

Total Net Quantities Authorized:	Direct	Storage
Total Requested Amount (AF) =	.00	.00
Total Permitted Amount (AF) =	.00	.00
Total Inspected Amount (AF) =	.00	.00
Total Pro_Cert Amount (AF) =	.00	.00
Total Certified Amount (AF) =	1910.00	.00
Total Vested Amount (AF) =	.00	.00
TOTAL AMOUNT (AF) =	1910.00	.00

An * after the source of supply indicates a pending application for change for the file number.

An * after the ID indicates a 15 AF exemption was granted for the file number.

A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.

The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 1.00 miles of point defined as:

100.589260 West Longitude and 37.540472 North Latitude

GROUNDWATER ONLY

WATER USE CORRESPONDENTS:

File Number	Use	ST	SR	
A__ 14730	00	IRR	NK	G
> JEFFREY J & SHARLEEN L UNRUH				
>				
> 3051 A RD				
> COPELAND KS 67837				

A__ 19191	00	IRR	NK	G
> CHAD STAPLETON				
>				
> 33902 10 RD				
> MONTEZUMA KS 67867				

A__ 21624	00	IRR	NK	G
> TRAVIS & BROOKE JANTZ				
>				
> 32305 2 RD				
> COPELAND KS 67837				

A__ 25908	00	IRR	NK	G
> GAYLE L BALDWIN				
>				

- where are they mining

43' N 3051' W

New spacing on

Both new wells would

be ~ 2607'

meets spacing

RECEIVED

FEB 12 2018

Garden City Field Office
Division of Water Resources

> 7223 E WHISTLING WIND WAY
> SCOTTSDALE AZ 85255

A_ 25909 00 IRR NK G

> CHAD STAPLETON

>
> 33902 10 RD

> MONTEZUMA KS 67867

=====

RECEIVED

FEB 12 2018

Garden City Field Office
Division of Water Resources

