Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

tha	n 100 fe		ace of	use wi												author	ized ai	nd prop EIVE		
						F	File No	. 2865	6								_	4pn 320		
4	Applia	ation in he	roby n	nada f	or onn	roual a	of tha C	hiof E	naino	ar to ob	ango (ho (oh	ook or	o or h	oth\:					
1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Garden City Field Office Division of Water Resources										Office Sources										
under the water right which is the subject of this application in accordance with the conditions described below.																				
		urce of s	-			-	round				Surfac									
2. Name and address of Applicant: HATCHER LAND CO LP 1701 N KANSAS AVE STE 102 LIBERAL KS 67901 Phone Number: (620)624-1186 Email address:																				
		and addr						t: <u>HA</u>	TCHE											
		I KANSA																		
_		Number:							Email	addre	ss:								· · · · · · · · · · · · · · · · · · ·	
3,	•	esently a of Land		•			AND C)												
	Owner									LIBI	EDAL I		001							
	(If there	ر is more th										10 01	<u> </u>							
					=1/4			·····	N¼			SV	V%			SI	=1/4		TOTAL	
Sı	ec. Tw	o, Range	NE1/4	I	SW1/4	SE14	NE%	l	T	SE1/4	NE¼		SW1/4	SE14	NE¼		SW¼	SE14	ACRES	
									ļ											
								ļ												
			<u>L</u>	<u> </u>	<u> </u>											<u> </u>				
4.		application of Land	N/	AME:	no cha	inge to	acres	irriga	led	ed that	•				_		·····			
	//£4/		ADDRI																	
	(ir there	is more th	ian one			itach st	ippieme			neces	sary.)				I					
c			NE3/	I	VEX		NE% NW% SW%		DE1/	NE t	NEW MARK COM		051/	SE%			AC	TOTAL ACRES		
_ 0	ec, Tw	o, range	NE74	140074	50074	SE74	NEZ	INVV24	500%	SEA	NE%	NVV74	50074	SEA	NE74	NVV%	500%	SE/4		

-			<u> </u>	<u> </u>	·		!	<u> </u>	<u> </u>	<u> </u>	11	ļ		L	L	<u> </u>	<u> </u>			
	For O	fice Use	Only:	Code	p	Fe	e \$_](00	_ TR	#		Re	ceipt	Date_	7/13	<u>/18</u>	Chec	k#	827	

-						
5.	Presently authorized point of diversion:					
	One in the Quarter of the	se	Quarter of the	nw	Quarter	
	of Section 26 , Township	34	South, Range	35		
	in <u>Stevens</u> County, Kansas, <u>2790</u> fe	et North _	feet West	or Southeast co	rner or section.	
	Authorized Rate Authorized Quantity		Depth of well		(teet)	
	(DWR use only: Computer ID No. 1 GPS	2825	feet North	2883 feet	West)	
-	☐This point will not be changed ☑This point will be changed as	follows:	No change, point bet	ter described with	GPS as follows:	
1	Proposed point of diversion: (Complete only if change is	request	ed or if existing poin	it is better desc	ribed by GPS)	
	One in the Quarter of the	se	Quarter of the	nw	Quarter	
	of Section, Township	34	South, Range	35	W,	
ĺ	in <u>Stevens</u> County, Kansas, <u>2845</u> fe	et North_	<u>2883</u> feet West	of Southeast co	rner of section.	
	Proposed RateProposed Quantity					
L	This point is: Additional Well Geo Center List other	r water rig	hts that will use this p	oint	<u> </u>	
6.	Presently authorized point of diversion:					
	One in the Quarter of the		Quarter of the		Quarter	
	of Section , Township		South, Range .		(E/W),	
	in County, Kansas, fe	et North _	feet West	t of Southeast co	orner of section.	
	Authorized Rate Authorized Quantity		Depth of well	-1	(feet)	
	(DWR use only: Computer ID No. GPS		feet North	feet	West)	
	☐ This point will not be changed ☐ This point will be changed as	s follows: [☐ No change, point better	ter described with	GPS as follows:	
	Proposed point of diversion: (Complete only if change is	s request	<u>ed or if existing poir</u>	<u>it is better desc</u>	ribed by GPS)	
	One in the Quarter of the		Quarter of the		Quarter	
	of Section, Township		South, Range		(E/W),	
	in County, Kansas, fe	et North_	feet West	t of Southeast co	orner of section.	
	Proposed Rate Proposed Quantity					
	This point is: Additional Well Geo Center List other	r water rig	hts that will use this p	oint		
L						
7.	The changes herein are desired for the following reasons?					
	(please be specific) <u>drilling in a hurry w/o test hole.</u>	30		lorth 0 100 2	200 300	
	old well needs to replaced asap 20 feet north of old well	50 E	<u>indundundundu</u>	$\frac{1}{10000000000000000000000000000000000$	أسلسل أ	
	ZV ICC HOTEL OF OIL WOIL		<u>-</u>	<u>+</u>	<u> </u>	
8.	If a well, is the test hole log attached? Yes No	200	-1+1+1	ニ ィナ :	-	
		200	-	= ' ' '	1 1 =	
9.	The change(s) (was)(will be) completed by?	ŧ		***	_ =	
	July 4, 2018	100	- 1 + 1 + 1	豊 1 十 1・	┼ │-┋100	
	Arm of A C H of the A H		<u> </u>	Ξ –	_ =	
10.	If the point of diversion is a well:		: [n dun m)an mdan mdn		1	
	(a) What are you going to do with the old well?	westu		_	111111111111111111111111111111111111111	
	plug		<u>-</u> — —	- -	- 1	
		100			十 = 100	
	(b) When will this be done? 2018		<u> </u>	=	_ =	
			=	=	1 = =====	
11.	Groundwater Management District recommendation attached?	200		三十十	十 1 量 200	
	☐ Yes No			<u>-</u>	- =	
12	Assisted by tpm					
	•	30	0 200 100		200 300 ashmark=10 ft	
13a	a. If the proposed point of diversion will be relocated more than 300))				
	feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater	version, indicate	its location on the			
	sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the					
	names and addresses of the landowner(s) one-half mile	e dive	ersion.)	hieseliny and	Horszon Politi O	
	downstream and one-half mile upstream from your property	y	•			

14. If the proposed groundwater point of diversion is 300 or fewer feet	
 (a) Does the undersigned represent all owners of the currently au ☐ Yes ☐ No (If no, all owners must sign this approximately auxiliary) 	thorized place(s) of use identified in this application? olication.)
 (b) Will the ownership interest of any owner of the currently auth affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this approved as requested) 	
(c) If this application is not approved expeditiously, will there be s ☐ Yes ☐ No (If no, all owners must sign this app	ubstantial damage to property, public health or safety? plication.)
If the application proposes a surface water change in point of diversion or a change in place of use, the application must be signed by all owne agent (attach notarized statement authorizing representation).	, a groundwater change in point of diversion greater than 300 feet, ers of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affir age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this a contained in this application are true, correct and complete	orized agent of the owner(s) to make this application on ipplication pertains. I further verify that the statements
Dated at Liberal , Kansas, th	is 10 day of July , 20 18.
× At Bt.	0 F
(Owner)	(Spouse)
Nick Hatcher	(Disease Daise)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas SS	
County of SEWAKD	1.546
I hereby certify that the foregoing application was signed in	n my presence and sworn to before me this 10" day
A JOYCE E. BEG	SLEY CRAME CRAME
My Appt. Expires 9/39/	
My Commission Expires 9/29/18	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	, all of the applicable portions of the application form must be completed with ne appropriate owners' must be affixed to the application and notarized; and
FEE SCHI	
(2) Application to change a point of diversion more than 300	rinder this section shall be accompanied by the application fee set riment of Agriculture \$\frac{\\$100}{\}\$ feet \qquad \\$200 \qquad \\$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 28656 requesting that the place of use and / or point of A change application was received on diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on ☐ Applicable ☐ Not Applicable the topographic map accompanying the application to change the place of use. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion.

Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable

Not Applicable The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion.

Applicable Not Applicable 5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.

Applicable

Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2018, or within any authorized extension of time. By March 1, 2019 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable ☐ Applicable The completed well log shall be submitted with the required notice. ☐ Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable 11. Additional Conditions are attached. ☐ Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for By: _ Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: ___ 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas) SS For Use by Register of Deeds County of Acknowledged before me on Signature: _____ Notary Public My commission expires: _____ (Notary Seal)

Page 4

File No. _____

DWR 1-121 (Revised 04/5/2018)