NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

	version a	литог р	1466 0	1 430.			File No	. <u>2955</u>					in the	. I . O			(RECE 9:0	TVED 5 Am 7 2019
. ,	Applicat	on ie he	rehy r	nada f	or ann	roval c	f the (hiof F	naine	ar to cl	nange	the (ch	neck o	ne or h	oth).	I	Gar	den City F	ield Office
,	тррпоас	011 13 110	or CDy 1	nauc i	or app		lace o		.ngine		1000	of Dive		ic or i	oury.		1 1 101 ()	TOP WALL	ield Office ER RESOUR(
	under th	a water	riabt v	ubiob i	o the o	- 14-	-14		ation i	-				adition	o door	ribad I	acleur		
	The sou				21 1.11	1 1 1 1 1 1 1	10 197	water	allon			ce wat		idition	3 UC3C	ilbed i	Jelow.		
1	Name ar	nd addr	ess of	Applic	ant: <u>te</u>	erry & r	nike h	amm		-		ulli	9 18					-	11 11 - 5
3	303 N K	ANSAS	APT 4	101, LI	BERAI	_, KS,	67901							V	77			+	
ŀ	Phone N	lumber:	()					Email	addre	ss:			17/	/III				100
1	Name ar	nd addre	ess of	Water	Use C	orresp	onden	t: <u>LA</u>	/NE A	NGEL									
_	P O BO											100							
F	Phone N	lumber:		_)					Email	addre	ss:								
	The pres																		
(Owner o								10.00										
((If there is	more th	an one	landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)		300		D Fall	6 . 601	2.5		a Taylor
				NE	1/4			NV	V1/4			SV	V1/4			SI	=1/4		TOTAL
ec.	Twp.	Range	NE¼	NW1/4	SW1/4	SE%	NE1/4	NW¼	SW¼	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES
		1 1																	
																	45.1		
_	9 1 1	Jr _ h		100	200	91		diagn.	1000					Janes e					
		nlication			nge in						•	ace of			-		A	adh lis	
(f this ap Owner o	f Land -	ADDRI	ESS:	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)								
(Owner o	f Land -	ADDRI	ESS:	vner, at	tach su	ppleme	100000	eets as	neces	sary.)	SV	V¼			SI	Ξ1/4		TOTAL
(Owner o	f Land -	ADDRI	ESS:			ppleme	100000		s neces	NE1/4	SV NW1/4		SE1/4	NE1/4	SI NW1/4	5W1/4	SE¼	TOTAL ACRES
(Owner o	f Land -	ADDRI an one	ESS: landov	Ξ1/4			NV	V¼					SE¼	NE¼			SE1/4	
(Owner o	f Land -	ADDRI an one	ESS: landov	Ξ1/4			NV	V¼					SE¼	NE¼			SE1/4	

5.	Presently authorize	zed point	of diversion:							
	One in the	NW	Quarter o	f the	NE	Quarte	r of the	NE	Quart	er
	of Section	15	, Townsh	ip	33	South,	Range	30	(V	V),
	in ME	(County, Kansas, _	5200	feet North _	1300fe	et West of	Southeast c	orner of section	i.
	Authorized Rate		Authorized	Quantity		Depth of	well		(feet)	-
	(DWR use only: C	omputer	ID No. 1	GPS	4928	feet No	rth96	9 fee	t West)	
	☐This point will not	be change	d ☐This point wil	be changed	as follows:	☐ No change,	point better o	described with	GPS as follows	:
	Proposed point of	diversio	n: (Complete onl	y if change	is request	ed or if existi	ng point is	better desc	ribed by GPS)
	One in the	NE	Quarter o	f the	SE	Quarte	r of the	NE	Quart	er
	of Section									
1	in ME									
	Proposed Rate		Proposed 0	Quantity	<u> </u>	Proposed	d well depth	(feet)	583	
	This point is: Ac	dditional V	/ell ☐ Geo Cen	ter List oth	er water rig	nts that will us	e this point			
	0.4971									
6.	Presently authorize	zed point	of diversion:							
0.00	One in the		Quarter o	f the		Quarte	r of the		Quart	er
	of Section		, Townsh	ip		South,	Range		(V	√),
	in	anast (County, Kansas, _		feet North _	fe	et West of	Southeast co	orner of section	i.
	Authorized Rate									
	(DWR use only: C	omputer	ID No	GPS		feet No	rth	feet	t West)	
	☐This point will not	be change	I ☐This point will	be changed	as follows:	ີ່ No change, p	oint better d	escribed with	GPS as follows:	
	Proposed point of	diversion	n: (Complete onl	y if change	is requeste	ed or if existi	ng point is	better desc	ribed by GPS	1
	One in the		Quarter o	f the		Quarte	r of the		Quart	er
	One in the		, Townsh	ip		South,	Range		(E/V	√),
	in	(County, Kansas, _		feet North _	fe	et West of	Southeast co	orner of section	۱.
	Proposed Rate		Proposed 0	Quantity		Proposed	well depth	(feet)		
	This point is: A	dditional W	/ell ☐ Geo Cen	ter List oth	er water rigl	nts that will us	e this point			
_			97							
7.	The changes herein									
	(please be specific)				300	200 1	North	100	200 300	
					Ĕ	<u>ահավահար</u>	uluuluuluuluuluuluuluuluuluuluuluuluulu	uluuluulu	Пишипп	
			<u> </u>		E	- -	<u> </u>	<u> </u>	<u> </u>	
8.	If a well, is the test h	ole log atta	ached? 🛚 Yes	☐ No	200	-1+1.	+ , =	1 + 1	+ 1 = 200	
0	The share (a) (م لامط النين	monleted by O				' ` ≣			
9.	The change(s) (was))(will be) co	impleted by?				. E		_]	
					100	-1 + 1 ·	+ [=	1 + 1	十 = 100	
10	If the point of diversi	on is a wel	ı.		E			_	- =	
10.					West 0 H			atanlaata		t
	(a) What are you go	oing to do	with the old well?		West of E		· =	7 1	']	
				. v			_ <u> </u>	_	_ =	
	(b) When will this b	o dono?		•	100	-1 + 1 ·	十十三	1 + 1	十 = 100	
	(b) When will this b	e done: _					_ -	_		
11	Croundwater Manag	oment Die	riet recommendati	an attachad?	200		- -	1 4 1	+ 1 ⁼ 200	
11.	Groundwater Manag	s No	inci recommendati	on allacheur	200			1 1 1	1 1 3 200	
		. <u>П</u> 110				- - -	$ \overline{\pm}$	- -	一 . 冒	
12.	Assisted by Brandor	n Friedman			300 300	<u> </u>	<u>ılııılııı∓</u> ııı .00 0		பிப்பிப்பி 200 300	
4.0	1611	C 11				, 200 1	South		ashmark=10 ft	
13a	.If the proposed point feet but within 2,640	feet of the	n will be relocated existing point of div	more than 30 rersion, attac	<u>)0</u> ch 13b.If the	proposed poir	nt of diversion	n will be reloc	ated within 300	feet
	a topographic map	or aerial	photograph. For	groundwat	er of th	e existing poi	nt of diversi	ion, indicate	its location on	the
	sources, show all we of the proposed poi	ells (includi nt of diver	ng domestic) withir sion and the name	n one-half mi	ie diagi na diver	am shown a	bove in rel SE NOTF:	เลนเดก to the The "X" in	e existing point center of diag	i of ram
W.	addresses of the ow	ners. For	surface water sour	ces, show th	ne abov	represent	s the pre	sently aut	norized point	of
	names and address downstream and or	sses of the	ne landowner(s)	one-half mi	le dive	rsion.)				
	lines	io-nan IIII	с ирэпсані пон	your proper	·J					

3795 W. Jones Ave. Garden City, KS 67845 PH: 620-277-2389





PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

Customer Nan	me:	Terry - Miko	Homes		WO#:	19080	Date	01.01.
Street Address			#401		Tesl#:	2	E LOG:	9/18/19
City, State:	L	horel is lat	901		Driller:	Dano Re		
County: TY	AE.	Quarter: NF	Section:	15	Township:	33	Range:	DA
Location: Fe	con i	Juna - 57'S		G	PS: 37, 179526	N 10	00,561,835	
Hig #: 10	MOB		Elevation:	2731	Static WL:	279'	Estimated?	old meli
					Proposed W	ell Depth	583	
						0.1-	STATE OF THE OWNER, TH	

-9-5		Footage	117.117.117.117.117.117.117.117.117.117	20'Sump
%	From	Pay	To	Description of Strata
	0		1 2	Suchee
	2		11)	Person Class
	111		49	Brane white class Colomba
•	149		53	Sound True to man
	53		97	Brand Clay (Siem)
	97		221	Sound Die to good record and
	221		201	Blue thecar Clas
	226		239	Blepiner
	239		262	Pleas Clow
	262		275	Blea Soury than blue days, few Corles
5%	275	45	320	Gard for is small, (Compted 14 places)
25%	320	26	346	Score Lais to med Cooker
	346		351	Wolley Clay
10%	361	30	381	Sand fine the cla anxon
10%	381	160	897	Sand Com (tight) clays
25%	397	27	425	Sand Cuo to regal regions
	425		455	Berne Clay, Vingerok
5%	455	15	470	Sand fine to small
59%	470	30	500	Sand factosomel fewday
10%	500	21	521	Soud fire the class
20%	521	13	534	Sand five to regal few concer
The selection	534		546	Becur Clay Imparch
254.	546	17	51-3	Sound five to mad icrosery (Company of a)
	563		577	Beaus Surly Clay Law sand (Ade Stuffuc)
	577		590	Berno Clas (STICEY)
	590		611	BROWN Clay (STicky) four limerock
	611		628	Bernar Red Chailesticky) > Hdo
	628		1040	Red Bear Stores
				- Test Rici =
				28-1 1/2
				· P.1 to East -
				2. Spa Gel X
			Mail	-Gerut.
				-Bataute Plus
				P.I to East - 2. Spa Gel X - Garut - Batoute Mag - Permo Mug

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NOS. 2955, 7661 & 12343





14. If the proposed groundwater point of diversion is 300 or fewer feet from the	ne existing point of diversion, complete the following:
 (a) Does the undersigned represent all owners of the currently authorize ☐ Yes ☐ No (If no, all owners must sign this application) 	
 (b) Will the ownership interest of any owner of the currently authorized affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be substant ☐ Yes ☐ No (If no, all owners must sign this application	tial damage to property, public health or safety? n.)
If the application proposes a surface water change in point of diversion, a ground or a change in place of use, the application must be signed by all owners of the agent (attach notarized statement authorizing representation).	undwater change in point of diversion greater than 300 feet, ne currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirmatio age and the owner, the spouse of the owner, or a duly authorized their behalf, in regards to the water right(s) to which this application are true, correct and complete.	agent of the owner(s) to make this application on ation pertains. I further verify that the statements
Dated at CAROEIN CITY, Kansas, this 30	day of SEPTEMBER , 20/9.
Jeney Harr	The second secon
(Owner)	(Spouse)
TERRENCE L. HAMM	to desire the second se
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of SS	
I hereby efflify that the foregoing application was signed in my of, 20 _ G	presence and sworn to before me this 301H day
My Commission Expires 414-22 A My Appt. Exp. 42	ansas Otherne Reinett Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	e applicable portions of the application form must be completed with priate owners' must be affixed to the application and notarized; and
FEE SCHEDULE	
Each application to change the place of use or the point of diversion under thi forth in the schedule below: Make checks payable to: Kansas Department of (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	of Agriculture \$100 \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 2955,7661,12343 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable
Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a ______ foot radius of the authorized point(s) of diversion.

Applicable Dot Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable

Not Applicable 5. The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_____, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable ☐ Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable ☐ Applicable The completed well log shall be submitted with the required notice. Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable

Not Applicable 11. Additional Conditions are attached. ☐ Yes □ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Division of Water Resources - Kansas Department of Agriculture Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas) SS For Use by Register of Deeds County of Acknowledged before me on Signature: _____ Notary Public My commission expires: ____ (Notary Seal) File No. ___

Page 4

DWR 1-121 (Revised 04/5/2018)

14. If the proposed groundwater point of diversion is 300 or fewer feet from	om the exi	sting poin	t of diversion, complet	e the following:
(a) Does the undersigned represent all owners of the currently author ☐ Yes ☐ No (If no, all owners must sign this applic		ce(s) of us	se identified in this app	olication?
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 		e(s) of use	e identified in this app	olication be adversely
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applic		amage to p	property, public health	or safety?
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundw of the cu	ater chang rrently aut	ge in point of diversion horized place of use, o	n greater than 300 feet or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly authoritheir behalf, in regards to the water right(s) to which this appropriate in this application are true, correct and complete.	zed age dication	nt of the pertains	owner(s) to make s. I further verify t	this application on
Dated at, Kansas, this _	Sr	day of	OCTOBER	
michaely Ha		_ aa, o		
(Owner)			(Spouse)	
(Please Print)			(Please Print)	
(Owner)	•		(Spouse)	
(Please Print)			(Please Print)	
(Owner)			(Spouse)	
(Please Print)	F2		(Please Print)	
State of Kansas County of SS				1-0
I hereby certify that the foregoing application was signed in n of	ny prese	nce and	sworn to before m	ne this <u>/</u> day
My Commission Expires 9-14-22 HOTARY PUBLIC - State of CATHERING REIN	Kansas	_Ca	Motary Public	relil
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all caccurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.				
FEE SCHEDU	LE			
Each application to change the place of use or the point of diversion undeforth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	ent of Agr	iculture		\$100 \$200
	6 33 A A A	e ment d 500 d		

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS


Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	File No	. <u>7661</u>				out h					Ó	RECE	7 2019
1. <i>F</i>	Applicati	on is he	reby n	nade f	or app	roval o	f the C	Chief E	nginee	er to ch	nange	the (ch	eck or	ne or b	oth):	<u>I</u>	OIM Gar	den City	Field Office
						□Р	lace o	f Use		\boxtimes	Point	of Dive	ersion			I	DIVISION	V OF WAT	Field Office ER RESOURCE
ι	ınder the	e water	right w	hich is	s the s	ubject	of this	applic	ation i	n acco	rdance	e with t	he cor	ndition	s desc	ribed b	elow.		
I	he soul	rce of su	apply is	s:		⊠ G	round	water			Surfa	ce wat	er						
. N	Name ar	nd addre	ess of a	Applica	ant: <u>te</u>	erry & r	nike h	amm				enine)					
3	803 N K	ANSAS	APT 4	01, LII	BERAL	_, KS,	67901												
F	Phone N	lumber:	()	-				Email	addres	ss:							7	7.0
١	Name ar	nd addre	ess of '	Water	Use C	orresp	onden	it: <u>LA</u>	NE AI	NGELL				041	1001	IO III			1000
_	O BO								Sec. 19										
F	hone N	lumber:		_)					Email	addre	ss:		entroles	-11		Life and the second			
	he pres			35															
(Owner o					1111	411												
			ADDRI																
(If there is	more th	an one	landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)		-51		F. J.	1801 =	. 19		1, - 1
				NE	Ξ1/4			NV	V1⁄4			SV	V1⁄4			SE	1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW74	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES
	or s		+	1					Lift To										
		-																	<u> </u>
921	1 74				Park.		11000	4	0.053				Lang	la grant	1111 F S				
(f this ap Owner o	f Land -	ADDRI	AME: ESS:					[2]									4.86	
(If there is	s more th	an one			tach su	ippleme			neces	sary.)	<u>for year</u>	C	14 4		0.5	-44		7074
					E¼				V1/4				V¼	054/	NEW		=1/4	051/	TOTAL ACRES
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE¼	NE¼	NW¼	SWIZ	SE1/4	NE¼	NVV1/4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	V 000 - 1
					71					0.5									
			-	HAT THE	ere de	- 1-11-	1	- tu		7 100	715								
100		of 21		177 192	SWITT 4	A HER	Compa	40 91	110		A Philadelphia	100				353			

5.	Presently authorized point of diversion:		N. S.		
	One in the Quarter of the	NE	Quarter of the	NE	Quarter
	of Section, Township	33	South, Range	30	(W),
	in ME County, Kansas, 5200				
	Authorized Rate Authorized Quantity _				
	(DWR use only: Computer ID No. 1 GPS	4928	feet North 96	9 feet W	est)
	☐This point will not be changed ☐This point will be changed				
	Proposed point of diversion: (Complete only if change	e is request	ed or if existing point is	better describ	ed by GPS)
	One in the Quarter of the				
	of Section, Township	33	South, Range	30	(W),
	in ME County, Kansas, <u>3514</u>	feet North _	1319 feet West of S	Southeast corne	er of section.
	Proposed Rate Proposed Quantity	9-	Proposed well depth	(feet)5	83 .
	This point is: Additional Well Geo Center List of	ner water rig	hts that will use this point		
6.	Presently authorized point of diversion:				
	One in the Quarter of the		Quarter of the		Quarter
	One in the Quarter of the of Section, Township		South, Range		(W).
	in County, Kansas,	feet North	feet West of S	Southeast corne	er of section
5 A	Authorized Rate Authorized Quantity				
	(DWR use only: Computer ID No GPS				
	☐ This point will not be changed ☐ This point will be changed				
	Proposed point of diversion: (Complete only if change				
	One in the Quarter of the				
	of Section, Township				
	in County, Kansas,				
	Proposed Rate Proposed Quantity				
	This point is: Additional Well Geo Center List oth				
L		101 1101101 119	and the point		
7.	The changes herein are desired for the following reasons'	?			
	(please be specific)		North		
		300 P) 200 100 0 	100 200	300 ПППЧ
		E	· ' _ ' _ ' <u>=</u>	· <u>+</u> · <u>+</u>	'∄
8.	If a well, is the test hole log attached? ☐ Yes ☐ No	200		r f r 1	, = = = = = = = = = = = = = = = = = = =
2000	and the second s	200	-1+1+1=	1 + 1 +	1 = 200
9.	The change(s) (was)(will be) completed by?	E	<u> </u>		=
		100	-1 + 1 + 1 =	1 + 1 +	100
10		E	-+++=		直
10.	If the point of diversion is a well:		_	1 1 1	. 🖠
	(a) What are you going to do with the old well?	West 0	#don[m]m]m]m]m & n		0 East
		E			킄
	// NAME	100	-1 + 1 + 1 =	1 + 1 +	100
	(b) When will this be done?	E			· 🗐
		[. 1 . 1	. 🖥
11.	Groundwater Management District recommendation attached?	? 200	- + + =	1+1+	1 — 글 200
	☐ Yes ☐ No	E			릨
12.	Assisted by Brandon Friedman	E	<u>ıntınılınıtınılınıtını</u> ≢ıı		<u>قسلت</u>
		300	0 200 100 0 South	100 200 Scale: 1 hashma	300 ork=10 ft
13a	. If the proposed point of diversion will be relocated more than 30	00			COMMITTED TO
	feet but within 2,640 feet of the existing point of diversion, attaca topographic map or aerial photograph. For groundwat	er of th	proposed point of diversion e existing point of diversion	i will be relocated on, indicate its	witnin 300 feet
	sources, show all wells (including domestic) within one-half m	ile diagr	am shown above in rela	ation to the ex	isting point of
	of the proposed point of diversion and the names and mailin addresses of the owners. For surface water sources, show the	ng diver	sion. (PLEASE NOTE: 7/10/2015) represents the pres	The "X" in cent	ter of diagram
1	names and addresses of the landowner(s) one-half mi	ile dive	rsion.)	seniny aumoriz	Lea point of
	downstream and one-half mile upstream from your proper lines	ty			
	inio	1			

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NOS. 2955, 7661 & 12343



14. If the propose	d groundwater point of diversion is 300 o	or tewer teet from the exi	sting point of diversion, complete th	e following:
(a) Does the ☐ Yes	undersigned represent all owners of the No (If no, all owners must		ce(s) of use identified in this applica	tion?
	ownership interest of any owner of the c f this application is approved as requeste \[\] No \(\text{(If yes, all owners mus)}\)	ed?	e(s) of use identified in this applica	tion be adversely
(c) If this app ☐ Yes	olication is not approved expeditiously, wi ☐ No (If no, all owners must		amage to property, public health or	safety?
or a change in pla	roposes a surface water change in point ce of use, the application must be signed rized statement authorizing representation	l by all owners of the cu	ater change in point of diversion gre rrently authorized place of use, or th	eater than 300 feet neir duly authorized
age and the ow their behalf, in contained in thi	being first duly sworn upon my or ner, the spouse of the owner, or a regards to the water right(s) to wl is application are true, correct and	duly authorized age hich this application complete.	nt of the owner(s) to make this pertains. I further verify that	s application on
Dated at	PARDEN CITY	, Kansas, this 50 e	_day of SEPTEMBER	, 20/9
Vine V				
1 my ff	(Owner)		(Spouse)	
TERRE	INCE L. HAMMA			
	(Please Print)		(Please Print)	Traction ;
= 5/2 %	ngA lufti I - bide liggA i 1 - E.	ut Maliforn materials	ushim his of liable on the tar	Transfer project
O Balles Silver	(Owner)		(Spouse)	
Specifica Augusti	(Please Print)	<u>osob</u> e of S <u>obset</u>	(Please Print)	taraene in Tri
	(Owner)		(Spouse)	the their Second
	(Please Print)		(Please Print)	
State of Kansas County of				20.71
of	y that the foregoing application was	s signed in my prese	ence and sworn to before me	this 2011 day
My Commission E	O III CATHI	IC - State of Kansas ERINE REINERT Exp. 9	White Public	it
	APPLICATIONS WILL BE PROCESSED. To ; maps, if necessary, must be included; signal nust be paid.			
		FEE SCHEDULE		
forth in the schedu (1) Applic	o change the place of use or the point of ale below: Make checks payable to: Kar cation to change a point of diversion 300 cation to change a point of diversion more	nsas Department of Ag feet or less	riculture · · · · · · · · · · · · · · · · · · ·	\$100
(3) Applic	cation to change the place of use			\$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 2955,7661,12343 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on 2. the topographic map accompanying the application to change the place of use. Applicable Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a ______ foot radius of the authorized point(s) of diversion.

Applicable

Not Applicable 3. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion.

Applicable Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_____, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable ☐ Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable Applicable The completed well log shall be submitted with the required notice. ☐ Applicable □ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☐ Applicable ☐ Not Applicable 11. Additional Conditions are attached. Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief SUMMARY ORDER ISSUED Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Division of Water Resources - Kansas Department of Agriculture Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act.) SS For Use by Register of Deeds County of Acknowledged before me on _____ Signature: _____ Notary Public My commission expires: _____ (Notary Seal)

Page 4

File No. ____

DWR 1-121 (Revised 04/5/2018)

14. If	the proposed groundwater point of diversion is 300 or fewer fee	t from the existing point of diversion, complete the following:
(a	 Does the undersigned represent all owners of the currently at	
(b	 Will the ownership interest of any owner of the currently aut affected if this application is approved as requested? Yes No If yes, all owners must sign this a 	thorized place(s) of use identified in this application be adversely application.)
(0	:) If this application is not approved expeditiously, will there be : ☐ Yes ☐ No (If no, all owners must sign this ap	
or a cl	application proposes a surface water change in point of diversion hange in place of use, the application must be signed by all own (attach notarized statement authorizing representation).	n, a groundwater change in point of diversion greater than 300 feet, ers of the currently authorized place of use, or their duly authorized
age a their	and the owner, the spouse of the owner, or a duly auth behalf, in regards to the water right(s) to which this a gined in this application are true, correct and complete	irmation and under penalty of perjury, that I am of lawful norized agent of the owner(s) to make this application on application pertains. I further verify that the statements
Dated	at CROENCITY , Kansas, tl	his / ST day of OCTOBER , 20 / 9.
	Michael I Hamm	
	(Owner)	(Spouse)
	Michael L. Hamm. (Please Print)	(Please Print)
	(Owner)	(Spouse)
	(Please Print)	(Please Print)
	(Owner)	(Spouse)
	(Please Print)	(Please Print)
State Count	of Kansas y of Ss	
	ereby certify that the foregoing application was signed i	n my presence and sworn to before me this \(\sum_{\text{ord}} \) day
Му Сс	ommission Expires 9-14-22 A HOTARY PUBLIC - My Appt. Exp	State of Kansas NE REINERS Notary Public
accura	COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete the information; maps, if necessary, must be included; signatures of all the propriate fee must be paid.	, all of the applicable portions of the application form must be completed witl ne appropriate owners' must be affixed to the application and notarized; and
	FEE SCHE	<u>DULE</u>
Each forth i	n the schedule below: Make checks payable to: Kansas Depai (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300	rtment of Agriculture \$\frac{1}{5}\$ \$100 feet \$\frac{\$200}{5}\$

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION




STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

	ersion and																	RECE	sed point(s) IVED 7 AM
								No. of Section 1	2774/12		- 10 <u>0.0</u> -70-7						asynd o		
						F	ile No	12343	3			w.1.19	i Thriti				()CI 0	7 2019
^	pplication	ia han	obu m	ado fo	rann									e or h	oth).		Виния	rden City	Field Office
. А	pplication	is ner	еру п	lade id	і аррі		lace of		rigiriee			of Dive		e or b	oury.		491 K1811	911 (91. MA	AER RESOURCE
	nder the w	V.39		ما ماماما	41	_			ation i	-				ditions	desci	rihed h	elow		
					the st				ationii	11 12 11		e wate							
1	he source	of su	pply is	S:		KI G	round	water		Ц	Suriac	e wate	31						
N	ame and a	addre	ss of A	Applica	nt: te	rrv & n	nike ha	amm						9				- 315	N. Mac
	03 N KAN							A											
_	hone Num			1 1 1 1 1					Email	addres	ss:		e ne icin		1100				- II
Ν	ame and a	addre	ss of \	Nater	Use C	orresp	onden	t: <u>LAY</u>	NE AN	NGELL	•						h a	- 81 11	
<u>P</u>	O BOX 24	49, PI	AINS	, KS 6	7869														
	hone Num								Email	addres	ss:	or corner	10.171	ar regi	202	1	1111	1	-1 T
Т	he presen	tly au	thorize	ed plac	e of u	se is:													
O	wner of La	100																	
(l	f there is m	ore tha	an one	landew	ner, at	tach su	ppleme	entai sn	eets as	neces	sary.)			1 100	get state	124 3	11/15	9/1 S	Teva - 2
		-		NE I					V¼		11=44		V1/4	051/	NEW	SE	17 2 17	CE1/	TOTAL ACRES
Sec.	Twp. R	ange	NE¼	NW¼	SW¼	SE1/4	NE¼	NW1/4	SW1/4	SE1/4	NE1/4	NVV 7/4	SW1/4	SE¼	NE¼	NW¼	3VV 74	SE¼	
	-	$-\parallel$																	
		-																	<u></u>
	-11111		3 1 1		WI MILE		11.7.141		1.0				Me I	his seed					
. If	this applic	cation	ie for	a chai	nae in	nlace	of use	it is n	ronose	ed that	the pl	ace of	use be	chan	aed to	•			
	wner of L																2011.11	Lange	Section tells
	Wilor of E			SS:															
(1	f there is m	ore the	an one	landow	ner, at	tach su	ppleme	ental sh	eets as	neces	sary.)								
				NE	1/4			N	N1/4			SV	V1/4			SE	Ξ1/4		TOTAL
Sec.	Twp. R	tange	NE1/4	NW1/4		SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE1/4	ACRES
				41.0		Q 6		931					=			(IEST)	A. (12)		16.21
										100	111		01571)	- 1	W-10H	sever 1	3 1 14(3)	1192	
																	1	-	

5.	Presently authori	zed point of	diversion:				
	One in the	NW	Quarter of the	NE	Quarter of the	NE	Quarter
	of Section	15	, Township	33	South, Range	30	(W).
	in <u>ME</u>	Cc	ounty, Kansas, <u>5200</u>	feet North	1300 feet West of	Southeast corr	ner of section.
	Authorized Rate _		Authorized Quantity		Depth of well	(fe	eet)
	(DWR use only: (Computer ID	No. <u>1</u> GP	S 4928	feet North 96	9 feet W	/est)
	☐This point will not	be changed	This point will be change	d as follows:	☐ No change, point better o	described with G	PS as follows:
			(Complete only if chang				
			Quarter of the				
	of Section	15	, Township	33	South, Range	30	(W).
	in ME	Co	unty, Kansas, <u>3514</u>	feet North	1319 feet West of	Southeast corn	ner of section.
			Proposed Quantity				
	This point is: A	dditional We	II ☐ Geo Center List of	her water rig	hts that will use this point	,	
	SE ALGO 18						·
6.	Presently authorize	zed point of	diversion:				
	A company of the second		Quarter of the	SW	Quarter of the	NF	Quarter
	of Section	14	, Township	33	South Range	30	(\/\/)
.04			unty, Kansas, <u>2830</u>				
- 1			Authorized Quantity _				
	(DWR use only: 0	Computer ID	No GPS	S	feet North	feet W	/est)
			☐This point will be change				
			(Complete only if chang				
			Quarter of the				
	of Section		, Township		South Range		\(\(\frac{\partial}{\partial} \)
	in	Co	unty, Kansas,	feet North	feet West of S	Southeast corn	er of section
	Proposed Rate		Proposed Quantity		Proposed well depth	(feet)	or or oconom.
	This point is:	dditional Wel	I ☐ Geo Center List ot	her water rig	nts that will use this point	(1001)	·
7.	The changes herein (please be specific)	n are desired	for the following reasons	300	North 0 200 100 0	100 200	300
8.	If a well, is the test h	nole log attach	ned? 🛛 Yes 🔲 No		-		7
9.	The change(s) (was)(will be) com	pleted by?	E	. =		3
	3 (/ (,,		100	<u> </u>		3
				100		1 + 1 +	100
10.	If the point of diversi	ion is a well:		E			=
	(a) What are you g	oing to do wit	h the old well?	West 0	#dodooloo	վասիայիստի	ııı ı++∰ 0 East
	, ,	0					
				400	<u>.</u>		· . =
	(b) When will this b	e done?	6 7	100	-1+1+1=	1 + 1 +	100
				E		_	킙
11.	Groundwater Manag	gement Distric	t recommendation attached	? 200		I + I +	200
	☐ Ye	s 🗌 No		E			₫
40	A ' /			E			
12.	Assisted by <u>Brandor</u>	<u>ı Friedman</u>		300	200 100 0	100 200	300
13a	a topographic map sources, show all we of the proposed poi addresses of the ow names and addres	feet of the exical properties of the exical pr	vill be relocated more than 3 isting point of diversion, atta notograph. For groundwa domestic) within one-half mand the names and mailiface water sources, show the landowner(s) one-half mand pour prope	ich 13b.If the ter of the nile diagr ing diver the abov nile diver	South proposed point of diversion e existing point of diversion am shown above in relation. (PLEASE NOTE: The represents the presection.)	on, indicate its ation to the e Γhe "Χ" in cen	ed within 300 feet location on the xisting point of nter of diagram

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NOS. 2955, 7661 & 12343



1/2 MILE

PROPOSED PD

ALL WELLS WITHIN A HALF MILE ARE ON THIS MAP:

You Ones

W

__ Created By: AM/GCFO

14. If th	ne proposed groundwater point of diversion is 300 or fewer feet fro	m the exist	ting point	of diversion, complete th	e following:			
(a)	 (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application? ☐ Yes ☐ No (If no, all owners must sign this application.) 							
(b)	b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested? Yes No (If yes, all owners must sign this application.)							
(c)	If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applied	stantial dar cation.)	mage to p	property, public health or	safety?			
or a cha	oplication proposes a surface water change in point of diversion, a ange in place of use, the application must be signed by all owners attach notarized statement authorizing representation).	groundwa of the curr	ter chang ently autl	e in point of diversion gre norized place of use, or th	eater than 300 feet neir duly authorized			
age an	by verify, being first duly sworn upon my oath or affirm and the owner, the spouse of the owner, or a duly author behalf, in regards to the water right(s) to which this apposed in this application are true, correct and complete.	ized agen olication	t of the pertains	owner(s) to make thi	s application on t the statements			
Dated a	at CACOEN C(74 , Kansas, this	50m	_ day of _	SEPTEMBER	, 20_19			
1	The say of the same of the same in the same of the sam							
1	my hom		1 7-3-13		a Carrier			
1	(Owner)			(Spouse)				
act, the fi	HERRENCE L. HAMM	(1),	No. (No.	(DI Driet)	and edition			
	(Please Print)			(Please Print)				
	(Owner)	- Chipan Look nam	pergram Pergram	(Spouse)	erangan banan bana			
181 <u>2-0-21-1</u>	(Please Print)	indr oc	las see	(Please Print)	e Book har in			
- <u>- 2</u>	(Owner)			(Spouse)	markets no 501 and allowed as a secondary of a free or allow			
in h	(Please Print)	10 10 10 10 10 10 10 10 10 10 10 10 10 1	rik jiliya	(Please Print)	E - GEW			
State of	f Kansas) SS				and the second			
,I he	reby certify that the foregoing application was signed in	my preser	nce and	sworn to before me	this 50TH day			
of	, 20 1 9 NOTARY PUBLIC - State CATHERINE RE		Ca	hern Peiner	<u> </u>			
My Cor	nmission Expires 9-14-22		DA 16	Notary Public				
accurate	OMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all information; maps, if necessary, must be included; signatures of all the a opriate fee must be paid.	of the applic	cable porti wners' mu	ons of the application form m st be affixed to the applicatio	nust be completed wit on and notarized; and			
	FEE SCHEDU	JLE						
	pplication to change the place of use or the point of diversion under the schedule below: Make checks payable to: Kansas Departm (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	er this secti ent of Agr	iculture 		\$100 \$200			

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 2955,7661,12343 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable ☐ Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a ______foot radius of the authorized point(s) of diversion.

Applicable

Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion.

Applicable Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable

Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_____, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable ☐ Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable
Not Applicable Additional Conditions are attached. ☐ Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative By: _ Duly Authorized Designee of the Chief Engineer review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act.) SS For Use by Register of Deeds County of Acknowledged before me on _____ Signature: ____ Notary Public My commission expires: _____ (Notary Seal)

DWR 1-121 (Revised 04/5/2018)

Page 4

File No. _____

00 or fewer feet from	m the exist	ting point	of diversion, complete	the following:
		e(s) of use	e identified in this applic	cation?
ested?		(s) of use	identified in this applic	cation be adversely
		nage to p	roperty, public health o	r safety?
point of diversion, a gned by all owners atation).	groundwa of the curr	ter change ently auth	e in point of diversion g orized place of use, or	reater than 300 feet their duly authorized
or a duly authorize o which this app and complete.	zed agen lication	t of the pertains	owner(s) to make the . I further verify the	nis application on at the statements
, Kansas, this _	1 21	_day of _	OCTUBER	, 20_ <i>[9</i>
•			(Spouse)	
				21
			(Please Print)	
			(Spouse)	
			(Please Print)	
			(Spouse)	
			(Please Print)	
				10-
was signed in n	ny preser	ice and	sworn to before me	this [3] day
OTARY PUBLIC - State of K CATHERINE REINE My Appt, Exp.	ansas ERT	Cathe	Notary Public	
7	£1111-	able sedie	as of the application form	must be completed wit
ignatures of all the ap	propriate ov	wners' mus	it be affixed to the applica	tion and notarized; and
FEE SCHEDU	LE			
nt of diversion unde	r this secti	on shall b	e accompanied by the	application fee set
300 feet or less more than 300 feet			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(\$200)
	the currently authorizes to currently authorizes ted? must sign this applicates to complete substance to the substance of the	the currently authorized place must sign this application.) The currently authorized place ested? The currently authorized dark and the currently application.) The currently authorized agent and complete. The currently auth	was signed in my presence and which this application and under porta duly authorized agent of the owhich this application and under porta duly authorized agent of the owhich this application pertains and complete.	ne currently authorized place(s) of use identified in this applicatested? must sign this application.) y, will there be substantial damage to property, public health on nust sign this application.) point of diversion, a groundwater change in point of diversion graned by all owners of the currently authorized place of use, or lation). y oath or affirmation and under penalty of perjury, to a duly authorized agent of the owner(s) to make the owner of this application pertains. I further verify the and complete. , Kansas, this

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

October 10, 2019

JOSE LONGORIA 5167 U RD PLAINS KS 67869

RE: Water Right, File Nos. 2955, 7661 & 12343

Dear Sir or Madam:

This is to advise you that Mike Hamm has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to the NE¼SE¼NE¼ of Section 15, Township 33 South, Range 30 West, Meade County.

You can find the complete applications posted by water right file number as referenced above at: https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3