# Kansas Department of Agriculture Division of Water Resources CHANGE: P/D WORKSHEET

1. File Number: <b>30257</b>	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
6. Status: ⊠ Approved □	Denied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
8a. Applicant(s) New to system   WILLIAM H & ERMA PO BOX 36 TALMAGE, NE 68448	Person ID 50914 Add Seq# C DAMME FARMS LLC	8c. Landown New to sy		Person ID Add Seq#
8b. Landowner(s) New to system □  8a	Person ID Add Seq#	8d. WUC New to sy	rstem □	Person ID Add Seq#
9. Documents and Enclosure(s):  Anti-Reverse Meter	leter Seal	⊠ N & P Form	☑ Water Tube  ☑	to Comply: 12/31/2020  Driller Copy
10. Use Made of Water From: _		To: _		
			Date Prepared: <b>9/24</b> Date Entered:	<b>./2019</b> ву: <b>АМ</b> ву:

File No.	30257	7	11. Count	ty: FI	В	asin: Al	RKAN	SAS F	RIVER			S	tream:							Fo	rmation Co	de:	Special Use:	
CHK MOD	ints of Dive	ersion				A5058					4.7						and Qi	uantity zed		A	dditional			A SERVE
DEL	PDIV	Qualifier	S	Т	R	ID		N	ʻW		Com	ment	(AKA	Line)		Rate		Quantit af	ty	Rate			Overlap PD Files	
DEL	38491												100						0.E					
ENT		NE NW SE	27	245	32W		2	610	151	2			A			105	0	311		1050	31	1		
снк	85406	SW NE NW	27	248	32W	6	4	349	385	4						985		311		985	31	1		
																								_
																								3
13. Sto	rage: Rate	9		_NF	Qua	antity _					_ac/ft	Α	dditior	al Rat	te				NF	Addi	tional Quar	itity	ac/ft	
																						F		A
16. Pla	ice of Use				١	IE¼			NV	V¹/4			sv	V1/4			S	6E1/4		Total	Owner	Chg?	Overlap Files	
MOD DEL	PUSE	STR	ID	NI 1/2		SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4					
снк												1												
снк :	38951											7 4		115										
СНК	57783					1																		
						E	Bi.		H															
																	6.							
	1. 5																	50						
Base A	cres:	Year:		Minim	um Rea	sonable	e Quar	ntity:		FFE							1 18							
Comme	ents:																							

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

September 24, 2019

WILLIAM H & ERMA C DAMME FARMS LLC PO BOX 36 TALMAGE, NE 68448

RE: Water Right, File No. 30257

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM:

enclosures

pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3

#### CERTIFICATE OF SERVICE

On this 24<sup>th</sup> day of September, 2019, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 30,257 dated 24<sup>th</sup> day of September, 2019 was mailed postage prepaid, first class, US mail to the following:

WILLIAM H & ERMA C DAMME FARMS LLC PO BOX 36 TALMAGE, NE 68448

Pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787

Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr DWR FIELD OFFICE
APPLICATION FOR APPROVAL
TO CHANGE THE PLACE OF
USE AND/OR THE
POINT OF DIVERSION



#### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use

			lace o					- 14										RE	CEIVED
							File No	3025	57			eric je	A COLLEGE					SEE	17 2019
	Applicati	on ie he	rehy r	nade f	or ann	roval	of the C	hief F	naine	er to cl	nange	the (ch	neck o	ne or h	oth):			-	1,02 bu
	Applicati	OH IS HE	ieby i	naue i	ог арр						100			ic or c	ourj.			arden	City Field Of
	i. Us					di di	Place o				Point			1	i bini	Lucy.			f Water Reso
	under th				s the s				ation i	- 17 ( <u>fill.</u> []				ndition	s desc	ribed	below.		
	The sou	rce of si	upply i	s:			Ground	water		Ц	Surfa	ce wat	er						
	Name ar					VILLIA	M H. &	ERM	A C. D	AME F	ARMS	SLLC							
	Phone N		ACCEPTED TO	13.		129.4		e	Email	addre	ss:		PER L				1 40- b	-	
	Name ar			THE RESERVE	7.5	orresp	onder				COLUMN TO THE REAL PROPERTY.		ИЕ FA	RMS L	LC			447	A Property of
	РО ВОХ											THE PARTY							Jib All
	Phone N											160/	lendo	, 0 f	Canno	ens Ma	ation	11	com
	The pres	ently a	uthoriz	ed pla	ce of u	ise is:												VacCin E	
	Owner o	f Land -	NA	AME:	No Ch	ange	LITE		-		43		i salv		de .50.			CV.	<u> Galana</u>
			ADDRI	ESS:	pr vt.									9,	4.		100	1	
	(If there is	more th	an one	landov	wner, at	tach su	uppleme	ental sh	eets as	neces	sary.)								
H			W.	N	E14	. 7		N	N1/4			SV	V1/4			SI	Ξ1/4		TOTAL
Sec	. Twp.	Range	NE1/4	NW1/4	SW%	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	101				- 1		1.04		roll	17.00	1700		76		Frig.		Name of	100	AND THE
																			- otom vlatnika modeli
1			a dia		Section 1	entrain			h-All						100	This is		Gardel	
	If this ap				17.0				ropose	ed that	the pl	ace of	use be	e chan	ged to			6	
	Owner o		ADDRI							1							1	-	All Control of the Control
	(If there is		1		vner at	tach sı	ıppleme	ental sh	eets as	neces	sarv				7.75				
	(1, 1,1010 10	7 111010 11			-							C	N/1/	11/4 - 12/4		C	-1/		TOTAL
Sec	. Twp.	Range	NE1/4		E1/4 SW1/4	SE1/4	NE1/4	NW1/4	W1/4 SW1/4	SE1/4	NE1/4		N1/4 SW1/4	SE1/4	NE1/4	NW1/4	5W1/4	SE1/4	ACRES
360	, TWP.	Range	INL/4	1400/4	344/4	SL/4	INL/4	1444/4	300/4	JL/4	INE/4	1444/4	3474	SL/4	INE /4	1444/4	300/4	SE/4	
_				7 75									ecta-1	1	ar oc	Leurin 1	7	Boile	7 P 345 30
	N. un. sta	the state of	7	188.91	SCHOOL STATE	1		17 18	THE PARK	11			1410	1110					
		A Party				A 10101		30.790		102	hr.[2012		b 5,78	E L		186. 1		witer	
311		10.00	TEXT.		S IC				a. K	1.0	i n	15.000		line			1000		
	For Offic	ce Use	Only:	Code		Fe	e \$ \	00	TR	#		Re	ceipt	Date			Chec	k# 5	503
						_	-		-	_								A CONTRACTOR	

in					South, Range		(W
in							
۸.,					1529 feet West of		
Au	thorized Rate _	1050 GPM	Authorized Quan	tity 311AF	Depth of well	(fe	et)
(D	WR use only:	Computer II	No. 3	GPS	feet North	feet W	est)
					☐ No change, point better		
					ed or if existing point is		
Or	ne in the	NE	Quarter of the _	NW	Quarter of the	SE	Quart
of	Section	27	, Township	24	South, Range	32	(W
in .	FINNEY	Cc	ounty, Kansas, <u>261</u>	<pre>0 feet North _</pre>	1512 feet West of	Southeast corn	er of section.
					Proposed well depth		
Th	is point is: 🔲 A	Additional We	II ☐ Geo Center Li	ist other water righ	nts that will use this point		To have districted
J	3.5						
Pr	esently author	rized point of	diversion:				
Or	ne in the	SW	Quarter of the _	NE	Quarter of the	NW	Quarte
of	Section	27	, Township	24	South, Range	32	(W
in	FINNEY	Cc	ounty, Kansas, <u>434</u>	9 feet North _	3854 feet West of	Southeast corne	er of section.
Au	uthorized Rate_	985GPM	Authorized Quant	tity 311AF	Depth of well	(fe	et)
(D	WR use only:	Computer ID	No. <u>6</u>	GPS	feet North	feet W	est)
*	This point will no	ot be changed	☐This point will be ch	anged as follows:	No change, point better d	lescribed with GP	S as follows:
Pr	oposed point	of diversion:	(Complete only if ch	ange is requeste	ed or if existing point is	better describ	ed by GPS)
Or	ne in the		Quarter of the		Quarter of the		Quarte
of	Castian				South, Range		(EAA
OI.	Section		, Township		South, Name		(L/VV
in	Section	Go	, Township puntv. Kansas.	feet North	feet West of	Southeast corne	er of section.
in Pro	oposed Rate	60	, Township ounty, Kansas, Proposed Quanti	feet North	feet West of	Southeast corne	er of section.
Pro Th	oposed Rate iis point is:	Additional We	Proposed Quanti	feet North _ ty st other water righ	feet West of Proposed well depth nts that will use this point	Southeast corne (feet)	er of section.
Th (pl	oposed Rate	Additional We ein are desired well and an way	Proposed Quantil  Geo Center Li  d for the following rea  Cosing is very  the Greene	feet North ty st other water right asons?	reet West of Proposed well depth onts that will use this point of the proposed well depth on the proposed well depth on the proposed well depth on the proposed will be proposed with the proposed with the proposed with the proposed with the proposed will be proposed with the proposed well depth on the proposed well-depth	Southeast corne (feet) t	300
Th (pl	oposed Rate	Additional We ein are desired well well and an way hole log attac	Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Quantill Geo Center Lid for the following real Proposed Geo Center Lid for the following real Pr	feet North ty st other water right asons?	reet West of Proposed well depth onts that will use this point of the proposed well depth on the proposed well depth on the proposed well depth on the proposed will be proposed with the proposed with the proposed with the proposed with the proposed will be proposed with the proposed well depth on the proposed well-depth	Southeast corne (feet)	300
Th (pl	oposed Rate	Additional We ein are desired well way hole log attacks) (will be) con	Proposed Quantill Geo Center Li	feet North ty ist other water right asons? 300	reet West of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well as the proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that well as the proposed well as the	Southeast corne (feet)  t	300
Th (pl	oposed Rate	Additional We ein are desired well way hole log attacks) (will be) con	Proposed Quantill Geo Center Li	feet North ty ist other water right asons? 300	reet West of Proposed well depth onts that will use this point of the proposed well depth on the proposed well depth on the proposed well depth on the proposed will be proposed with the proposed with the proposed with the proposed with the proposed will be proposed with the proposed well depth on the proposed well-depth	Southeast corne (feet)  t	300
Th (pl	e changes here ease be specific a well, is the test	Additional We ein are desired well and an way hole log attacks) (will be) con	Proposed Quantill Geo Center Li	feet North ty ist other water right asons? 300	reet West of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well as the proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that well as the proposed well as the	Southeast corne (feet)  t	300
Th Th (pl	e changes here ease be specific way well, is the test e change(s) (was he point of diversity point is:	Additional We ein are desired well well well well well well well we	Proposed Quantill Geo Center Lid of or the following real casing is very the green with the green of the gree	feet North feet North st other water right asons?	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 1 200
Th Th (pl	e changes here ease be specific a well, is the test	Additional We ein are desired well well well well well well well we	Proposed Quantill Geo Center Lid of or the following real casing is very the green with the green of the gree	feet North feet North st other water right asons?	reet West of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well as the proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that will use this point of Proposed well depth nts that well as the proposed well as the	Southeast corner (feet)	300 1 200
The The If the I	e changes here ease be specific way well, is the test e change(s) (was he point of diversity point is:	Additional We ein are desired well well well well well well well we	Proposed Quantill Geo Center Lid of or the following real casing is very the green with the green of the gree	feet North feet North st other water right asons?	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 1 200
Th Th (pl If a Th (lf th (a)	e changes here ease be specific well, is the test e change(s) (was he point of diversity what are you	Additional We ein are desired well well and an well: going to do with the control of the control	Proposed Quantill Geo Center Lid of or the following real casing is very the green with the green of the gree	feet North feet North st other water right asons?	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 1 200
Th Th (pl If a Th (lf th (a)	e changes here ease be specific way well, is the test e change(s) (was he point of diversity point is:	Additional We ein are desired well well be considered with the constant of the	Proposed Quantill Geo Center Lid Geo Center Lid of for the following real casing is very the green Proposed Quantill Geo Center Lid of for the following real casing is very the green Proposed Quantill Geo Center Lid of for the George Proposed Quantill George Proposed Proposed Quantill George Proposed Proposed George Propose	get Northfeet Northfeet Northfst other water right asons?	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 1 200 1 100
The The If the (a)	e changes here ease be specific with a well, is the test e change(s) (was he point of diversity what are you when will this	Additional We ein are desired well well be considered with the constant of the	Proposed Quantill Geo Center Lid of or the following real Casing is very the Green Proposed P	grown 100  West 0	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 300 1 200 1 100 1 100
The The If the (a)	e changes here ease be specific a well, is the test e change(s) (was he point of diversity of the work what are you when will this oundwater Manageria point of the work when will this oundwater Manageria point of the work what are you when will this oundwater Manageria point of the work when will this oundwater Manageria point of the work when will this oundwater Manageria point of the work will this oundwater Manageria point of the work will this oundwater Manageria point of the work with the work will be with with the work will	Additional We ein are desired well well well well well well well we	Proposed Quantill Geo Center Lid Geo Center Lid of for the following real casing is very the green Proposed Quantill Geo Center Lid of for the following real casing is very the green Proposed Quantill Geo Center Lid of for the George Proposed Quantill George Proposed Proposed Quantill George Proposed Proposed George Propose	grown 100  West 0	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300  200  100
The The If the (a)	e changes here ease be specific with a well, is the test e change(s) (was he point of diversity what are you when will this	Additional We ein are desired well well well well well well well we	Proposed Quantill Geo Center Lid of or the following real Casing is very the Green Proposed P	grown 100  West 0	reet West of Proposed well depth nts that will use this point North 1 200 100 North 1 200 100 North 1 200 North 1	Southeast corner (feet)	300 300 1 200 1 100 1 100

lines

5. Presently authorized point of diversion:

14. If the	proposed groundwater point of diversion	on is 300 or fewer feet from the	existing point of diversion, complete the foll	lowing:
		ners of the currently authorized prers must sign this application.)	place(s) of use identified in this application?	Page of the state
a	affected if this application is approved a		ace(s) of use identified in this application l	be adversely
		litiously, will there be substantial ners must sign this application.)	damage to property, public health or safet	y?
or a chang		be signed by all owners of the	dwater change in point of diversion greater currently authorized place of use, or their d	
age and their bel	the owner, the spouse of the ownalf, in regards to the water righted in this application are true, consequently and the spouse of the ownalf, in regards to the water righted in this application are true, consequently and the spouse of the ownalf, in regards to the owner, the spouse of the ownalf, in regards to the ownalf, in regards to the owner, the spouse of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the water right of the ownalf, in regards to the ownalf, in reg	ner, or a duly authorized ag t(s) to which this application	and under penalty of perjury, that I agent of the owner(s) to make this apon pertains. I further verify that the	plication or
by 201	(Owner)	n ber	(Spouse)	
010			(Opouse)	
	(Please Print)	Talif Carryon	(Please Print)	Frank Pie
liw	nam Hard France	C. Damme Fo	my ILC	
	(Owner)	rente nel manti proprieta de la composición del composición de la composición de la composición del composición de la composición del composición del composición del composición del composició	(Spouse)	B
10.11.00.0	(Please Print)	ni bardendam old 🔀	(Please Print)	
Tong at G 4 GB ACTION GB ACTION	(Owner)		(Spouse)	
State of K	(Please Print)  ansas Nebr  to 2  SS		(Please Print)	e de la companya de l
of	oy certify that the foregoing application of the control of the co	ation was signed in my pre	Sence and sworn to before me this Notary Public	9 day
accurate inf			oplicable portions of the application form must be e owners' must be affixed to the application and	
forth in the (1) (2) (3)	e schedule below: Make checks payab ) Application to change a point of dive ) Application to change a point of dive	le to: Kansas Department of Arsion 300 feet or less	RECEIVED	<mark>\$100</mark> \$200
DWR 1-121	(Revised 04/5/2018)	Page 3	SEP <b>17</b> 2019 File No.	

## SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro	visions of the Kansas Water Appropriation Law, K.S.A. 82a-7	Bb, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder, this Summary Order does not change the terms, conditions and
1.	A change application was received on Seatern S	requesting that the place of use and / or point of er be changed as described in the application.
2.	On and after the effective date of this summary order, the auth the topographic map accompanying the application to char	norized place(s) of use shall be located substantially as shown on age the place of use.   Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	is and shall be limited to the same source or sources of water as this summary order shall be located within a foot e Not Applicable
4.	The point(s) of diversion described herein is administratively Positioning System (GPS), as described in the application.	y corrected to be more accurately described using the Global ☐ Applicable ☒ Not Applicable
5.	The point(s) of diversion authorized herein shall not actually be authorized point(s) of diversion.   ☐ Applicable ☐ No.	be located more than feet from the previously that Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a we or other device suitable for making water level measuremen K.A.R. 5-6-13.   ☐ Applicable ☐ Not Applicable	ell with a diversion rate of 100 gallons per minute or more, a tube its shall be installed, operated and maintained in accordance with
7.	<b>December 31, 20</b> or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 the	perly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, nrough 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ag the end of each calendar year.
8.	Installation of the works for diversion of water shall be a authorized extension of time. By March 1, 20 the a works for diversion has been completed, on the form provided Applicable Not Applicable	completed on or before December 31, 20 , or within any applicant shall notify the Chief Engineer that construction of the ded by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requir	red notice. Applicable
10.	with an in-line, automatic, quick-closing check valve capab	oreign substance will be injected into the water shall be equipped le of preventing pollution of the source of the water supply. The n accordance with K.A.R. 5-3-5c. ★ Applicable ☐ Not Applicable
11.	Additional Conditions are attached.  Yes No	
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promule	R. 5-5-14, all of the owners of the authorized place(s) of use of er are responsible for compliance with its terms, conditions and mary Order, and with applicable provisions of the <i>Kansas Water</i> gated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the ns authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
you Eng Agr filed	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief lineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be within 15 days of service of this Order and a request for hinistrative review by the Secretary must be filed within 30	By: Duly Authorized Designee of the Chief Engineer
day	s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	(Print Name): 100   Oliver Name): 100   Oliver Name): 100   Oliver Name   Oliver Name
File	any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance: September 24, 2019
665	02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	State of Kansas )
	For Use by Register of Deeds	County of Finney ) SS
		Acknowledged before me on <u>September</u> 24,201 by Austin McColloch
		LE RETURN RELEASED TO THE PROPERTY OF THE PROP
		Signature: Julie Jones
		My commission expires:  My Appointment Expires  (Notapacampel 15, 2022
		william.


File No.

## RECEIVED

SEP 17 2019

Garden City Field Office Division of Water Resources

## Chage in Point of Diversion WR # 30257 ld. No3 T24 R32 Section 27 Finney County



By signing this map the applicant is aware that no other wells (Irrigation, Domestic, Industrial etc) are within the 1/2 mile radius circle.

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



WE NW SE Garden City, KS 67846
Fax: 620-277-0224

1512' W

Street A	ddress:	: Damn	ne Farm	Date: 5-15-19
City, Sta				Driller: D / C :
County:	Einnes	Quar	ter: NE	Couldi. // Inwasain au
Location	n: 77"	East o	f Well	
Rig#:	1000	2		Florestien: 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4
				Proposed Well Depth
				1 Toposed Well Depth
		Footag	ge	(well Loredica)
%	From	Pay	To	Description of Strata
	0		12	Top Soil
	12		5	Sand fine to med
	5		22	Sand fine 10 med
	122		38	Sand fine to med course small med few large gravel
	38		44	Sand fine to med w/couple clay Stringers - Drilled Tight-
	44		49	TOTAL Janely Liev
	149	200	159	Sand fine to med course couple small gravel
	159		68	Jand time to med course - Drilled Little Till
20	68	10	78	Drown Sandy Clay
	78		80	Sand fine to med
25	80	10		Brown Sandy Clay
4-4 55	90	16	90	Sand fine to med course
10	95	9		Brown Clay
25	1		104	Fine Sand
20	104	17	121	Sand fine to med some course w/few lime rock strips-
5	1101		-	Terest IN Diates
3	121	.13	134	Fine Sand W/Some clay stringers
B 4"	134		149	Brown Clay
<u>35</u>	149	11	160	Brown Clay Sand fine to med couple course w/ few this clay Stringers Sand fine to med rouse course w/ few this clay Stringers
35	160	47	207	
	207		213	Soapstone Soapstone
	213		220	Black Shale
1-18		117		
		// /		Super Gel X -4
				Super Gel X -4 Grout -2
				Dent Plug 3/4 -6
				Bent Plug 3/4 -6 Perma Plug -1
				10000
		1	22.5	
				RECEIVED
				SEP 17 2019
				Garden City Feld Office
				Division of Water Resources

| Sing |

