

Kansas Department of Agriculture
Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 38933	2. Status Change Date: 4-22-19	3. Change Num: C2	4. Field Office: 04	5. GMD: 03
---------------------------------	--	-----------------------------	-------------------------------	----------------------

6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return	7. Filing Date of Change: 4/12/2019
--	---

8a. Applicant, Landowner
New to system

Person ID **12335**
Add Seq# **1**

**GREGORY & SHERRYL MORRIS
501 S WILDCAT CT
HUGOTON KS 67951-3210**

8c. WUC
New to system

Person ID _____
Add Seq# _____

8a

8b. Landowner(s)
New to system

Person ID **12335**
Add Seq# _____

**GREGORY & SHERRYL MORRIS
501 S WILDCAT CT
HUGOTON KS 67951-3210**

8d.
New to system

Person ID _____
Add Seq# _____

Note: Change in Ownership (only 38933)

9. Documents and Enclosure(s): DWR Meter(s) Date to Comply: **12/31/19** N & P Date to Comply: **12/31/2019**

Anti-Reverse Meter Meter Seal Check Valve N & P Form Water Tube Driller Copy H & E Letter

Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____

10. Use Made of Water From: _____ To: _____

Date Prepared: **4/18/2019** By: **AM**
Date Entered: _____ By: _____

File No. **38933** 11. County: **SV** Basin: **CIMARRON RIVER** Stream: _____ Formation Code: 200 Special Use: _____

12. Points of Diversion Rate and Quantity
CHK Authorized Additional
MOD Rate Rate
DEL Quantity Quantity
ENT af af Overlap PD Files

PDIV	Qualifier	S	T	R	ID	'N	'W	Comment (AKA Line)	Rate gpm	Quantity af	Rate gpm	Quantity af	Overlap PD Files
DEL	5730												
ENT	NE NE SE	33	34S	38W					760	260	760	260	NONE

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files	
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼					
CHK 31781																										
CHK 24906																							8a	N	24944; 20177044	

Base Acres: _____ Year: _____ Minimum Reasonable Quantity: _____

Comments: Reduction request being processed to remove overlap with WR #24944; so no change in ownership for that file. *Add condition for meter seal*

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

April 22, 2019

GREGORY & SHERRYL MORRIS
501 S WILDCAT CT
HUGOTON KS 67951-3210

RE: Water Right, File No. 38933.

Dear Sir and Madam:

Enclosed is an order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that acceptable water flowmeter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Also, a long standing condition of this water right is that the water flowmeter is required to be sealed to the measuring chamber by the chief engineer upon completion and field review. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free to call this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

A blue ink signature of Michael A. Meyer, written in a cursive style.

Michael A. Meyer
Water Commissioner

MAM:
enclosures
pc:

SHANNON V & DIANA CRAWFORD
707 S POLK ST
HUGOTON KS 67951-2245

GROUNDWATER MANAGEMENT DISTRICT NO. 3

CERTIFICATE OF SERVICE


On this 22nd day of April, 2019, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 38,933, dated 22nd day of April, 2019 was mailed postage prepaid, first class, US mail to the following:

GREGORY & SHERRYL MORRIS
501 S WILDCAT CT
HUGOTON KS 67951-3210

With photocopies to:

SHANNON V & DIANA CRAWFORD
707 S POLK ST
HUGOTON KS 67951-2245

GROUNDWATER MANAGEMENT DISTRICT NO. 3



Division of Water Resources Staff

5. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ NC Quarter of the _____ SE Quarter
 of Section _____ 33 _____, Township _____ 34 _____ South, Range _____ 38 _____ W,
 in STEVENS County, Kansas, _____ 1315 _____ feet North _____ 1100 _____ feet West of Southeast corner of section.
 Authorized Rate _____ 760gpm _____ Authorized Quantity _____ 260AF _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. 04 GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ NE Quarter of the _____ NE Quarter of the _____ SE Quarter
 of Section _____ 33 _____, Township _____ 34 _____ South, Range _____ 38 _____ W,
 in STEVENS County, Kansas, _____ 2630 _____ feet North _____ 265 _____ feet West of Southeast corner of section.
 Proposed Rate _____ 760gpm _____ Proposed Quantity _____ 260AF _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) Lose of production in current well

8. If a well, is the test hole log attached? Yes No

9. The change(s) (was)(will be) completed by?
As soon as approved


10. If the point of diversion is a well:
 (a) What are you going to do with the old well?

 (b) When will this be done? _____

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by GMD3/JLN

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. **(PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)**


SUPPLEMENTAL SHEET
File No. 38,933

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

13. That a seal shall be placed on the flowmeter by the Division of Water Resources in such a manner as to render the meter non-removable from the measuring chamber and prevents access to the internal working parts of the water flowmeter without breaking the seal (K.A.R. 5-3-6a). If the seal is broken without the written permission of the Chief Engineer, this shall create a rebuttable presumption that the point of diversion had been unlawfully operated in violation of the order of the Chief Engineer and that the water right holder had been acting in violation of the conditions of his or her water right. If any such violation occurs, a written order shall be issued by the Chief Engineer stating the nature of the violation and the civil penalty, suspension of water right or modification to the water right, or any combination of these to be imposed.

Above are additional conditions to those shown on the attached FIELD OFFICE PROCESSED APPLICATION FOR APPROVAL TO CHANGE THE POINT OF DIVERSION.

Dated at Garden City, Kansas, this 22nd day of April 2019 by


(Authorized designee of the Chief Engineer)

(Print Name): Michael A. Meyer
Division of Water Resources
Kansas Department of Agriculture


State of Kansas)
) SS
County of Finney)

The foregoing instrument was acknowledged before me on the ^{22nd} day of April 2019 by, Division of Water Resources, Kansas Department of Agriculture.



My Commission expires

(Notary Seal)


Notary Public

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Hugoton, Kansas, this 4 day of 15, 2019.

[Signature]
(Owner)

[Signature]
(Spouse)

(Please Print)

Tracy Brecheisen
(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)


(Spouse)

(Please Print)

(Please Print)

State of Kansas }
County of Stevens } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 15 day of April, 2019.



[Signature]
Notary Public

My Commission Expires _____

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Stevens County, Kansas, this 12th day of April, 2019.

Gregory W Morris
(Owner)

Sherryl Morris
(Spouse)

Gregory W MORRIS
(Please Print)

Sherryl MORRIS
(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

State of Kansas }
County of Stevens } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 12th day of April, 2019.



Dora I. Rojas
Notary Public

My Commission Expires 8/2/20

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

Sec. 33 Blk 34

Survey R-38 Co. Stevens

N. 37.046497' W. 106.447502'




Hydro
resources

P.O. Box 784
Sunray, Texas 79086
(806) 948-4421

#25155 100 Coord

No. 25156

Greg Morris



Test Waterwell


RECEIVED

APR 22 2019

DATE 11.11.19

NO. 2-19

FROM	TO	DESCRIPTION	Garden City Field Office Division of Water Resources	SAND
0	1	Surface top soil fine sand		
1	20	gray silty clay		
20	120	Clay w/ sand strips		
120	220	Sandy clay strips		
220	240	Red sandy clay to med to coarse fairly loose sand w/ gravel		16
240	260	med to coarse fairly loose sandy/gravel to brown clay		15
260	280	Brown silty clay w/ sand strip		3
280	300	med to coarse fairly loose sand w/ small gravel + little clay mix		20
300	320	med to coarse fairly loose sand w/ small gravel + clay mix		20
320	340	med to fine fairly loose sand w/ clay mix + sandy clay strips		15
340	360	fine little tight sand w/ red clay mix		20
360	380	med to coarse fairly loose sand w/ med size sand strips + clay mix		20
380	400	med coarse fairly loose sand to fine sand w/ clay mix		20
400	420	fine fairly loose sandy/red clay mix		20
420	440	fine fairly loose sandy/red clay mix		20
440	460	fine fairly loose sand w/ red clay mix + sandy clay strips		8
460	480	Red sandy clay to fine fairly loose sandy/clay mix		7
480	500	fine fairly loose sand w/ red clay mix		20
500	520	fine fairly loose sand		20
520	540	fine fairly loose sand		20
540	560	fine to med fine fairly loose sand		20



Southwest Kansas
Groundwater Management District No. 3
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone (620) 275-1431 fax
www.gmd3.org

April 12, 2019

Michael A. Meyer
Division of Water Resources
2508 N Johns Street
Garden City, Kansas 67846

RE: Application for Change in Point of Diversion
Water Right, File Nos. 38933

Dear Mike:


We have assisted and reviewed the application for the above referenced water right. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells. There are no wells within a half mile of the proposed location and the wells within a mile are operated by the same person.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. The enclosed report is an analysis performed by the GMD on behalf of the applicant. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4 ft in cases where saturated thickness is greater than 200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. The attached review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

Every neighboring well within 1 mile of the proposed move was evaluated. Evaluations showed that in no case did the net effect on neighboring wells exceed the 4.0 ft maximum allowable threshold. Therefore, GMD3 sees this move as reasonable and unlikely to impair neighboring wells. It is therefore recommended that the applications be approved.


Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,


Jason L. Norquest
Assistant Manager

Evaluation of proposed move for Water Right No 38933

Proposed: Move the well authorized under water right no. 38933 1,621 ft to the northeast.



Wells within 1 mile: 22927 & 25878 and 22945.


The saturated thickness at the proposed well location is estimated to be 316 ft, based upon measurement at the observation well in section 21-34-38 and local drillers logs. For saturated thicknesses greater than 200 ft, the maximum allowable drawdown to neighboring critical wells is 4.0 ft.

50 year Theis Analysis: The following values were used to run the analysis:

$S = 0.1893$, $T = 11,014 \text{ ft}^2/\text{day}$, $tp_{\text{current}} = 120 \text{ days}$ (based upon typical irrigation season), $Q_{\text{current}} = 329 \text{ gpm}$ (based upon reported water use over 120 days), $tp_{\text{proposed}} = 77 \text{ days}$, $Q_{\text{proposed}} = 760 \text{ gpm}$.

Theis drawdown calculations are as follows:

- | | |
|----------------|---|
| 22927 & 25878: | Drawdown from current location = 0.81 ft |
| | Drawdown from proposed location = 1.09 ft |
| | Net drawdown = 0.3 ft |
| 22945: | Drawdown from current location = 0.88 ft |
| | Drawdown from proposed location = 1.75 ft |
| | Net drawdown = 0.9 ft |



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2019_moves\38933\38933 Current.aqt

Date: 04/11/19

Time: 10:47:52

PROJECT INFORMATION

Company: GMD 3

Project: 38933

Location: Stevens County

Test Well: 38933

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
38933	-190117	61795

Observation Wells

Well Name	X (ft)	Y (ft)
□	-190117	61795
□ 22927 & 25878	-194241	63238
□ 22945	-186473	62769

SOLUTION

Aquifer Model: Unconfined

Solution Method: Theis


T = 1.101E+4 ft²/day

S = 0.1893

Kz/Kr = 1.

b = 316. ft

Net drawdown effects do not exceed the maximum drawdown allowance of 4.0 ft on any well, so no further evaluation is necessary.



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2019_moves\38933\38933 Proposed.aqt

Date: 04/11/19

Time: 10:47:46

PROJECT INFORMATION

Company: GMD 3

Project: 38933

Location: Stevens County

Test Well: 38933

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
38933	-189144	63091

Observation Wells

Well Name	X (ft)	Y (ft)
□	-189144	63091
□ 22927 & 25878	-194241	63238
□ 22945	-186473	62769

SOLUTION

Aquifer Model: Unconfined

Solution Method: Theis

T = 1.101E+4 ft²/day

S = 0.1893

Kz/Kr = 1.

b = 316. ft

INPUTS	
Target Section Definition	
Section	33
Township	34
Range	38
Range Direction	W
Target Point Coordinates (<i>NAD27</i> or <i>NAD83</i>)	
Target Longitude	-101.447502
Target Latitude	37.046497

Load Data and Compute

- Instructions**
1. Enter values for section, township, range and range direction.
 2. Enter *NAD27* or *NAD83* longitude and latitude of target point.
 3. Click "Load Data and Compute" button.
 4. Use feet distances corresponding to datum of target point.

Loaded Section Data From LEOBASE using <i>NAD83</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.03930290	-101.46515982
NW	37.05375279	-101.46515966
NE	37.05381365	-101.44710873
SE	37.03930290	-101.44703195
Degrees Longitude per Foot		3.42627639E-06
Degrees Latitude per Foot		2.74654219E-06
Target Point Distances from Corners using <i>NAD83</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	2619	-5154
NW	-2642	-5154
NE	-2664	115
SE	2619	137

Target point is In Section

Loaded Section Data From LEOBASE using <i>NAD27</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.03927600	-101.46472200
NW	37.05372600	-101.46472200
NE	37.05378700	-101.44667100
SE	37.03927600	-101.44659400
Degrees Longitude per Foot		3.42627518E-06
Degrees Latitude per Foot		2.74598553E-06
Target Point Distances from Corners using <i>NAD27</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	2630	-5026
NW	-2633	-5026
NE	-2655	243
SE	2630	265

Target point is In Section

NE NE SE

Difference (NAD83 Minus NAD27)		
Corner	Corner Latitudes	Corner Longitudes
SW	0.00002690	-0.00043782
NW	0.00002679	-0.00043766
NE	0.00002665	-0.00043773
SE	0.00002690	-0.00043795
Difference (NAD83 Minus NAD27)		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	-10.32710990	-127.78126883
NW	-9.22051560	-127.73457091

Meyer, Mike [KDA]

From: Jason Norquest <norquest@gmd3.org>
Sent: Friday, April 12, 2019 2:45 PM
To: Meyer, Mike [KDA]
Subject: FW: Morris deed SE 33-34-38

EXTERNAL: This email originated from outside of the organization. Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Mike, this is the deed to the ground for the applications I am working on for Shannon Crawford, water right 38933. He is sending you the applications for a redrill. If you don't get all the info like my cover letter and the well evaluations, just let me know and I will get them to you. This one should be easy enough, let me know if there are questions.

Thanks and have a good weekend.

Jason Norquest

Assistant Manager, GMD3
Cell: 620-271-1289
Office: 620-275-7147
www.gmd3.org

From: Shannon Crawford <crawfordfarms23@gmail.com>
Sent: Wednesday, April 10, 2019 12:06 PM
To: Jason Norquest <norquest@gmd3.org>
Subject: Morris deed SE 33-34-38



Book 327 Page 699

STATE OF KANSAS SS
COUNTY OF STEVENS

This instrument was filed for record on the 22
day of February A.D. 20 19
at 5:00 o'clock P. M. and duly recorded in
Book 327 on page 699 Fee \$38.00

J. J. H. Reese
Register of Deeds

WARRANTY DEED

GALEN A. BRECHEISEN and TRACY L. BRECHEISEN,
husband and wife;

CONVEY AND WARRANT TO

GREGORY W. MORRIS and SHERRYL J. MORRIS, as joint
tenants with rights of survivorship and not as tenants in
common;

all of the following real estate in the County of Stevens, State of Kansas, to wit:

The surface and surface rights only, including all water rights,
in and to the Southeast Quarter (SE/4) of Section Thirty-three
(33), Township Thirty-four (34) South, Range Thirty-eight (38)
West of the 6th p.m.

EXCEPTING AND RESERVING unto the Grantors, as their
interests appears of record, all of the Grantors' right, title and
interest in and to all of the oil, gas and other minerals, lying in
and under or that may be produced from the above described
real estate;

for the sum of Ten Dollars and No/100 (\$10.00), and other valuable consideration, receipt
of which is hereby acknowledged.

EXCEPT and SUBJECT TO: mineral reservations, oil and gas leases, easements, rights-
of-way and restrictions of record, if any, insofar as the same are valid.

Dated: February 22 2019.

Entered in Transfer Record by my office this
25 day of February
A.D. 20 19
[Signature]
County Clerk

[Signature]
Galen A. Brecheisen

[Signature]
Tracy L. Brecheisen



TATE & KITZKE L.L.C.
1024 S. Triadle - P. O. Box 909
Hugoton, KS 67951-0909
Phone: (620) 544-2103