

NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:
 Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

 File No. 22576 D2

RECEIVED
 8:15 pm
 SEP 30 2021

Garden City Field Office
 Division of Water Resources

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: JACOB NEUFELD

6001 PARALLEL RD GARDEN CITY, KS. 67846

Phone Number: (620) 271 8283

Email address: _____

Name and address of Water Use Correspondent: 6001 PARALLEL RD GARDEN CITY, KS. 67846

6001 PARALLEL RD GARDEN CITY, KS. 67846

Phone Number: (620) 271 8283

Email address: _____

3. The presently authorized place of use is:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code _____ Fee \$ 200.00 TR # _____ Receipt Date 9-30-21 Check # 1210

5. **Presently authorized point of diversion:**

One in the _____ Quarter of the _____ NC Quarter of the _____ SW Quarter of Section _____ 26 _____, Township _____ 26 _____ South, Range _____ 34 _____ (W), in FINNEY County, Kansas, _____ 1313 _____ feet North _____ 4092 _____ feet West of Southeast corner of section. Authorized Rate _____ 965 GPM _____ Authorized Quantity _____ 272 AF _____ Depth of well _____ (feet) (DWR use only: Computer ID No. 3 _____ GPS _____ feet North _____ feet West)

This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in the _____ NE Quarter of the _____ SE Quarter of the _____ SW Quarter of Section _____ 26 _____, Township _____ 26 _____ South, Range _____ 34 _____ (E/W), in FINNEY County, Kansas, _____ 1213 _____ feet North _____ 2950 _____ feet West of Southeast corner of section. Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____

This point is: Additional Well Geo Center List other water rights that will use this point _____

6. **Presently authorized point of diversion:**

One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (E/W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section. Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet) (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)

This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:

Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)

One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (E/W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section. Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____

This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons? (please be specific) lack of production on
Current location _____

8. If a well, is the test hole log attached? Yes No


9. The change(s) (was)(will be) completed by?

10. If the point of diversion is a well:
(a) What are you going to do with the old well?
To be plugged
(b) When will this be done? _____

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by CAC

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Holcomb, Kansas, this 22 day of September, 2021.

[Signature]

(Owner)

Aganetha Neufeld

(Spouse)

Jacob Neufeld

(Please Print)

Aganetha Neufeld

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

State of Kansas }
County of Linney } SS



I hereby certify that the foregoing application was signed in my presence and sworn to before me this 22nd day of September, 2021.

[Signature]

Notary Public

My Commission Expires 9-29-2024

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder. With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 22,576-D2.

1. A change application was received on September 30, 2021 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a _____ foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. Applicable Not Applicable
5. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. Applicable Not Applicable
6. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
7. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20____, or before the first use of water, whichever occurs first.** The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
8. **Installation of the works for diversion of water shall be completed on or before December 31, 20____, or within any authorized extension of time.** By March 1, 20____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
9. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
11. Additional Conditions are attached. Yes No
12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502.** Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY **APPLICATION APPROVED AND** **SUMMARY ORDER ISSUED**

By: _____
Duly Authorized Designee of the Chief Engineer

(Print Name): _____
Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: _____


State of Kansas _____)
) SS
County of _____)

Acknowledged before me on _____
by _____.

Signature: _____
Notary Public

My commission expires: _____
(Notary Seal)

Point of Diversion Change WR(s) 22576 D2



- Authorized PD
- Requested PD
- Point of Diversion
- ⊗ Half Mile Radius
- Active Water Right w/in 1/2 mile
- + domestic well w/in 1/2 mile

- ▨ Authorized PU
- ▨ Requested PD

Water Right w/in 1/2 mile & Owner (if apply)

- #1 Water Right No 22576 DB Jacob Nuefeld
- #2 Water Right No 22573 D3 Jacob Neufeld
- Water Right No #3 22578 D1 #2 Deseret Trust

Domestic well w/in 1/2 mile & Owner (if apply)

- + A- Domestic well

WELL LOG

DATE: 9/15/2021

**Downey
Drilling Inc.**



*1213'w / 8950'w
NE SES W*

*WR = 22576
D# 3*

CUSTOMER NAME: SANDY ACRES LLC TH#2

LEGAL: SW 26-26S-34W

COUNTY: FINNEY CO, KS

GPS: 37.754821

-101.008467

LOGGER:

DRILLER: ROCKY

WO: 21-529

TW	FROM	TO	TYPE	HARDNESS	COLOR	SPEED	PULL DOWN	OTHER / DRILLING ACTION
	0	34	SURFACE SAND	SOFT	BROWN	FAST		SMOOTH
	34	54	SANDY CLAY W/ FINE SAND	SOFT	BROWN	FAST		SMOOTH & VIBRATION
	54	72	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	72	140	FINE-MED-COARSE SAND W/ FINE-MED-LARGE GRAVEL	HARD		FAST		CHATTER
	140	176	FINE-MED-COARSE SAND W/ FINE-MED-LARGE GRAVEL & SANDY CLAY LEDGES	STIFF		FAST		CHATTER
	176	214	FINE-MED-COARSE SAND W/ FINE-MED GRAVEL	STIFF		FAST		CHATTER
	214	222	BROWN STICKY CLAY	STICKY	BROWN	FAST		SMOOTH
	222	230	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	230	240	SANDY CLAY	SOFT	WHITE	FAST		SMOOTH
	240	272	FINE-MED-COARSE SAND W/ SANDY CLAY	FIRM	TAN	FAST		FAST CHATTER & SMOOTH
	272	293	SANDY CLAY W/ FINE-MED-LARGE SAND & LIMEROCK	FIRM	ORANGE & WHITE	FAST		SMOOTH & CHOPPY
	293	306	SANDY CLAY	SOFT	ORANGE	FAST		SMOOTH
	306	333	FINE-MED-COARSE SAND W/ FINE-MED GRAVEL	STIFF		FAST		CHATTER
	333	350	FINE-MED-COARSE SAND	FIRM		SLOW		CHATTER
	350	370	FINE-MED SAND W/ SANDY CLAY	SOFT	LIGHT BROWN	FAST		CHOPPY & SMOOTH
	370	385	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	385	400	FINE-MED-COARSE SAND W/ FINE GRAVEL	STIFF		FAST		FAST CHATTER
	400	465	SANDY CLAY W/ STICKY CLAY & FINE SAND	FIRM	BROWN	FAST		SMOOTH & VIBRATION
	465	495	FINE-MED-COARSE SAND W/ STICKY CLAY LAYERS	FIRM & STICKY	BROWN	FAST		CHOPPY & SMOOTH
	495	501	FINE-MED-COARSE SAND W/ FINE GRAVEL	STIFF		FAST		FAST CHATTER
	501	504	HARD SPOT	HARD		SLOW	X	CHATTER
	504	528	FINE-MED-COARSE SAND W/ FINE GRAVEL & BROWN ROCK	STIFF		FAST		FAST CHATTER
	528	540	BROWN ROCK	STIFF	BROWN	FAST		FAST CHATTER
	540	560	FINE-MED-COARSE SAND W/ BROWN ROCK	STIFF		FAST		FAST CHATTER
	560	596	SHALE	SOFT	GRAY	SLOW		SMOOTH
	596	604	BLUE SHALE W/ SOAPSTONE, SANDSTONE	STIFF	BLUE	SLOW		CHOPPY
	604	605	HARD SPOT	HARD		SLOW	X	CHATTER
	605	620	BLUE SHALE	HARD	BLUE	SLOW		CHATTER
			QUIKGEL - 10					
			WATER LOADS - 2					
			SODA ASH - 1/2					
			EZ MUD - 1/4					
			HOLE PLUG - 2					
			CASING SEAL - 1					

STATIC 3171

SANDY ACRES LLC E-5

SW 26-26S-34W FINNEY CO.

Legend

E-5 ELEV=2966'

TH #1 ELEV=2764'

TH #2 ELEV=2979'

Google Earth

700 ft



Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

October 4, 2021

DESERET TRUST #2-50899
Attn: FARMLAND RESERVE INC
521 50TH ROAD
SATANTA, KS 67870

RE: Application for Change
Water Right, File No. 22576-D2

Dear Madam or Sir:

This is to advise you that Jacob Neufeld has filed applications for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, for change in point of diversion under the above referenced application.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices.

You are notified of this proposed point of diversion (well) so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

A blue ink signature of Michael A. Meyer.

Michael A. Meyer
Water Commissioner

MAM

pc: Groundwater Management District No. 3