## Kansas Department of Agriculture Division of Water Resources CHANGE: P/U WORKSHEET

1. File Number: <b>26067-D4</b>	2. Status Change Date:	3. Change Num: <b>C2</b>	4. Field Office: <b>4</b>	5. GMD: <b>3</b>
6. Status: 🛛 Approved 🛛 🗌 Den	ied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change: <b>2/1/2021</b>
<ul> <li>8a. Applicant(s) New to system □</li> <li>ALEX W &amp; DANIELLE D</li> <li>1599 ROAD 45</li> </ul>	Person ID Add Seq#	8c. Landown New to sy FRED I TRUST	RITSEMA & YOM	Person ID <u>55237</u> Add Seq#
LAKIN, KS 67860		Attn: L PO BO	AKIN DAIRY	
8b. Landowner(s) New to system □ WALTER & ALBERTA R TRUST Attn: WADE REDGER 106 GREENSBORO ST PLAINS, KS 67869	Person ID <u>26625</u> Add Seq#	8d. WUC New to sy 8c	rstem 🗌	Person ID Add Seq#
9. Documents and Enclosure(s): 🛛 D	VR Meter(s) Date to Compl	ly: <b>12/31/2021</b>	N & P Date to	Comply:
☐ Anti-Reverse Meter ☐ Meter ☐ Conservation Plan Date Requir				Driller Copy
10. Use Made of Water From:		To: _		
			Date Prepared: <b>2/5/2</b> Date Entered:	<b>021</b> Ву: <b>АМ</b> Ву:

File No. 26067-D4	11. County:	KE	Bas	in: AR	RKANS	SASR	IVER			S	tream:						2 . 2	Fc 33	ormation (	Code: 21	1; Special Use:
12. Points of Diversion			1	5						2			Ξ.	Rate a	and Q	uantity		15			
CHK MOD														A	uthori	zed		A	dditional		
DEL PDIV ENT Qualifier	S	т	R	ID	1,	N	ʻW		Com	ment	(AKA I	Line)		Rate gpm/c		Quanti af/mg		Rate gpm/c		uantity f/mgy	Overlap PD Files
CHK 86939	19.2	24													24	4		110		上で見	
		124.		1			-			15		170				m			1		
				12	1	7.5							<b>C.6</b>		1	14	int i		-1		
				- Eu	1		Ŷ.	17				1			4	1			1	1	
			- Ex	Ba -	5	1.1		1		1			1			1		3553	31		
				112	9 	-			a na di					13		R	1				
13. Storage: Rate	I	NF	Quant	tity				-	ac/ft	A	ddition	ial Rat	.e	T IN	1	ad -	NF	Addi	tional Qu	antity	ac/ft
14. Limitation:	af/yr a	at	3.4.1	15	g	gpm (			(	cfs) w	hen co	mbine	ed with	n file nu	umber	(s)	Ale to	- Lasi	31	4.5	
Limitation:	af/yr a	at	- 23		g	gpm (				cfs) w	hen co	mbine	ed with	n file nu	umber	(s)	1		-	0.3	
15. 5YR Allocation: Allocation	Туре	Sta	irt Year			5 YR A	Amou	nt		Amo	ount Ui	nit		Base	Acres		C	omment _			
16. Place of Use CHK			NE¼ NW¼			V1/4	SW1/4					SE1/4				Total	Owner	Chgʻ	? Overlap Files		
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE ¼	NW 1/4	SW 1/4	SE ¼	NE 1⁄4	NW 1/4	SW 1/4	SE ¼	NE 1/4	NW 1⁄4	SW ¼	SE 1/4		9		1
ENT 22079 14 25S36	1.0	•		7					- E		1. C			34	34	34	34	136	8b	N	26067-D1 & D2
ENT 33330 14 25S36	W 3	ala.		1						34	34	34	34				3.1	136	8c	N	26067-D1 & D2
CHK 67598 14 25S36	W 4	34	34	34	34	1					s							136	8c	N	26067-D1 & D2
									1		14		6.39			đ,					
	12						No.	20								4				4.5	
	10.00							2	1		-			100	1	3	24	1		9.1	
	N	linimum	n Reaso	nable	Quan	tity:	1		184		1	Hay 1			6		1			3	
Race Aeros: Vear		mmun	Incasu	lable	Quan	itity.															
Base Acres: Year: Comments:	IV																				

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846

Mike Beam, Secretary



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Laura Kelly, Governor

February 5, 2021

FRED RITSEMA & YOKA RODENHUIS TRUSTS Attn: LAKIN DAIRY PO BOX 389 LAKIN, KS 67860-0389

RE: Water Right, File Nos. 26067-D1, 26067-D2 & 26067-D4

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and/or installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Austin J. McColloch Assistant Water Commissioner

AM: enclosures

pc: Walter Redger Living Trust GROUNDWATER MANAGEMENT DISTRICT NO. 3

### **CERTIFICATE OF SERVICE**

On this 5<sup>th</sup> day of February, 2021, I hereby certify that the foregoing Approval of Application for Change in Place of Use, Water Right, File Nos. 26,067-D1, 26,067-D2 & 26,067-D4 dated 5<sup>th</sup> day of February, 2021 was mailed postage prepaid, first class, US mail to the following:

FRED RITSEMA & YOKA RODENHUIS TRUSTS Attn: LAKIN DAIRY PO BOX 389 LAKIN, KS 67860-0389

Pc:

WALTER & ALBERTA REDGER LIVING TRUST Attn: WADE REDGER 106 GREENSBORO ST PLAINS, KS 67869

**GROUNDWATER MANAGEMENT DISTRICT NO. 3** 

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture **Division of Water Resources** Field Office for your area. Call for address: Topeka -- (785) 296-5733 Stafford -- (620) 234-5311

Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

## **DWR FIELD OFFICE** APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE** POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. RECEIVED

File No. 26067 D4

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use

Groundwater

Garden City Field Office Division of Water Resources

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is:

2. Name and address of Applicant: Alex Redger 1599 Road 45 Laking Ks. 67860

Phone Number: 620 290 0915	Email address: aredge 7910@gmail.com
lame and address of Water Use Correspondent:	Fred Ritsema and Koka Rodenhuis Trusts
	7860-0389

Point of Diversion

Surface water

Phone Number: (620) 271 1098 Email address: fred @ lakindairy.com

The presently authorized place of use is: 3 Owner of Land ---- NAME: FRED RITSEMA & YOKA RODENHUIS TRUSTS ADDRESS: PO BOX 389 LAKIN KS 67860-0389

(If there is more than one landowner, attach supplemental sheets as necessary.)

				NE	Ξ¼			NV	V1/4			SV	V1/4			SE	1/4		TOTAL	
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE%	NW%	SW1/4	SE%	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE%	NW14	SW1/4	SE¼	ACRES	
14	25	36	34	34	34	34									1				136	
																		└───- <i>\</i> }		

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: FRED RITSEMA & YOKA RODENHUIS TRUSTS

ADDRESS: PO BOX 389 LAKIN KS 67860-0389

(If there is more than one landowner, attach supplemental sheets as necessary.)

		1. 6		NE	1/4			NV	V1/4			SV	N1/4	in the second		SE	1/4		TOTAL	
Sec.	Twp.	Range	NE14	NW1/4	SW1/4	SE¼	NE <sup>1</sup> /4	NW14	SW1/4	SE¼	NE <sup>1</sup> /4	NW1/4	SW1/4	SE1/4	NE14	NW1/4	SW1/4	SE1/4	ACRES	
14	25	36	34	34	34	34					34	34	34	34				20	138	
	The second se															-			272	
																	1			

For Office Use Only: Code \_\_\_\_\_ Fee \$ 200.0 OTR # \_\_\_\_\_ Receipt Date 2.1-21 Check # D10617

#### APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET FILE NO. <u>26067-D4</u> MAKE ADDITIONAL COPIES AS NECESSARY

3.	Continued: The presently authorized place of use is:
	Owner of Land NAME:
	1000000

		1	ADDRI	ESS:				1.1			_								
Sec.				NE	1/4			NV	N1/4	14		SI	N1/4			SI	≣¼		TOTAL
	TWP	Range	NE <sup>1</sup> ⁄ <sub>4</sub>	NW1/4		SE¼	NE¼	NW1/4		SE1/4	NE¼	NW1/4		SE1/4	NE <sup>1</sup> ⁄ <sub>4</sub>	NW1/4	SW1/4	SE1/4	ACRES
		1																	
								1.5							-				
													1						
0	unoro	f Land -	N/		$\overline{}$				<u> </u>										
0	wher o			ESS:		/		1											
			I			-											-1/		TOTAL
			A COMPANY		1/4				N <sup>1</sup> /4	054				051/			=¼ SW¼	051/	TOTAL ACRES
Sec.	Twp.	Range	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	STAL	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NVV/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	5VV/4	SE1/4	
								1		-									
-													-						]
0	wner o	f Land -										1							
		1	ADDR	ESS:		-							-		$\geq$				
				NE	=1/4			N\	N1/4			SI	N <sup>1</sup> /4			SI	E1⁄4		TOTAL
Sec.	Twp.	Range	NE¼			SE1/4	NE <sup>1</sup> ⁄ <sub>4</sub>	NW1/4	SW1/4	SE¼	NE¼	NW1/4	SW1/4	SE¼	NE <sup>1</sup> ⁄ <sub>4</sub>	NW1/4	SWALLA	SE1/4	ACRES
																		$\searrow$	
											( d-		12 · .						
1				ESS:	106 G	REEN	SBOR	O ST	PLAIN	SKSE	67869				11				
				N	E1⁄4			1	W1/4	r			W1/4			1	E¼	1	ACRES
Sec.	Twp.	Range	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>				100
14	25S	36W						-						100	34	34	34	34	136
								-					-	-					
		_			-											1			<u></u>
0	wner o	of Land																	
			ADDR	ESS:	-	15.16											- L	1	11
				N	E1⁄4			N	W1/4		1	S	W1/4	1/4		S	E¼	-	TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE¼	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE¼	NW1⁄4	SW1/4	SE1/4	NE <sup>1</sup> ⁄ <sub>4</sub>	NW1/4	SW1/4	SE1/4	ACRES
			1					-			I				-				
				1.1	÷					- in						1.20			
															6				
0	wner c	of Land	N	AME															
0	which c			ESS:		1.5										. 18			
					<b>F</b> 47		-		1000			0	10/1/	-		9	E1/4		TOTAL
					E¼	051			W1/4	051/			W1/4	SE1/4	NE <sup>1</sup> /4		SW1/4	SE1/4	ACRES
Sec.	Twp.	Range	NE <sup>1</sup> / <sub>4</sub>	NVV1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1/4	SE1/4	NE <sup>1</sup> / <sub>4</sub>	NW1/4	SW1⁄4	5E74	INE 74	1400/4	577/4	01/4	
					1				+		1		1	-			1		
	_			-	-	-			*				-			-			-
														1		1			JL

Presently authorized			Quarter of the		
of Section	Quarter of the				
	, Township				
	County, Kansas,				
Authorized Rate	Authorized Quantity		Depth of well	(†	eet)
DWR use only: Com	puter ID No GPS	5	feet North	feet V	vest)
	hanged This point will be change				
	version: (Complete only if chang				
	Quarter of the				
of Section	, Township		South, Range		(E/V
n	County, Kansas,	_feet North	feet West of	f Southeast corr	her of section
	Proposed Quantity				
This point is: Additi	onal Well Geo Center List of	ther water righ	ts that will use this poin	nt	
	naint of diversions	/			
Presently authorized	/		Quarter of the		0.00
	Quarter of the		Quarter of the		Quar
	, Township				
	County, Kansas,				
	Authorized Quantity				
	puter ID No GP:				
	hanged This point will be change				
/	version: (Complete only if chang				
	Quarter of the				
of Section	, Township		South, Range		(E/\
n	County, Kansas,	feet North	feet West o	f Southeast corr	ner of section
Proposed Rate	Proposed Quantity		Proposed well dept	h (feet)	
This point is Additi	onal Well Geo Center List of	ther water righ	ts that will use this poin	nt	
	e desired for the following reasons Share water	300	200 100 0 111111111111111111111111111111	100 20	0 300
f a well, is the test hole	log attached? 🗌 Yes 🛛 No	200			-   - 200
The change(s) (was)(wi	I be) completed by?	E			
-	221	100	-+++=		
1-0	51	IOUE			
f the point of diversion i	s a well:	E			
(a) What are you going	to do with the old well?	West 0	+1 1111 1111 1111 1111 111	1	1111 1 1 HE 0 Eas
., , , , , , , , , , , , , , , , , , ,		E	- <u> </u>		- =
	the New York Concerning	E			
(b) When will this be do	one?	100 E		-   +   +	
		Ē			- 1
Groundwater Managem	ent District recommendation attached	d? 200	-1 + 1 + 1 =	- 1 + 1 +	- 1 - 200
Assisted by Mike	Meyer		1 minutuntuntunt		
		300	200 100 0 Sou		
feet but within 2,640 fee	diversion will be relocated <u>more than</u> t of the existing point of diversion, att aerial photograph. For groundwa (including domestic) within one-half r of diversion and the names and mai s. For surface water sources, show	ach 13b.lf the	proposed point of divers e existing point of diver am shown above in r sion. (PLEASE NOTE: e represents the p	rsion, indicate it relation to the The "X" in ce	s location or existing point enter of diag

DWR 1-121 (Revised 04/5/2018)

File No. 26067-04

- 14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
  - (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
  - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?

Yes No (If yes, all owners must sign this application.)

(c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at	, Kansas, this	day of	, 20
Fred Ritz	enA		
(Owner)			(Spouse)
DE		J.A. Rode	nhuis
(Please Print)		) (	Please Print)
(Owner)			(Spouse)
(Please Print)		(	Please Print)
(Owner)			(Spouse)
(Please Print)	- Q	(	Please Print)
State of Kansas )		INTE OF	
County of Kearny }	SS	My Appoint	MARTINEZ ment Expires
I hereby certify that the foregoing a of January, 2021	application was signed in m	May 2	3,2022 to before me this 25 day
of January 2021		Pressurve and swon	
0	<u> </u>	2	
	2	MAADUE	rung
My Commission Expires May 23	,2022	N	btary Public V
	, <u> </u>	- All States in the second	and the second

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

#### FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture

(1)	Application to change a point of diversion 300 feet or less	\$100
(2)	Application to change a point of diversion more than 300 feet	\$200
(3)	Application to change the place of use	\$200

### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, *et seq.* and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. <u>26067 D4</u>

- 1. A change application was received on <u>Secondary</u> (1,202) requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
- 2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable
- 3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a \_\_\_\_\_\_ foot radius of the authorized point(s) of diversion. Applicable
- 4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. 

  Applicable Statement of the statement of
- 5. The point(s) of diversion authorized herein shall not actually be located more than \_\_\_\_\_\_ feet from the previously authorized point(s) of diversion.
- As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.
   Applicable
   Not Applicable
- 7. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 2, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.
- 8. Installation of the works for diversion of water shall be completed on or before December 31, 20 2 , or within any authorized extension of time. By March 1, 20 2 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.
   Applicable Applicable
- 9. The completed well log shall be submitted with the required notice. 

  Applicable 

  Applicable
- 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable D Not Applicable
- 11. Additional Conditions are attached. Yes Ko
- 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.


#### Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY APPLICATION APPROVED AND
SUMMARY ORDER ISSUED
By: anto maller
Duly Authorized Designee of the Chief Engineer
(Print Name): <u>Asstin</u> MChlock Division of Water Resources - Kansas Department of Agriculture
Date of Issuance: February 5, 2021
State of Kansas )
County of Finney )
Acknowledged before me on <u>Jebuary 5, 2021</u>
by Austin McColloch 0
Signature:
My commission expires:
File No 26057-D4

## CHANGE IN PLACE OF USE 26067 D4



# Township 25 South Range 36 West KE County

All wells of any kind within a half mile of the proposed point of diversion are shown:

