Kansas Department of Agriculture Division of Water Resources

CHANGE: P/U WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:		
FI 014	7-23-2021	C2	04	03		
6. Status: Approved Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:		
				4/15/2021		
8a. LANDOWNER, applicant, WUC New to system □	Person ID 30580 Add Seq#	8c. Landown		Person IDAdd Seq#		
HUBER SAND INC PO BOX 1359 GARDEN CITY, KS 67846	5					
8b. Landowner(s), New to system ARKANSAS RIVER STATELAND & WATER,	Person ID 40860 Add Seq#	8d. WUC New to sy	stem ⊠	Person IDAdd Seq#		
9. Documents and Enclosure(s): DV Anti-Reverse Meter		□ N & P Form	☐ Water Tube ☐ Dr	Comply: H & E Letter Comply:		
10. Use Made of Water From:		To: _				
			Date Prepared: 7/22/2 0 Date Entered:	021 ву: МАМ Ву:		

File No. FI 014	11. County: F	:1	Basin: A	RKAN	SAS R	IVER			St	ream:							Fo	rmatio	on Code:	Special Use:
12. Points of Diversion CHK												F			uantity					
MOD DEL PDIV													Α	uthori	zed		A	dditior	nal	
	S	T R	ID	ŧ	N	'W		Com	ment (AKA L	ine)		Rate gpm		Quantit af	У	Rate gpm		Quantity af	Overlap PD Files
CHK 10846																				
CHK 14220																				
CHK 22818																				
																		,		
13. Storage: Rate	Ni	= (Quantity _					ac/ft	Ac	ditiona	al Rate					NF	Addi	tional	Quantity _	ac/ft
14. Limitation:	af/yr at			(gpm (_			(cfs) wh	nen cor	mbine	d with f	ile nu	ımber((s)					
Limitation:	af/yr at			9	gpm (_				cfs) wh	nen cor	mbined	d with f	ile nu	ımber((s)					
15. 5YR Allocation: Allocation																				
16. Place of Use CHK			NE½			NW	11/4			sv	V½			5	SE¼		Total	Own	er Chg	? Overlap Files
MOD DEL ENT PUSE S T R	ID		NW SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4				
MOD 30872 13 25 31	W 01				Ę	5	1		2			L-2 10.5	34	35	38.5	40	166	8a	yes	8627, 11215
MOD 11109 18 25 3	80W 03								16	L-3 25	38.88	40					119.88	8a	yes	8627, 11215
MOD 20087 19 25	30W 03				L-2 37	L-1 25	5	L-2 4									71	8a	yes	8627, 11215
ENT 40860 19 25	30W 01					12		1									13	8b	yes	8627,11215
Base Acres: Year: Minimum Reasonable Quantity:																				
Comments: RIVER LOT 2 SEC	TION 19 IS ALL	OF EA	ST HALF	OF NC	RTHW	/EST (QUAF	RTER												

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

July 23, 2021

HUBER SAND INC PO BOX 1359 GARDEN CITY, KS 67846

RE:

Vested Right, File No. FI 014

Water Right, File Nos. 8627 & 11215

Dear Sir:

Enclosed are orders executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in the approvals for change. A condition of the approval is that acceptable water flow meters must be installed on the diversion works authorized under the referenced file numbers and meet current specification. Please return the required notification of completion of the diversion works and installation of the required meters as soon as these actions are completed.

Since the orders modify the original documents referred to above, they should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free to call this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Mever

Water Commissioner

MAM: enclosures

pc:

GMD3

KANSAS DEPARTMENT OF AGRICULTURE Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCESEarl D. Lewis Jr., Chief Engineer

APPROVAL OF APPLICATION FOR CHANGE IN PLACE OF USE VESTED RIGHT, FILE NO. FI 014

The Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, after due consideration of the written application of Robin Huber on behalf of Huber Sand Inc., 1395 Industrial Road, Garden City, Kansas 67846, received in the office of the Chief Engineer on April 15, 2021, for approval of a change in the location of the place of use under the vested right order, determining and establishing a vested right to continue the beneficial use of water, then identified in the office of the Chief Engineer as Vested Right, Code 6214, Finney County, now identified as Vested Right, File No. FI 014, as modified and amended by the Order of the Chief Engineer dated October 16, 1968, approving the application to change the place of use and point of diversion, and by the Order of the Chief Engineer dated April 22, 2015, approving the application to change the place of use, finds that the change is reasonable and will not impair existing rights, and that the application should be and is hereby approved.

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which the authorized location of the place of use shall be:

Sec. Twp. Range			NE¼					NV	V1/4		SW1/4				SE1/4				
000.	TWP. I	varige	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	TOTAL
13	25S	31W			5.00	1.00					2.00			Lot 2 10.50	34.00	35.00	Lot 3 38.50	40.00	166.00
18	25S	30W									16.00		Lot 4 38.88	40.00					119.88
19	25S	30W						Lot 1 25.00	5.00	Lot 2 4.00									71.00
19	25S	30W						12.00		1.00									13.00

a total of 369.88 acres, in Township 25 South, Range 30 West and Range 31 West, Finney County and Gray County, Kansas,

located substantially as shown on the topographic map accompanying the application to change the place of use.

All diversion works into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

The water right owner shall properly install an acceptable water meter on the diversion works authorized under this water right, prior to the use of water, in strict accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. The water right owner shall notify the Chief Engineer when installation of the water meter has been completed. The water right owner shall maintain the water meter in an operating condition satisfactory to the Chief Engineer, at all times during diversion of water and shall maintain records from which the total quantity of water diverted may be determined. The water right owner shall also report the reading of said water meter and the total quantity of water diverted annually to the Chief Engineer. Such records shall be furnished to the Chief Engineer by March 1 following the end of each calendar year

In all other respects, the vested right order, determining and establishing a vested right to continue the beneficial use of water, identified in the office of the Chief Engineer as Vested Right, File No. FI 014, is as stated and set forth in the vested right order executed by the Chief Engineer on January 27, 1955, as modified and amended by the aforementioned orders.

Ordered this 23rd day of July

, 2021, in Garden City, Finney County, Kansas.

Michael A. Meyer, P.G.
Water Commissioner
Division of Water Resources
Kansas Department of Agriculture

State of Kansas)) SS County of Finney)

The foregoing instrument was acknowledged before me this 23 day of July , 2021, by Michael A. Meyer, P.G., Water Commissioner, Division of Water Resources, Kansas Department of Agriculture.



Notary Public

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 18 days after this Order was mailed to you), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, KS 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 33 days after this Order was mailed to you), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564 - 6777.

CERTIFICATE OF SERVICE

On this a3 day July , 2021, I hereby certify that the attached Approval of Application for Change in Place of Use, Vested Right, File No. FI 014 dated, 23 day July , 2021 was mailed postage prepaid, first class, US mail to the following:

HUBER SAND INC PO BOX 1359 GARDEN CITY, KS 67846

With a photocopy to:

Groundwater Management District No. 3

Division of Water Resources

KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources

<u>MEMORANDUM</u>

TO:

Files

DATE:

July 23, 2021

FROM:

Michael A. Meyer

Water Commissioner

RE: Change in Place

of Use,

File Nos. FI 014, GY 024, 3563, 8627, 11215, 19001,

22414

Applications to Change the Place of Use to separate the ownership interested between WR Renick and Huber Sand. This process could have been done also with requests to reduce a portion of an existing water right, but staff at GMD3 elected to use change applications as they assisted the applicant. GMD3 also recommend approval of these applications. These files were originally incompletely overlapped in place of use, but majority was completely overlapped.

The total authorized acres and quantity combined prior to these applications were 1027.88 acres and 2260 acre feet. With the separation of interested, the following will be authorized:

WR Renick, File Nos. GY 024, 3563, 19001, 22414 will be authorized a total of 657 acres (increase in base acres by no more than 10 acres) and a total of 1642 AF as his previous water rights were already authorized at 2.5 acre feet per acre, he requested to keep that acre feet per acre ratio. In fact, he voluntarily reduced his authorized quantity under File No. 19,001 from 436 acre feet to 390 acre feet in order not to exceed the total authorized quantity of the 2.5 acre feet per acre or 1642 acre feet.

Huber Sand, File Nos. FI 014, 8627, 11215 will be authorized a total of 369.88 acres and a total of 572 acre feet, or 1.54 acre feet per acre, which is reasonable on all standards. No reduced quantity or acres took place with the request.

The authorized acres were adjusted to be property described in the River Lots and Arkansas River boundary described in the Kansas Land Survey Plat Maps document in the late 1880s that are on file with the Division. WRIS database will properly show acres described as acres within the Arkansas River Stateland & Water person id. No new acres were approved within this boundary.

These requests are reasonable and recommend approval of the applications.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION





STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

| PECEIVED | | | | 5 Am | APR 1 5 2021

File No. <u>FI 14</u>	APR 1	5 2021
Application is hereby made for approval of the Chief Engineer to change the (check one or both):	Garden Cit	y Field Office ater Resourc
		ater Resourc
under the water right which is the subject of this application in accordance with the conditions described below	OW.	
The source of supply is: X Groundwater Surface water		
2. Name and address of Applicant: Huber Sand Inc., %Robin Huber		
J 395 Industrial Road, Garden City, KS 67846		
Phone Number: () Email address:		
Name and address of Water Use Correspondent: WR Renick (currently)		
Change to applicant		
Phone Number: (Email address:		
3. The presently authorized place of use is:		
Owner of Land NAME: Huber Sand Inc., %Robin Huber		
ADDRESS: 395 Industrial Road, Garden City, KS 67846		
(If there is more than one landowner, attach supplemental sheets as necessary.)		
NE¼ NW¼ SW¼ SE½		TOTAL ACRES
The second secon	N1/4 SE1/4	AONEO
13 25s 31w 5.0 1.0 2.0 10.5 34.0 35.0 38	8.5 40.0	166.0
18 25s 30w 16.0 25.0 38.88 40.0		119.88
19 25s 30w 37.0 37.0 5.0 5.0		84.0
I. If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land NAME: Huber Sand Inc., %Robin Huber ADDRESS: 395 Industrial Road, Garden City, KS 67846 (If there is more than one landowner, attach supplemental sheets as necessary.)		
NE¼ NW¼ SW¼ SE½		TOTAL
Sec. Twp. Range NE¼ NW¼ SW¼ SE¼ NE¼ NW¼ SW¼ SE½ NE½ NE½ NW¾ SW¼ SE¼ NE½ NW¾ SW¼ SE¼ NE½ NW¾ SW	N1/4 SE1/4	ACRES
53	8.5 40.0	166.0
13 25s 31w 5.0 1.0 2.0 10.5 34.0 35.0 38		7. 5. 21. 22.2
13 25s 31w 5.0 1.0 2.0 10.5 34.0 35.0 36 18 25s 30w 16.0 25.0 38.88 40.0		119.88
18 25s 30w 16.0 25.0 38.88 40.0		84.0
18 25s 30w 16.0 25.0 38.88 40.0		

DWR 1-121 (Revised 09/11/2019)

Page 1

File No. _____

5.	Presently author	rized point of	diversion:				
	One in the	SE	Quarter of the	NE	Quarter of the	SW	Quarter
	of Section	18	, Township	25	South, Range	30	W,
	in GRAY	Cou	unty, Kansas, <u>1800</u>	_ feet North _	2800 feet West of	Southeast corner	of section.
	Authorized Rate	**1000gpm	Authorized Quantity _	**184AF	Depth of well	(feet)	
			No GP				
	X☐This point will	not be changed	☐This point will be chang	ged as follows:	■ No change, point better	described with GPS	as follows:
	Proposed point	of diversion: (Complete only if change	e is requeste	d or if existing point is	better described	by GPS)
	One in the		Quarter of the		Quarter of the		Quarter
			, Township				
	in	Cou	unty, Kansas,	_ feet North _	feet West of	Southeast corner	of section.
			Proposed Quantity _				
			☐ Geo Center List o				
-					· · · · · · · · · · · · · · · · · · ·		
6.	Presently author	rized point of	diversion:				
٥.	-		Quarter of the	NF	Quarter of the	SF	Quarter
	7		, Township				
			unty, Kansas, <u>1900</u>				
			Authorized Quantity _				
			No GP				
		-	This point will be change				
		_	Complete only if change				
	of Castian		Quarter of the		Quarter of the		Quarter
	of Section	0	, Township	foot North	South, Range	0	(E/VV),
			unty, Kansas,				
			Proposed Quantity _				
L	This point is:	Additional vvei	Geo Center List o	ther water rigr	nts that will use this poin	i	·
7.	The changes her	ein are desired	I for the following reason	e?			
1.	(please be specific		i for the following reason	5:	North	2	
				300	200 100 0	100 200	300
				Ë		ulundinid	11114
0	If a could be the too	. I I - I				_ /	
8.	if a well, is the tes	t noie log attacr	ned? Yes No	200	- 4 + =	1 + 1 + 1	200
9	The change(s) (wa	as)(will be) com	nleted by?	E		\	L
0.			piotod by .	E	/, , , , , =		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	As soon as approv	vea		100	F	1 + 1 + 1	100
10.	If the point of dive	rsion is a well:		#	·		-
	(a) What are you		h the old well?	West 0	#Hanhadan aa aa🛊	ոլոսիավավում	∪++± 0 East
	(a) What are you	going to do with	Title old Woll.	#	Ξ.		=
				<u> </u>	T T T		7
	(b) When will this	be done?		100	 	+ +	100
	(5)				·\		/=
11	Groundwater Man	agement Distric	t recommendation attache	d? 200 E	-1		200
1 1.		Yes No	t recommendation attache	d: 200 E			= 200
		100 🗀 110		E			
12.	Assisted by GMD3	3/JLN		300	200 100 0	100 200	300 300
					200 100 0 South		
138	a.if the proposed pole feet but within 2.64	int of diversion v 40 feet of the ex	vill be relocated <u>more than</u> isting point of diversion, at	<u>300</u> ach 13h lf the	proposed point of diversi	ion will be relocated	d within a 30
	a topographic ma	ap or aerial ph	notograph. For groundw domestic) within one-half	ater foot r	adius of the existing point	t of diversion, indica	ate its location
	sources, show all	wells (including	domestic) within one-half	mile on th	e diagram shown above	n relation to the ex	isting point

foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.) of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

lines

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

SUPPLEMENTAL S FILE NO.____

MAKE ADDITIONAL COPIES AS NECESSARY

		d: The Land -	NA	AME:		enick	Inc.		alls, K	S 6785	53								
					=1/4			NV				SV	V1/4			SE	1/4		TOTAL
Sec.	Twp.	Range	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	ACRES
18	25s	30w													1.0	1.0	34.0	34.0	70.0
19	25s	30w	36.0	31.0	30.0	40.0									27.0	13.0			177.0
20	255	30 W				-			8			3							11.0
Oı		Land -	N/	AME: ESS:	RIVE	R LO	ts		4.4										
				NE	Ξ1/4			NV	V1⁄4			SV	V1/4			SE	=1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	ACRES
O	wner o	Land -	NA ADDR	AME: ESS:															
				NI	E1/4			NV	V1/4			SV	N1/4			SI	Ξ1/4		TOTAL
Sec.	Twn	Range	NE1/4		T	SE1/4	NE1/4			SE¼	NE¼	NW1/4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	ACRES
	TWP.	rango	112/4																_
			-	_															
4. C	wner o	ed: If the f Land	N/	AME:			ige iii	ріасе	or use,	it is p	ПОРОЗС	tu triat	tile pie			, orian			
				N	E¼			N\	N1/4		-	SI	N1/4			S	E¼	-	TOTAL ACRES
Sec.	Twp.	Range	NE¼	NW¼	SW1/4	SE1/4	NE¼	NW¼	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	AONLO
															-				
0	wner o	f Land																	
			ADDR	ESS:															
				N	E¼			N\	N1/4			SI	W1/4			S	E1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE1/4	NE¼	NW1/4	SW1/4	SE¼	ACRES
					1		JL				1						•		
0	wner o	f Land	N	AME:															
			ADDR	E33.											11				
Sec.	Twn	Range	NE1/		E¼ SW¼	SE1/4	NE¼	T	W ¹ / ₄	SE1/4	NE1/4		W1/4 SW1/4	SE¼	NE¼		E¼ SW¼	SE1/4	TOTAL ACRES
	.wp.	range	1,12/4	1.1174	1011/4		1	1											
				_															
			1	\vdash	+			+	+				1						
]				

Page____

DWR 1-121-2 (Rev. 04/24/2018)


File No. _____

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:	
 (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application? ☐ Yes ☐ No (If no, all owners must sign this application.) 	
 (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adverse affected if this application is approved as requested? Yes No (If yes, all owners must sign this application.) 	ly
(c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety? Yes No (If no, all owners must sign this application.)	
If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 fe or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorizagent (attach notarized statement authorizing representation).	eet, zed
I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of law age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statement contained in this application are true, correct and complete.	on
Dated at Gorden City, Kansas, this 22 day of April , 20 21	
WR Renick Inc by David L. Reynland (Spouse)	_
WR Renick Inc by David L. Reynolds (Please Print) (Please Print)	_
(Owner) (Spouse)	-
(Please Print) (Please Print)	
(Owner) (Spouse)	_
(Please Print) (Please Print)	_
State of Kansas County of State of Kansas My Appt. Expires 7/22/2023	
I hereby certify that the foregoing application was signed in my presence and sworn to before me this 22 days of April 1997.	ìУ
My Commission Expires July 22, 2023. Notary Public	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; a the appropriate fee must be paid.	with
Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture (1) Application to change a point of diversion 300 feet or less	t
RECEIVED	
DWR 1-121 (Revised 04/5/2018) Page 3 APR 3 0 2021 File No.	

14. If the proposed groundwater point of diversion is 500 of lewer feet in	form the existing point of diversion, complete the following.
(a) Does the undersigned represent all owners of the currently auti	
 (b) Will the ownership interest of any owner of the currently authoral affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be su ☐ Yes ☐ No (If no, all owners must sign this appl	bstantial damage to property, public health or safety? lication.)
If the application proposes a surface water change in point of diversion, or a change in place of use, the application must be signed by all owner agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirr age and the owner, the spouse of the owner, or a duly autho their behalf, in regards to the water right(s) to which this apcontained in this application are true, correct and complete.	rized agent of the owner(s) to make this application on
Dated at, Kansas, this	s day of, 20
Pro 1 Harris	
Colch Huber (Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of Finney SS	
I hereby certify that the foregoing application was signed in of	my presence and sworn to before me this 12 day
DONNA J. MEINERT Notary Public Star Q / 100 / 3	Nona Notary Public
My Commission Expires 0/19/25.	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, a accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	
FEE SCHED	ULE
Each application to change the place of use or the point of diversion und forth in the schedule below: Make checks payable to: Kansas Departro (1) Application to change a point of diversion 300 feet or less. (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nent of Agriculture \$100 et\$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

orov Witl	visions of the Kansas Water Appropriation Law, K.S.A. 82a- n the exception of those conditions expressly contained herein tations of File No.	18b, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder, n, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file numbers.	requesting that the place of use and / or point of per be changed as described in the application.
2.	On and after the effective date of this summary order, the aut the topographic map accompanying the application to cha	thorized place(s) of use shall be located substantially as shown on inge the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion. Applicable	nts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot le Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately described using the Global . Applicable Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. ☐ Applicable ☐ N	be located more than feet from the previously of Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a wor other device suitable for making water level measureme K.A.R. 5-6-13. Applicable Not Applicable	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	December 31, 20, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of watering the end of each calendar year.
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the works for diversion has been completed, on the form prov Applicable Not Applicable	completed on or before December 31, 20, or within any applicant shall notify the Chief Engineer that construction of the ided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	ired notice.
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
11.	Additional Conditions are attached.	
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations promu	A.R. 5-5-14, all of the owners of the authorized place(s) of use of oper are responsible for compliance with its terms, conditions and nmary Order, and with applicable provisions of the <i>Kansas Water</i> algated thereunder. Failure to comply with these provisions may needed, and/or the suspension or revocation and dismissal of the ons authorized by law.
If you you Engage Agriculture	Administrative Appeal and Effective Date of Order ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief inneer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be divitin 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 is pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. any request with Kansas Department of Agriculture, pal Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act. For Use by Register of Deeds	By: Duly Authorized Designee of the Chief Engineer (Print Name): Division of Water Resources - Kansas Department of Agriculture Date of Issuance: State of Kansas) SS County of) Acknowledged before me on
		Signature:Notary Public
		7
		My commission expires:(Notary Seal)





Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street

Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

July 7, 2021

Michael A. Meyer Division of Water Resources 4532 W Jones Ave., Suite B Garden City, Kansas 67846

RE: Applications for Change in Place of Use

Vested Right, File Nos. FI 14 & GY 24

Water Right, File Nos. 3563, 8627, 11215, 19001 & 22414

Dear Mike:

We have reviewed the applications for the above referenced water rights. The proposal is not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). The proposed change in place of use will separate the acres to suit the new ownership for the western acres, Water Rights FI 14, 8627 & 11215. At the same time the east acres will then overlap more water rights under that ownership, Water Rights 19001 & 22414 overlapped with GY 24 & 3563. In order to maintain current authority ratios, water right 19001 will be reduced by 46 acre feet. The changes appear to meet the criteria in accordance with K.A.R. 5-5-11. It is therefore recommended that the applications, with the reduction, be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest Assistant Manager

RECEIVED

JUL 07 2021

Garden City Field Office Division of Water Resources

GMD3 Change Review

File No(s).: <u>F114, (</u>		27, 11215, 19	001 & 22414.	DWR office: <u>GC</u> .				
App filed to change								
Is Landowner(s) correct in WRIS: <u>Renick/Huber</u> .								
If NO, is documentation included?								
Is Water Use Corres	spondent correct	in WRIS? _	·					
If NO, is do	cumentation incl	luded?						
Regulation(s) Revie	ewed: KAR 5-5-	1.1						
Point of diversion I	D No(s) bein	g changed.						
	ft. North ft.	West						
Authorized PD								
Proposed PD								
Difference	0	0						
a2 + b2 = c2	0	0	0					
GPS for proposed P	D: Lat:	Long:						
Is proposed PD stac	king on existing	WRs? No	Change .					
Is Proposed PU ove	rlapping existing	g WRs? Sp	litting some of th	e WRs and overlap with				
others.								
Neighboring certifie	ed well(s) notifie	ed:						
Name .								
Address								
Zip								
Email: Phon	e: .							
Domestic well(s) no								
Name .								
Address .								
Zip								
Base Acres:								
Perfected Acres:								
Irr. Return-Flow								
FI14, 8627, 11215 (l overlap PU) will be separat	ted from 19001 &				
22414. Those files								
				63. These all will be				
Renick ground.								
State came back w	ith needing to r	educe part o	of a water right o	on the Renick portion				
so it wouldn't exce		-		•				
Applicant agreed t			le also reduction	WR 19004 from				
436AF to 390AF (46AF reduction).								
s a waiver needed: After adjustments, waiver is not needed to satisfy the State.								

GMD3 Change Review

Recommendation: The proposed changes seem reasonable and meeting current area rules. Staff therefore recommends approval of the applications.

RECEIVED

JUL 07 2021

Garden City Field Office Division of Water Resources