



File No. **50771**      15. Formation Code: **211**      Drainage Basin: **CIMARRON RIVER**      County: **SW**      Special Use:      Stream:

16. Points of Diversion										17. Rate and Quantity					
MOD	DEL	ENT	PDIV	Qualifier	S	T	R	ID	'N	'W	Authorized		Additional		
											Rate gpm	Quantity af	Rate gpm	Quantity af	Overlap PD Files
<b>MOD</b>			<b>6394</b>	<b>NW NW NW</b>	<b>9</b>	<b>34S</b>	<b>33W</b>	<b>2</b>	<b>5061</b>	<b>4800</b>	<b>250</b>	<b>15</b>	<b>250</b>	<b>15</b>	<b>NONE</b>

18. Storage: Rate \_\_\_\_\_ NF      Quantity \_\_\_\_\_ ac/ft      Additional Rate \_\_\_\_\_ NF      Additional Quantity \_\_\_\_\_ ac/ft

19. Limitation: \_\_\_\_\_ af/yr at \_\_\_\_\_ gpm ( \_\_\_\_\_ cfs) when combined with file number(s) \_\_\_\_\_  
 Limitation: \_\_\_\_\_ af/yr at \_\_\_\_\_ gpm ( \_\_\_\_\_ cfs) when combined with file number(s) \_\_\_\_\_

20. Meter Required?  Yes     No      To be installed by **12/31/2023**      Date Acceptable Meter Installed \_\_\_\_\_

21. Place of Use										NE¼								NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
MOD	DEL	ENT	PUSE	S	T	R	ID	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼						
<b>CHK</b>			<b>70798</b>	<b>9</b>	<b>34S</b>	<b>33W</b>	<b>3</b>						<b>10</b>															<b>10</b>	<b>7a</b>	<b>N</b>	<b>NONE</b>		

Comments: **PLACE OF USE COMMENT "CEMETERY (NW)"**      **15 ACRE-FOOT EXEMPTION TO ACTION TRAIL & SPECIAL CONDITIONS**

8/4/2022  
 KJN



**KANSAS DEPARTMENT OF AGRICULTURE**  
**Division of Water Resources**  
**M E M O R A N D U M**

**TO:** Files

**DATE:** June 13, 2022

**FROM:** Austin McColloch

**RE:** New Application, File No. 50,771

Seward County Cemetery has filed the above referenced application proposing to appropriate water at a maximum rate of 250 gallons per minute, and at 15 acre-feet per calendar year for irrigation use. The applicant is requesting a 15 acre-feet exemption based on K.A.R. 5-23-4. The application was received in the Office of the Chief Engineer on April 22, 2022. The proposed application is in the drainage basin of the Cimarron River. The source of supply appears to be the Ogallala formation (211).

The point of diversion is located in the Northwest Quarter of the Northwest Quarter of the Northwest Quarter (NW $\frac{1}{4}$  NW $\frac{1}{4}$  NW $\frac{1}{4}$ ) of Section 9 more particularly described as being near a point 5061 feet North and 4800 feet West of the Southeast Quarter of said section, in Township 34 South, Range 33 West, Seward County, Kansas. There are no other 15 acre-feet exemption files located within two mile of the proposed point of diversion.

Two (2) domestic wells within  $\frac{1}{2}$  mile of the point of diversion were identified. All wells identified meet well spacing requirements as per K.A.R. 5-23-3. There are no other Ogallala formation wells within 660 feet. There does not appear to be any domestic well within 660 feet. Nearby letters were sent out on May 10, 2022 notifying of the diversion works proposed. No response of any kind was received.

The point of diversion is located within the boundary of Groundwater Management District No. 3. A letter was sent to GMD No. 3 for a recommendation on the application on May 25, 2022. GMD No. 3 provided a recommendation for approval on June 13, 2022.

The application has been reviewed by Mike Meyer, Water Commissioner at the Garden City Field Office. In an email dated June 13, 2022, Mr. Meyer recommended the approval of the application.

In accordance with K.S.A. 82a-706(c), the Chief Engineer retains full authority to require any water user to install meters, gauges, or other measuring devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 thru K.A.R. 5-1-12. If any chemical or foreign substance is injected into the water pumped under this permit, a check valve will also need to be installed. A proposed rate of 250 gallons per minute requires a water level measuring tube.

Based on the above discussion, well spacing regulations are met, the application is not subject to safe yield criteria, and approval of the application will not impair senior water rights nor prejudicially or unreasonably affect the public interest, it is recommended that the referenced application be approved.

8/4/2022  
KJN



Austin McColloch  
Assistant Water Commissioner  
Garden City Field Office

**From:** Meyer, Mike [KDA]  
**Sent:** Mon 6/13/2022 2:21 PM  
**To:** McColloch, Austin [KDA]  
**Subject:** RE: Recommendation New App File No. 50771

I recommend approval, try to flag this file to expedite approval as they are operating under a temp permit that may have reached its authority.

Mike

---

**From:** McColloch, Austin [KDA] <Austin.McColloch@ks.gov>  
**Sent:** Monday, June 13, 2022 2:09 PM  
**To:** Meyer, Mike [KDA] <Mike.Meyer@ks.gov>  
**Subject:** Recommendation New App File No. 50771

Mike,

Attached is a copy of the draft memo for the above referenced new application, along with the gmd recommendation. This is for Seward Co. cemetery, 15 AF exemption. Let me know if you have any questions.

Thanks,

Austin McColloch  
Ph: (620) 276-2901

Water Rights and Points of Diversion Within 2 miles of point defined as:  
 5061 Feet N and 4800 Feet W of the Southeast Corner of Section 9 Twp 34S Rng 33W  
 Located at: 100.920649 West Longitude and 37.111749 North Latitude  
 Both SURFACE WATER and GROUNDWATER

File Number	Use	ST	SR	Dist (ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan					
A__ AF	11711	00	IRR	NK	G				7773	--	SE	NW	SE	1600	1420	33	33	33W	3		726.00	726.00
A__ AF	13731	00	IRR	NK	G				3042	--	--	NC	W2	2710	4040	4	34	33W	1		520.00	520.00
A__ AF	14715	00	IRR	NK	G				2857	--	SE	SE	NW	3026	2794	9	34	33W	7		693.00	693.00
A__ AF	15508	00	IRR	NK	G				7988	E2	E2	NE	SW	2310	2800	33	33	33W	2		634.00	634.00
A__ AF	42943	00	IRR	NK	G				7089	--	NW	NW	NW	5165	5155	15	34	33W	3		354.00	92.00
A__ AF	43075	00	IRR	NK	G				10509	--	SW	NE	NE	4546	1252	15	34	33W	6		735.00	331.00
A__ AF	43076	00	IRR	NK	G				4373	--	NW	SE	SE	973	1023	8	34	33W	3		711.00	711.00
A__ AF	45094	00	IRR	LR	G				10142	NC	E2	NE	NE	4620	200	32	33	33W	3		800.00	800.00
A__ AF	45095	00	MUN	HK	G				5761	--	SE	SE	SE	200	300	32	33	33W	4		675.16	.00
A__ AF	45096	00	IRR	LR	G				8583	--	NW	SW	SW	900	5100	32	33	33W	5		800.00	.00
A__ AF	45368	00	IRR	NK	G				5552	--	NW	NW	SW	2557	5060	10	34	33W	3		480.00	480.00
A__ AF	45370	00	MUN	LO	G				9800	--	NE	NE	SE	2526	89	18	34	33W	5		849.99	849.99
A__ AF	45415	00	IRR	LR	G				10303	--	NW	NE	SW	2616	3557	34	33	33W	2		850.00	850.00
A__ AF	47254	00	IRR	LR	G				4454	--	NE	SE	SW	1142	2675	9	34	33W	6		650.00	217.00
A__ AF	50771	00	IRR	AY	G				109	--	--	--	--	5016	4694	9	34	33W	2		15.00	15.00

Total Net Quantities Authorized:	Direct	Storage
Total Requested Amount (AF) =	15.00	.00
Total Permitted Amount (AF) =	.00	.00
Total Inspected Amount (AF) =	2716.99	.00
Total Pro_Cert Amount (AF) =	.00	.00
Total Certified Amount (AF) =	4187.00	.00
Total Vested Amount (AF) =	.00	.00
TOTAL AMOUNT (AF) =	6918.99	.00

An \* after the source of supply indicates a pending application for change under the file number.  
 An \* after the ID indicates a 15 AF exemption was granted under the file number.  
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.  
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 2 miles of point defined as:  
 5061 Feet North and 4800 Feet West of the Southeast Corner of Section 9 Twp 34S Rng 33W  
 Located at: 100.920649 West Longitude and 37.111749 North Latitude  
 Both SURFACE WATER and GROUNDWATER

WATER USE CORRESPONDENTS:

```

=====
File Number      Use ST SR
> SKI S & ASHLEY E SCHROEDER
>
> 860 HOLLY RIDGE CT
    
```

```
> LIBERAL KS 67901
>-----
> CRJ GRAHAM TRUST
> RHONDA KEITH
> 1109 ELM BLVD
> LIBERAL KS 67901
>-----
> FRED L & KATHY R BLOOM
>
> 6566 ROAD G
> LIBERAL KS 67901
>-----
> SKI S & ASHLEY E SCHROEDER
>
> 860 HOLLY RIDGE CT
> LIBERAL KS 67901
>-----
> DAN & DEAN BROWN
>
> 7495 ROAD 7
> LIBERAL KS 67901
>-----
> DAN & DEAN BROWN
>
> 7495 ROAD 7
> LIBERAL KS 67901
>-----
> FITZGERALD FARMS LLC
>
> 10035 ROAD 9
> LIBERAL KS 67901
>-----
> SIMCO LC
> JOHN T SMITH LIVING TRUST
> 404 N KANSAS AVE
> LIBERAL KS 67901
>-----
> SIMCO LC
> JOHN T SMITH LIVING TRUST
> 404 N KANSAS AVE
> LIBERAL KS 67901
>-----
> SIMCO LC
> JOHN T SMITH LIVING TRUST
> 404 N KANSAS AVE
> LIBERAL KS 67901
>-----
> FITZGERALD FARMS LLC
>
> 10035 ROAD 9
> LIBERAL KS 67901
>-----
> CITY OF LIBERAL
>
> PO BOX 2199
> LIBERAL KS 67905
>-----
> FRED L & KATHY R BLOOM
>
> 6566 ROAD G
> LIBERAL KS 67901
>-----
> FRED L & KATHY R BLOOM
>
> 6566 ROAD G
> LIBERAL KS 67901
```

>-----  
> COUNTY OF SEWARD  
>  
> 415 N WASHINGTON AVE  
> LIBERAL KS 67901  
>-----

=====




GPS

GPSmap 60C

30

Location N 27.11175°  
±17' W 100.92065°



GARMIN

FIND

PAGE



INPUTS	
Target Section Definition	
Section	9
Township	34
Range	33
Range Direction	w
Target Point Coordinates (NAD27 or NAD83)	
Target Longitude	-100.920650
Target Latitude	37.111750

Load Data and Compute

#### Instructions

1. Enter values for section, township, range and range direction.
2. Enter **NAD27** or **NAD83** longitude and latitude of target point.
3. Click "Load Data and Compute" button.
4. Use feet distances corresponding to datum of target point.

Loaded Section Data From LEOBASE using <b>NAD83</b>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.09783389	-100.92242455
NW	37.11243567	-100.92251541
NE	37.11240550	-100.90420481
SE	37.09784865	-100.90418989
Degrees Longitude per Foot		3.42891336E-06
Degrees Latitude per Foot		2.74651359E-06
Target Point Distances from Corners using NAD83		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	5067	-518
NW	-250	-544
NE	-239	4796
SE	5061	4800

Target point is in Section

Loaded Section Data From LEOBASE using <b>NAD27</b>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.09780900	-100.92198200
NW	37.11241100	-100.92207300
NE	37.11238100	-100.90376300
SE	37.09782400	-100.90374800
Degrees Longitude per Foot		3.42891225E-06
Degrees Latitude per Foot		2.74598553E-06
Target Point Distances from Corners using NAD27		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	5077	-388
NW	-241	-415
NE	-230	4925
SE	5071	4929

Target point is in Section

Difference (NAD83 Minus NAD27)		
Corner	Corner Latitudes	Corner Longitudes
SW	0.00002489	-0.00044255
NW	0.00002467	-0.00044241
NE	0.00002450	-0.00044181
SE	0.00002465	-0.00044189
Difference (NAD83 Minus NAD27)		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	-10.03851799	-129.06408579
NW	-8.93601486	-129.02324792
NE	-8.87621875	-128.84999756
SE	-9.95008421	-128.87332999







Kansas Department of Agriculture  
Division of Water Resources

ADDRESS CHANGE

1. File No(s) <b>50771, 20220117</b>	2. Field Office  <b>4</b>
--------------------------------------	---------------------------------

3. Informed by **Applicant - New App, File No. 50771**

4a. Other <b><u>ADDRESS CHANGE</u></b> Person ID _____ Add Seq# _____  <b>COUNTY OF SEWARD 515 N WASHINGTON AVE STE 205 LIBERAL, KS 67901-3462</b>	4b. Other <b><u>ADDRESS CHANGE</u></b> Person ID _____ Add Seq# _____
4c. Other <b><u>ADDRESS CHANGE</u></b> Person ID _____ Add Seq# _____	4d. Other <b><u>ADDRESS CHANGE</u></b> Person ID _____ Add Seq# _____

5. Comments

Date Prepared **8/4/22**      by **KJN**  
Date Entered                      by

# THE STATE OF KANSAS



**KANSAS DEPARTMENT OF AGRICULTURE**  
Mike Beam, Secretary of Agriculture

**DIVISION OF WATER RESOURCES**  
Earl D. Lewis Jr., Chief Engineer

## APPROVAL OF APPLICATION and PERMIT TO PROCEED

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, **File No. 50,771** of the applicant

**COUNTY OF SEWARD**  
**515 N WASHINGTON AVE STE 205**  
**LIBERAL, KS 67901-3462**

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

1. That the priority date assigned to such application is **April 22, 2022**.
2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9	34S	33W					10											10	

3. That the authorized source from which the appropriation shall be made is groundwater from the Cimarron River basin, to be withdrawn by means of one (1) well located in the Northwest Quarter of the Northwest Quarter of the Northwest Quarter (NW¼ NW¼ NW¼) of Section 9, more particularly described as being near a point 5,061 feet North and 4,800 feet West of the Southeast corner of said section, in Township 34 South, Range 33 West, Seward County, Kansas located substantially as shown on the topographic map accompanying the application.

4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **250 gallons per minute (0.56 c.f.s.)** and to a quantity not to exceed **15 acre-feet** of water for any calendar year.

5. That installation of works for diversion of water shall be completed on or before **December 31, 2023** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.



6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before **December 31, 2027** or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.

8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.

9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.

10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.

11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

12. That all wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this permit shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.

13. That an acceptable water flow meter shall be installed and maintained on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).

14. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.

15. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.

16. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.

17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

Ordered this 9 day of August, 2022, in Manhattan, Riley County, Kansas.

*Lane P. Letourneau*

Lane P. Letourneau, P.G.  
Water Appropriation Program Manager  
Division of Water Resources  
Kansas Department of Agriculture

State of Kansas )  
                                  ) SS  
County of Riley )

The foregoing instrument was acknowledged before me this 9 day of August, 2022, by Lane P. Letourneau, P.G., Water Appropriation Program Manager, Division of Water Resources, Kansas Department of Agriculture.

*Ashlee Freeman*  
\_\_\_\_\_  
Notary Public





1320 Research Park Drive  
Manhattan, KS 66502  
785-564-6700  
[www.agriculture.ks.gov](http://www.agriculture.ks.gov)



900 SW Jackson, Room 456  
Topeka, KS 66612  
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

August 16, 2022

COUNTY OF SEWARD  
515 N WASHINGTON AVE STE 205  
LIBERAL, KS 67901-3462

RE: Appropriation of Water, File No. 50,771

Dear Sir or Madam:

Enclosed is a permit authorizing you to proceed with construction of the proposed diversion works and to appropriate water for beneficial use as set forth in the permit. Your attention is directed to the enclosures and to the terms, conditions, limitations, and requirements specified in this permit.

Notice must be filed on the enclosed form once the diversion works have been completed. Failure to complete the diversion works within the time allowed, or within any authorized extension of time thereof, will result in dismissal of this permit. If you need an extension of time, you must request it before the deadline for completion set forth in the permit. Any request for an extension of time must be accompanied by the statutorily required fee, which is currently \$100.00.

An acceptable water flowmeter must be installed on the diversion works authorized by this permit prior to using water. An annual water use report must be filed with the Chief Engineer by March 1, following the end of each calendar year. If a complete annual water use report is not received by the deadline, then a fine may be assessed and all water use under such permit or right may be suspended. Reports submitted in paper form will be assessed a \$20 per file number paper filing fee. In order to avoid this filing fee, you may submit your report online at [www.kswateruserreport.org](http://www.kswateruserreport.org).

The approval of your application constitutes a permit to appropriate water. It does not give authority to construct any dam or other stream obstruction regulated by K.S.A. 82a-301 through 305a. It does not give authority to access any right-of-way or authorize trespassing upon or injury to public or private property. It may also be necessary for you to comply with other local, state or federal requirements.

Enclosed is an informational sheet that sets forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your perfected water right. Additional information and applicable forms may be found on our website at [agriculture.ks.gov/divisions-programs/dwr](http://agriculture.ks.gov/divisions-programs/dwr). If you have any questions or need assistance with any of these requirements, please contact our office at 785-564-6640 or your local Garden City Field Office at 620-276-2901. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum  
New Application and Change Unit Supervisor  
Division of Water Resources

KAB:am

Enclosure(s)

pc: Garden City Field Office  
Southwest Kansas GMD No. 3



## RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer, or request administrative review by the Secretary of Agriculture. Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 18 days after this Order was mailed to you**), with: Kansas Department of Agriculture, Attn: Legal Division, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for review may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 33 days after this Order was mailed to you**), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

## CERTIFICATE OF SERVICE

On this 16 day of August, 2022, I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 50,771, dated 9 August, 2022 was mailed postage prepaid, first class, US mail to the following:

COUNTY OF SEWARD  
515 N WASHINGTON AVE STE 205  
LIBERAL, KS 67901-3462

With photocopies to:

Garden City Field Office

Groundwater Management District No. 3

  
Division of Water Resources