

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 968	2. Status Change Date: 2-3-2023	3. Change Num: C5	4. Field Office: 4	5. GMD: 3
-------------------------------	---	-----------------------------	------------------------------	---------------------

6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return	7. Filing Date of Change: 1/19/2023
--	---

8a. Applicant(s) Person ID **59134**
 New to system Add Seq# _____

WARREN M & AMANDA R WILLIS
613 ROAD N
HUGOTON, KS 67951

8c. Landowner(s) Person ID _____
 New to system Add Seq# _____

8a

8b. Landowner(s) Person ID _____
 New to system Add Seq# _____

V J LAND & CATTLE CO INC
815 S VANBUREN
HUGOTON, KS 67951

8d. WUC Person ID _____
 New to system Add Seq# _____

8a & 8b

NO CHANGE

9. Documents and Enclosure(s): DWR Meter(s) Date to Comply: **12/31/2023** N & P Date to Comply: **3/1/2024**

Anti-Reverse Meter Meter Seal Check Valve N & P Form Water Tube Driller Copy H & E Letter

Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____

10. Use Made of Water From: _____ To: _____

Date Prepared: **1/31/2023** By: **MAM**
 Date Entered: _____ By: _____

File No. **968** 11. County: **SV** Basin: **CIMARRON RIVER** Stream: Formation Code: **211** Special Use:

12. Points of Diversion
 Rate and Quantity
 Authorized Additional
 Rate Quantity Rate Quantity
 gpm af gpm af Overlap PD Files

CHK MOD DEL ENT	PDIV	Qualifier	S	T	R	ID	'N	'W	Comment (AKA Line)	Rate gpm	Quantity af	Rate gpm	Quantity af	Overlap PD Files
DEL	33170													
CHK	89108	NWNESE	21	33	38W	04	2613	1115		* 2693	1200	2693	1200	8210
ENT	21405	NWNWSE	16	33	38W	02	2200	2600		* 2693	1200	2693	1200	8210

***COMB RATE AND QUANTITY - BLANKET**

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼				
CHK	5153																								
CHK	15033																								
CHK	32415																								
CHK	33610																								
CHK	70840																								
CHK	70841																								

Base Acres: Year: Minimum Reasonable Quantity:
 Comments:

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

February 3, 2023

V J LAND & CATTLE CO INC
815 S VANBUREN
HUGOTON, KS 67951

RE: Field Office Application for Change
Water Right, File Nos. 968, 8210, 15366

Dear Sir:

Enclosed is an order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approvals for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,


Michael A. Meyer
Water Commissioner

MAM:
Enclosures

pc: WARREN M & AMANDA WILLIS


CERTIFICATE OF SERVICE

On this 3rd day of February 2023, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File Nos. 968, 8,210, and 15,366 dated 3rd day of February 2023 was mailed postage prepaid, first class, US mail to the following:

V J LAND & CATTLE CO INC
815 S VANBUREN
HUGOTON, KS 67951

pc:

WARREN M & AMANDA R WILLIS
613 ROAD N
HUGOTON, KS 67951

A handwritten signature in blue ink that reads "Julie Jones". The signature is written in a cursive style and is positioned above a horizontal line.

Division of Water Resources Staff

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
 11:37 am
 JAN 19 2023

File No. 968

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Garden City Field Office
Division of Water Resources

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: VJ LAND & CATTLE CO INC
815 S VAN BUREN HUGOTON KS 67951

Phone Number: () _____ Email address: _____

Name and address of Water Use Correspondent: SAME

Phone Number: () _____ Email address: _____

3. The presently authorized place of use is:
 Owner of Land ---- NAME: _____
 ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES		
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼			

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:
 Owner of Land ---- NAME: _____
 ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼				

For Office Use Only: Code _____ Fee \$ 200.00 TR # _____ Receipt Date 1-19-23 Check # 2848

5. **Presently authorized point of diversion:**
 One in the SW Quarter of the SE Quarter of the SW Quarter of Section 16, Township 33 South, Range 38 W, in SV _____ County, Kansas, 480 feet North 3500 feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. 5 GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the NW Quarter of the NW Quarter of the SE Quarter of Section 16, Township 33 South, Range 38 W, in SV _____ County, Kansas, 2200 feet North 2600 feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point 2210

6. **Presently authorized point of diversion:**
 One in the NW Quarter of the NE Quarter of the SE Quarter of Section 21, Township 33 South, Range 38 W, in SV _____ County, Kansas, 2613 feet North 1115 feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. 04 GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (E/W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) SAND ISSUES

8. If a well, is the test hole log attached? Yes No


9. The change(s) (was)(will be) completed by?
2023

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
PLUGG
 (b) When will this be done? _____

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by MM/GCFO

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. **(PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)**

Any use of water that is not as authorized by the water right or permit to authorize water **before** the chief engineer approves this application is a violation of the Kansas Water Appropriation Act for which criminal or civil penalties may be assessed. Such violation is a class C misdemeanor, punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. K.S.A. 82a-728(b). Civil penalties shall be not less than \$100 nor more than \$1,000 per violation. In the case of a continuing violation, each day such violation continues may be deemed a separate violation. In addition to these penalties the water right may be modified or suspended. K.S.A. 82a-737, as amended.

The application must be signed by all owners of the place of use authorized under the water right and his or her spouse, if married. Please indicate if there is no spouse. If land is being purchased under contract, the seller must sign as landowner until such time as the contract is completed.

In the event that all applicants cannot appear before one notary public, they may as necessary sign separate copies of the application before any notary public conveniently available to them. All copies signed in this manner shall be considered to be valid parts of the application.

If the request is signed on behalf of any Owner by someone with legal authority to do so (for example, an agent, one who has power of attorney, or an executor, executrix, conservator), it will be necessary to attach proper documents showing such authority.

I declare that I am an owner of the currently authorized place of use as identified herein, or that I represent all such owners and am authorized to make this application on their behalf, and declare further that the statements contained herein are true, correct, and complete. By filing this application I authorize the chief engineer to permanently reduce the quantity of water and/or rate of diversion as specified in sections 14 and 15 of this application.

Dated at HUGOTON, Kansas, this 16th day of JANUARY, 20 23.

Wam M. Willis
(Owner)

Amanda R Willis
(Spouse)

Warren M. Willis
(Please Print)

Amanda R Willis
(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)


(Spouse)

(Please Print)

(Please Print)

State of Kansas)
County of STEVENS) SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 16th day of JANUARY, 20 23.



Sharon Concannon
Notary Public

My Commission Expires 3-21-25

FEE SCHEDULE

Each application to change the place of use, the point of diversion or the use made of the water under this section shall be accompanied by the application fee set forth in the schedule below:

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200
- (4) Application to change the use made of the water \$300

Make check payable to **Kansas Department of Agriculture.**

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).


I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Garden City, Kansas, this 13th day of January, 20 23.

<u>Tom Stegman</u> <u>POA</u> (Owner)	 (Spouse)
<u>TRON Stegman</u> <u>POA</u> (Please Print)	 (Please Print)
 (Owner)	 (Spouse)
 (Please Print)	 (Please Print)
 (Owner)	 (Spouse)
 (Please Print)	 (Please Print)

State of Kansas }
 County of Finney } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 13th day of January, 20 23.



Julie Jones
 Notary Public


My Commission Expires _____

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200



SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 968.



1. A change application was received on January 19, 2023 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 300 foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. Applicable Not Applicable
5. The point(s) of diversion authorized herein shall not actually be located more than feet from the previously authorized point(s) of diversion. Applicable Not Applicable
6. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
7. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2023**, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
8. **Installation of the works for diversion of water shall be completed on or before December 31, 2023**, or within any authorized extension of time. By March 1, 2024 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
9. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
11. Additional Conditions are attached. Yes No
12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order


If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds


FOR OFFICE USE ONLY
APPLICATION APPROVED AND SUMMARY ORDER ISSUED

By:  _____
Duly Authorized Designee of the Chief Engineer
(Print Name): MICHAEL A. MEYER
Division of Water Resources - Kansas Department of Agriculture
Date of Issuance: February 3, 2023
State of Kansas)
) SS
County of Finney)
Acknowledged before me on February 3, 2023
by Michael A. Meyer
Signature:  _____
My commission expires: December 15, 2026





FILE Nos. 968 & 8210 APPLICATION TO CHANGE THE POINT OF DIVERSION



**Southwest Kansas
Groundwater Management District No. 3**
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone
www.gmd3.org

February 2, 2023

Michael A. Meyer
Division of Water Resources
4532 W Jones Ave., Suite B
Garden City, Kansas 67846

RE: Applications for Change in Points of Diversion
Water Right, File Nos. 968, 8210 & 15366

Dear Mike:


We have completed a review of the applications for the above referenced water rights. The proposed changes in points of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to minimum spacing to neighboring wells and distance moved.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. The enclosed report is an analysis performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4.0 ft with saturated thickness is greater than 200ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. The attached review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

Every neighboring well within 1 mile of the proposed move was evaluated. Evaluations showed that none of the neighboring wells exceeded the net effect above the maximum allowable threshold and needed no further evaluation. No critical wells were determined in the area. We did not receive any comments from neighboring well owners. Therefore, GMD3 sees this move as meeting current area rules and would recommend approval. If aquifer conditions change or there is a change to the water right in the future, we would be happy to evaluate the effects at that time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,


Jason L. Norquest
Assistant Manager

RECEIVED

FEB 02 2023

Garden City Field Office
Division of Water Resources

GMD3 Change Review

File No(s): 968, 8210, 15366.

DWR office: GC.

App filed to change: PDs.

Is Landowner(s) correct in WRIS: __.

If NO, is documentation included?

Is Water Use Correspondent correct in WRIS? __.

If NO, is documentation included?

Regulation(s) Reviewed: KAR

Point of diversion ID No(s) __ being changed.

	ft. North	ft. West	
Authorized PD	2200	2600	Proposed 968 & 8210
Proposed PD	2837	151	Proposed 15366
Difference	-637	2449	
$a^2 + b^2 = c^2$	405769	5997601	2530.488 feet apart

GPS for proposed PD: Lat: 37.1778000 Long: -101.447778 Proposed 15366.

Is proposed PD stacking on existing WRs? 968 & 8210 will remain stacked.

Is Proposed PU overlapping existing WRs? No Change.

Neighboring certified well(s) notified: __.

Name Warren & Amanda Willis (same WRs as applicant).

Address 613 Road N.

Zip Hugoton, KS 67951.

Email: wawillis@pld.com Phone: 620-428-1063.

Name Joel T McClure (17498).

Address 1949 Road 7.

Zip Hugoton, KS 67951.

Email: mcclure@pld.com Phone: 620-544-5961.

Name Seaboard Energy Kansas LLC.

Address 9000 W 67th Street, ?Suite 200.

Zip Shawnee Mission, KS 66202.

Email: katie.herrenbruck@seaboardfoods.com Phone: 913-671-6635.

Domestic well(s) notified: domestic land listed with applicant or above contacts.

Name __.

Address __.

Zip __.

Base Acres: __.

Perfected Acres: __.

Irr. Return-Flow __%

GMD3 Change Review

Stevens County

968 & 8210 moving to location currently authorized by 15366.

968: 1200AF @ 2693gpm

1280AF @ 1653gpm.

Limitation is added on the WRs

15366 being proposed at a new location.

820AF @ 1460gpm. Limited to 2246AF w/968 & 8210

Is a waiver needed: Both moves less than half mile. Each move appears to meet minimum spacing to neighboring wells. Analysis showed possible effects within guidelines and no critical wells.

Recommendation: After review of all available information, it appears current area rules are met. Staff therefore recommends approval of the applications.

A handwritten signature in black ink, appearing to be the initials 'JA' or similar, written in a cursive style.

Water Rights and Points of Diversion Within 1 mile of point defined as:

2837 Feet N and 151 Feet W of the Southeast Corner of Section 16 Twp 33S Rng 38W
 Located at: 101.447778 West Longitude and 37.177800 North Latitude
 Both SURFACE WATER and GROUNDWATER

2300' on All

File Number	Use	ST	SR	Dist (ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan
A__ AF	968 00	IRR	NK	G*	4103	--	SW	SE	SW	480	3500	16	33	38W	5	1200.00	1200.00
A__ AF	8210 00	IRR	NK	G*	4103	--	SW	SE	SW	480	3500	16	33	38W	5	1280.00	595.00
A__ AF	10889 00	IND	NK	G	4281	--	SW	SE	NE	3060	1120	15	33	38W	1	388.67	388.67
A__ AF	15366 00	IRR	NK	G*	2535	--	NW	NW	SE	2200	2600	16	33	38W	2	820.00	5.00
A__ AF	17498 00	IRR	NK	G	2769	--	SW	SW	SW	100	5180	15	33	38W	2	400.00	400.00
A__ AF	24931 00	IND	NK	G	4281	--	SW	SE	NE	3060	1120	15	33	38W	1	295.20	295.20
A__ AF	26808 00	IRR	NK	G	4600	--	NC	W2	NW	3960	4620	16	33	38W	4	686.00	.00

Total Net Quantities Authorized:	Direct	Storage
Total Requested Amount (AF) =	.00	.00
Total Permitted Amount (AF) =	.00	.00
Total Inspected Amount (AF) =	.00	.00
Total Pro_Cert Amount (AF) =	.00	.00
Total Certified Amount (AF) =	2883.87	.00
Total Vested Amount (AF) =	.00	.00
TOTAL AMOUNT (AF) =	2883.87	.00

*Minimum Spacing
 Applies to 87*

An * after the source of supply indicates a pending application for change under the file number.
 An * after the ID indicates a 15 AF exemption was granted under the file number.
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 1 mile of point defined as:

2837 Feet North and 151 Feet West of the Southeast Corner of Section 16 Twp 33S Rng 38W
 Located at: 101.447778 West Longitude and 37.177800 North Latitude
 Both SURFACE WATER and GROUNDWATER
 WATER USE CORRESPONDENTS:

File Number	Use	ST	SR
> V J LAND & CATTLE CO INC			
> 815 S VANBUREN			
> HUGOTON KS 67951			
> WARREN M & AMANDA R WILLIS			
> 613 ROAD N			
> HUGOTON KS 67951			
> V J LAND & CATTLE CO INC			
> 815 S VANBUREN			
> HUGOTON KS 67951			
> WARREN M & AMANDA R WILLIS			
> 613 ROAD N			
> HUGOTON KS 67951			

968

Application

8210

10889

Applicant

15366

Attached to Application with

>-----
> SEABOARD ENERGY KANSAS LLC
>
> 9000 W 67TH STREET SUITE 200
> SHAWNEE MISSION KS 66202
>-----

> V J LAND & CATTLE CO INC
>
> 815 S VANBUREN
> HUGOTON KS 67951
>-----

15366

Applicant

> JOEL T MCCLURE
>
> 1949 ROAD 7
> HUGOTON KS 67951
>-----

17498

> SEABOARD ENERGY KANSAS LLC
>
> 9000 W 67TH STREET SUITE 200
> SHAWNEE MISSION KS 66202
>-----

21931

> V J LAND & CATTLE CO INC
>
> 815 S VANBUREN
> HUGOTON KS 67951
>-----
=====

26808

10889 & 24931: Drawdown from current location = 0.95 ft
Drawdown from proposed location = 3.24 ft
Net drawdown = **2.3 ft**

17498: Drawdown from current location = 1.72 ft
Drawdown from proposed location = 4.07 ft
Net drawdown = **2.3 ft**

Domestic 10-33-38: Drawdown from current location = 0.90 ft
Drawdown from proposed location = 3.09 ft
Net drawdown = **2.2 ft**

Domestic 16-33-38: Drawdown from current location = 3.53 ft
Drawdown from proposed location = 3.02 ft
Net drawdown = **-0.5 ft**


Domestic 15-33-38: Drawdown from current location = 1.02 ft
Drawdown from proposed location = 3.80 ft
Net drawdown = **2.8 ft**

Domestic 21-33-38: Drawdown from current location = 3.12 ft
Drawdown from proposed location = 2.90 ft
Net drawdown = **-0.2 ft**

Net drawdown does not exceed the drawdown allowance of 4.0 ft for any well within 1 mile of the proposed location. Therefore, critical well analysis is not necessary.

Conclusion:

The proposed move is likely to create minimal effects on neighboring wells and appears unlikely to cause impairment. Any concerned neighbors should contact GMD3 at (620) 275-7147 or the Division of Water Resources at (620) 276-2901.



WELL TEST ANALYSIS


Data Set: C:\Users\trevora\Documents\2023_moves\968_8210_15366\968 Current.aqt
 Date: 01/24/23 Time: 16:26:44

PROJECT INFORMATION

Company: GMD 3
 Project: 968_8210_15366
 Location: Stevens County

WELL DATA

Pumping Wells			Observation Wells		
Well Name	X (ft)	Y (ft)	Well Name	X (ft)	Y (ft)
968 & 8210	-192177	108587	□	-192177	108587



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2023_moves\968_8210_15366\968 Proposed.aqt
 Date: 01/24/23 Time: 16:26:38

PROJECT INFORMATION

Company: GMD 3
 Project: 968_8210_15366
 Location: Stevens County

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
968 & 8210	-188894	110898

Observation Wells

Well Name	X (ft)	Y (ft)
□	-188894	110898

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

January 20, 2023

SOUTHWEST KANSAS GROUNDWATER
MANAGEMENT DISTRICT NO. 3
2009 E SPRUCE ST
GARDEN CITY KS 67846

Re: Request for Recommendation
Water Right, File Nos. 968, 8210, 15366

Dear Mr. Norquest:

This is to advise you that the VJ Land & Cattle Co Inc have filed applications for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion.

We are delaying action on the change applications to allow you time to review and provide a recommendation. Please submit a recommendation within 15 days from the date of this letter.

Thank you and as always feel free to contact this office at any time.

Sincerely,

A blue ink signature of Michael A. Meyer.

Michael A. Meyer
Water Commissioner

MAM
Enclosures