Kansas Department of Agriculture Division of Water Resources

APPROVAL OF CHANGE APPLICATION WORKSHEET

| 1. File No.: 21192 | GMD: 0 | 4. Field Office: 04 - Garden City GMD: 03 - Southwest Structures File No.: | | | | | | |
|--|-------------------------------|--|---|----------------------------|-------------|--|--|--|
| 3. Package File No(s): | Filing/Pri | Filing/Priority Date: 11/15/2024 Application Complete Date: | | | | | | |
| 5a. ☐ Applicant ☐ Owner ☐ WU ☐ Address Change K2 INVESTMENTS LLC | C Person ID 69697 Add Seq# | 5b. Owner WUC Person ID Address Change Add Seq# | | | | | | |
| ATTN: JOHN KLEYSTEUBE 6310 OLD POST RD GARDEN CITY, KS 67846-80 | | | | | | | | |
| 5c. Owner WUC | Person ID | 5d. | - □ wuc | Per | son ID | | | |
| ☐ Address Change | Add Seq# | ☐ Addres | ss Change | Ado | Seq# | | | |
| 6. Change No.: C1 PD PU Base Acres: Year: Min F Previous UMW: Not changing MDS Gauge: Active Admin? Completion/Start Date: 12/31/2025 Perfe | Reasonable Q: | | 7. Use of Wate Groundw UMW: IRF UMW: UMW: | | Water | | | |
| 8. Action Trail | | | | | | | | |
| 9. Special Conditions | | | | | | | | |
| 10. 5YR Allocation Type: Star Comment: | rt Year: 5YR Quan | tity: Base | Acres: | | - | | | |
| 11. Sand & Gravel Proj ID: | ☐ Active ☐ Dredge | ☐ IND Evap | ☐ Jr Evap ☐ | Other Diversion | ☐ Rpt on Sr | | | |
| 12. Waiver Rule ID: New D Applies: Rule No.: Rule Type: Rule SubType: | ate Requested: | Justification: | | | | | | |
| Comments | | | | Processed 12/10/2024 AM | Entered | | | |
| | | | | Reviewed | | | | |

| File No. 21192 Structures File No: Aquifer Code: 211 / 331 13. County: FI Basin: ARKANSAS RIVER Stream: Aquifer Code: 211 / 331 Special Use Area: | | | | | | | · | | | | | | | | | | | | | | |
|---|--------------|--------------------|---------|----------|-------|---------|------|------------|---------|----------------|------|---------|-------|---------|-----------------|-----|-------|----------|--------|--------------|--------------|
| 14. Points of Diversion | Rates & Quar | | | | | | | | | | · · | Oty | | | Rate g | nm | Sto | orage Qt | v S | torage Ra | te |
| PDIV Qua | ifier | S | Т | R | ID | 'N | 'W | Cor | nment (| AKA Lir | ne) | Auth | | | Auth | Add | Au | | | uth/Add | Overlaps |
| DEL 42247 | | | | | | | | | | | | | | | | | | | | | |
| ENT SE | WN WV | 31 | 26S | 31W | | 1257 | 1542 | fr e | | | | 264 | 2 | 64 | 965 | 965 | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | _ , | |
| | | | | | | | | | | | | | | | | | | | | | |
| | • | Quantit Quantit | - | | Rate: | | | | ed with | | | | | | | | | - | | | |
| 16. Metering | Metering R | equired | d 🗆 A | Anti-Re | verse | Require | ed [|] Sea | l Requ | ired | Comp | iance [| Date: | 12/31/2 | 025 | | | | | | |
| 17. Place of Use | | | , | | | | | | | | | | | | | | | | Owner | (a) Ch | ng? Overlaps |
| PUSE S T | R ID | NE | | E¼ sw | SE | NE | NW | V1/4 SW | SE | NE | SV | SW | SE | NE | SE½ NE NW SW SE | | Total | Owner | (S) CI | ig? Overlaps | |
| CHK 4206 | | | | | | | | | | | | | | | | | | | 5a | | |
| | | | | | | | | - 30 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | _ | | | | | | | | | | | | | | | | | | |
| 18. Point of Diversi + # | on and Place | of Use | Overlap | os | | | | | | ** ++ ## | 42 | | | | | - | | | | | |

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

December 10, 2024

K2 INVESTMENTS LLC Attn: JOHN KLEYSTEUBER 6310 OLD POST RD GARDEN CITY, KS 67846-8010

RE:

Filed Office Application for Change

Water Right, File No. 21192

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely.

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc:

CERTIFICATE OF SERVICE

On this 10th day of December, 2024, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 21,192 dated 10th day of December, 2024 was mailed postage prepaid, first class, US mail to the following:

K2 INVESTMENTS LLC Attn: JOHN KLEYSTEUBER 6310 OLD POST RD GARDEN CITY, KS 67846-8010

Pc:

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. NOV 15 2024 File No. <u>21192</u> Garden City Field Office Application is hereby made for approval of the Chief Engineer to change the (check one or both): Divison of Water Resources ☐ Place of Use Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. □ Groundwater The source of supply is: Surface water Name and address of Applicant: MARION K SALMANS TRUST, Attn: DENNIS KLEYSTEUBER 13060 S RD 20, GARDEN CITY, KS 67846 Email address: Phone Number: () Name and address of Water Use Correspondent: Same Phone Number: () Email address: The presently authorized place of use is: Owner of Land ---- NAME: Same ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) SW1/4 TOTAL ACRES NW14 SW14 SE14 NE1/4 NW1/4 SW1/4 SE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NE1/4 Twp. 4. If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land ---- NAME: ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) TOTAL ACRES Sec. Twp. Range NE1/4 NW/4 NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 SW1/4 SE1/4 For Office Use Only: Code C6C Fee \$ 100.00 TR # Receipt Date 11-15-24 Check # 00 13 47

| 5. [| Presently autho | rized point of | diversion: | | | | |
|-------------|-----------------------|--------------------|-------------------------------|----------------|-------------------------------|--------------------|---------------------------------------|
| ٠. | | | Quarter of the | NC | Quarter of the | SE | Quarter |
| | of Section | 31 | , Township | 26 | South, Range | 31 | W, |
| | in FI | Cou | unty, Kansas, 1320 | feet North _ | 1300 feet West o | f Southeast corne | r of section. |
| | Authorized Rate | No change | Authorized Quantity _ | No change | Depth of well | UNK (fee | et) |
| | (DWR use only: | Computer ID | No. 3 GPS | S | feet North | feet We | est) |
| | ☐This point will n | ot be changed | | d as follows: | No change, point better | described with GPS | S as follows: |
| | | | Complete only if change | | | | |
| | | | Quarter of the | | | | |
| | | | , Township | | | | |
| | | | unty, Kansas, <u>1257</u> | | | | |
| | | | Proposed Quantity | | | | |
| L | This point is: | Additional Well | ☐ Geo Center List ot | her water righ | its that will use this poir | nt | · · · · · · · · · · · · · · · · · · · |
| г | | | dhaanala s | | | | |
| 6. | Presently autho | | | 0144 | 0 | | 0 1 |
| | One in the | NE | Quarter of the | SW | Quarter of the | SE | Quarter |
| | of Section | | , Townshipunty, Kansas, | foot Nicoth | South, Range | f Courthogat asset | (E/VV), |
| | in | Col | unty, Kansas, | _ teet North | teet vvest o | Southeast corne | r of section. |
| | | | Authorized Quantity _ | | | | |
| | | | No. GPS | | | | |
| | 75 100 | | This point will be change | | | | |
| | | | Complete only if change | | | | |
| | One in the | | Quarter of the , Township | | Quarter of the | | Quarter |
| | | | | | | | |
| | In | Col | unty, Kansas, | _ ieet ivortn | Droposed well deat | h (foot) | or section. |
| | | | Proposed Quantity | | | | |
| L | This point is. | Additional Well | I ☐ Geo Center List ot | nei watei rigi | ito triat will use triis poli | п | <u> </u> |
| 7. | The changes her | ein are desired | I for the following reasons | ? | | | |
| 2.4 | | | | | Nor | th | 200 |
| | | | | 300 F7 | | | 300 नागा <u>प</u> |
| | | | | E | . ' <u> </u> | | . 🗐 |
| 8. | If a well, is the tes | t hole log attach | ned? 🗌 Yes 🛮 No | 200 | - + = | - + + + + | 200 |
| 9. | The change(s) (wa | as)(will be) com | pleted by? | E | ·/ _ = | | \= |
| | ASAP | | | 100 | | - 1 + 1 + | 1 100 |
| 10. | If the point of dive | rsion is a well: | | 1 | · - | | 4 |
| | (a) What are you | | h the old well? | West 0 | #don/ootoo/ooto | ավուսիավավա | 1 ++ <u>+</u> 0 East |
| | 0 ((| | | 1 | | | ∄ |
| | K100 / (| 91 | | | & | 1 1 7 1 | 1 |
| | (b) When will this | s be done? | | 100 | \'\\+ + = | - + + | 100 |
| | | | | E | · \ = | | /= |
| 11. | Groundwater Man | agement Distric | et recommendation attached | 1? 200 E | -1 + 1 = | - + +/ | 200 |
| ar. 100 | | Yes No | | E | | | _ |
| | = - | | | E | | | |
| 12. | Assisted by mdf/G | SCFO | . 4 | 300 | 200 100 0 | | 300 |
| 13a | a. If the proposed po | int of diversion v | will be relocated more than 3 | 300 | Sou | th Scale: 1 hashma | ark=10 ft |

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property 13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

| 14. If the proposed groundwater point of diversion is 300 or fewer feet from | the existing point of diversion, complete the following: |
|--|---|
| (a) Does the undersigned represent all owners of the currently authoriz ☐ Yes ☐ No (If no, all owners must sign this application) | |
| (b) Will the ownership interest of any owner of the currently authorize affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this applicant of the currently authorized affected if this applicant of the currently authorized affected in this application is approved as requested? | |
| (c) If this application is not approved expeditiously, will there be substated Yes No (If no, all owners must sign this application). | |
| If the application proposes a surface water change in point of diversion, a gr or a change in place of use, the application must be signed by all owners of agent (attach notarized statement authorizing representation). | |
| I hereby verify, being first duly sworn upon my oath or affirmati age and the owner, the spouse of the owner, or a duly authorize their behalf, in regards to the water right(s) to which this application are true, correct and complete. Dated at | d agent of the owner(s) to make this application on |
| (Owner) | (Spouse) |
| Tola Klastackeel | |
| (Please Print) | (Please Print) |
| (Owner) | (Spouse) |
| (Please Print) | (Please Print) |
| (Owner) | (Spouse) |
| (Please Print) | (Please Print) |
| State of Kansas SS | |
| I hereby certify that the foregoing application was signed in my of | presence and sworn to before me this 15th day |
| | |
| JULIE JONES My Appointment Expires | Julie Jones |
| My Commission Expires December 15, 2026 | Notary Public |
| ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of taccurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid. | the applicable portions of the application form must be completed wit opriate owners' must be affixed to the application and notarized; and |
| FEE SCHEDULE | · • |
| Each application to change the place of use or the point of diversion under the forth in the schedule below: Make checks payable to: Kansas Department (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet | his section shall be accompanied by the application fee set t of Agriculture \$100 \$200 |
| | 4 |

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 21192 A change application was received on November 15,2024 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than 300 feet from the previously Applicable \(\square\) Not Applicable authorized point(s) of diversion. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with Applicable ☐ Not Applicable K.A.R. 5-6-13. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_5, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and fellowing the end of one water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable M Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20 25, or within any authorized extension of time. By March 1, 20 26 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable Applicable The completed well log shall be submitted with the required notice. ■ Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable 11. Additional Conditions are attached. ☐ Yes No. 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY **APPLICATION APPROVED AND** If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): Hustin review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, 10 Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS County of 4 inney For Use by Register of Deeds Acknowledged before me on December 10. 1c Colloch Signature: Notary Public AARON T. HOLSTED My Appointment Expires My commission expires: Notary Stay 18, 2027

Proposed Well

SE 31-26-31 Finney

NASH WATER WELL SERVICE, LLC PO BOX 1388 710 W AVE A CIMARRON KS 67835 620-277-5657

OWNER: JOHN KLEYSTUBER

LATITUDE:

37.739972

LONGITUDE:

100.748811

DEPTH OF TEST HOLE DRILLED: 600'

JOB NAME: TEST HOLE #1

DATE: 8/6/2024

| DATE | 0, 0, 2 | | |
|-------|----------|--|--|
| LITHO | RECEIVED | | |
| FROM | | 1 | |
| O' | 3' | LITHOLOGIC LOG TOP SOIL | NOV 13 2024 |
| 3' | 20' | TIME COARCE CAME WITH THIS LAYERS OF SPONSI TAN OLAV | Office |
| 201 | 40' | FINE COARSE SAND WITH SMALL GRAVEL | Garden City Field Office Divison of Water Resources |
| 40' | 80' | FINE COARSE SAND WITH SMALL TO LARGE GRAVEL & SOME COBBLE | Divison of Water |
| 801 | 120' | FINE COARSE SAND WITH BROWN TAN CLAY STREAKS & LAYERS | |
| 120' | 160' | FINE COARSE SAND | |
| 160' | 205' | FINE MEDIUM SAND WITH TAN CLAY & LAYERS | |
| 205' | 230' | BLUE GRAY CLAY WITH GRAY FINE COARSE SAND | |
| 230' | 240' | FINE COARSE SAND TAN GRAY CLAY | |
| 240' | 260' | FINE COARSE SAND WITH SMALL MEDIUM GRAVEL | |
| 260' | 280' | FINE COARSE SAND WITH SMALL TO LARGE GRAVEL STREAKS & LAYERS | MEDIUM TIGHT 95% |
| 2801 | 300' | FINE MEDIUM SAND WITH TAN CLAY STREAKS | MEDIUM 80% |
| 3001 | 320' | FINE COARSE SAND WITH TAN CLAY STREAKS | MEDIUM 95% |
| 3201 | 340' | FINE MEDIUM SAND WITH TAN CLAY STREAKS | MEDIUM 95% |
| 340' | 380' | FINE MEDIUM SAND WITH THIN TAN CLAY STREAKS | MEDIUM 95% |
| 380' | 400' | FINE SAND WITH TAN BROWN CLAY | MEDIUM/TIGHT 80% |
| 400' | 420' | FINE COURSE SAND WITH SMALL GRAVEL STREAK AND THIN STREAKS OF CLAY | MEDIUM/LOOSE 95% |
| 420' | 440' | FINE MEDIUM SAND WITH TAN CLAY STREAKS | MEDIUM/TIGHT 75% |
| 440' | 460' | TIGHT FINE SAND WITH BROWN CLAY WITH SOME SHALE; STARTED LOOSE FLUID | NG TIGHT 75% |
| 460' | 480' | FINE COURSE SAND WITH TAN BROWN GRAY BLUE CLAY STREAKS AND LAYERS | MEDIUM/TIGHT 70% |
| 480¹ | 500' | FINE MEDIUM SAND WITH TAN, BROWN, GRAY, BLUE CLAY STREAKS AND LAYERS AND ROCK LAYERS | MEDIUM/TIGHT 60% |
| 500' | 520' | FINE COURSE SAND WITH BLUE, GRAY, BROWN AND TAN CLAY STREAKS | MEDIUM/TIGHT 75% |
| 520' | 530' | TAN SANDSTONE | MEDIUM/TIGHT 95% |
| 530' | 540' | TAN GRAY SANDSTONE WITH GRAY CLAY STREAKS | MEDIUM/TIGHT 80% |
| 540' | 560' | GRAY SANDSTONE AND GRAY STICKY CLAY | TIGHT 65% |
| 560' | 5801 | GRAY CLAY WITH GRAY SANDSTONE | MEDIUM/TIGHT 30% |
| 580' | 600' | GRAY SANDSTONE, WITH GRAY CLAY | MEDIUM/TIGHT 75% |
| 600' | 620 | GRAY SANDSTONE AND GRAY BLUE CLAY | MEDIUM 65% |
| 620' | 640' | GRAY BLUE STICKY CLAY WITH GRAY SANDSTONE | MEDIUM TIGHT 30% |
| 640' | 660' | GRAY CLAY AND TIGHT FIRM GRAY SANDSTONE | TIGHT 30% |
| 6601 | 680' | GRAY CLAY AND TIGHT FIRM GRAY SANDSTONE | TIGHT 10% |

(went Well

The ssionals

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic Water Systems omplete Installation and Repairing

INCORPORATED

Phone 276-8269

P. O. Box 493

GARDEN CITY, KANSAS 67846

31-263 ments

DENNIS KLEYSTEUBER Finney County 8-10-73

Location: South of Garden City on Highway 83, 2 South of TV Tower, 7 East, & South, & West, & South

25 0 Sand and Clay 25 70 Sand and Gravel 70 100 Clay and Medium Sand 120 100 Clay 120 160 Sand and Gravel 180 160 Sand and Gravel 160-173 Clay 173-180 180 200 Blue Clay and Fine Sand Streaks 200 220 Blue Clay 200-214 Coarse Sand 214-220 220 240 Coarse Sand 240 280 Sand and Gravel 280 300 Medium to Coarse Sand and Clay Streaks 320 Coarse Sand 300 320 380 Fine Sand and Clay

380

M. K Salmons SE 31-26-31 - Finney County Well drilled in September 1973 to a depth of 320 Ft. 160' - 8" X 2½" X 1½" Column, RH Woodline Tube & Shaft - 8 X 8 X 161 Peerless Discharge Head 140' - 16" Plain Casing S/N GI2243 - 4 Stage 12LB Peerless Bowl Unit - F100 Randolph Gear Drive 4:3 Ratio S/N 95447 7-31-91 - Inv. #0000147 - Lowered 60'-Now 220'. 11-22-94 - Inv. #0002784-Lowered 60' - Now 280'. 180' - 16" Perforated Casing