Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
5057	6-26-2024	C1	4	3
6. Status: ☐ Approved ☐ ☐	enied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				6/20/2024
8a. Applicant(s) New to system □	Person ID 66486 Add Seq#	8c. Landowne		Person IDAdd Seq#
PURDY FAMILY TRUS PO BOX 562 SYRACUSE, KS 67878				4
		- 44	* * * * * * * * * * * * * * * * * * *	
8b. Landowner(s) New to system □	Person IDAdd Seq#	8d. WUC New to sy	stem	Person ID
		8a		
9. Documents and Enclosure(s):	DWR Meter(s) Date to Comp	y: 12/31/2024	N & P Date to	Comply: 3/1/2025
☐ Anti-Reverse Meter ☐ Me	ter Seal	⊠ N & P Form	☑ Water Tube	Oriller Copy
☐ Conservation Plan Date Rec	uired: Da	te Approved:	Date to	o Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 6/20 /2	2024 By: MAM By:

File No.	5057		11. Coun	ty: KE		Basin:	ARKAN	ISAS F	RIVER			St	tream:							Fo	rmation Code: 2	Special Use: 021	016,
12. Point	ts of Dive	rsion														Rate	and Q	uantity					
MOD DEL	PDIV															A	Authori	zed		A	dditional		
ENT		Qualifier	S	Т	R	İD		'N	ʻW		Com	ment	(AKA	Line)		Rate gpm		Quantity af	У	Rate gpm		Overlap PD Files	
DEL :	37434			-																< 0			
ENT		NWNWNW	9	248	35V	/	5	133	518	1						1400	0	480		1400	480	NONE	
																					Ţ-		
		_:																			:		
13. Stora	ge: Rate			_NF	Q						ac/ft	A	ddition	nal Rat	e				NF	Addi	tional Quantity _		_ ac/ft
		- 4						gpm (_									umber						
LIIIIIL	ation		ai/y	1 at				gpiii (_				CIS) WI	nen cc	IIIDIIIE	u with	i ille ill	umben	(5)					
15. 5YR A	Allocation	: Allocation	Туре	_ s	Start Y	ear _		5 YR	Amou	nt		Amo	ount U	nit	_	Base	Acres		_ C	omment .	32		
16. Place CHK	e of Use	-				NE1/4			NV	V1/4			sv	N 1/4			s	E1/4		Total	Owner Chg	? Overlap Files)
MOD DEL ENT F	PUSE	STR	ID	N 1		W SW		NE 1/4	NW ¼	SW 1/4	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE 1/4	NE ¼	NW ¼	SW 1/4	SE 1/4		, .	-	
CHK 90	5	1															,						
CHK 58	80																					-	
CHK 12	809	1	1						-					~									
CHK 14	726																						
Sec. 4.				<u>.</u>																			
																						2	
Base Acre	es: 24 0	Year:	Mir	nimum	Reaso	nable	Quantity	y:															
Comment	ts: ADI	CONDITI	ON AQ	UIFE	R S	CREE	N																

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

June 26, 2024

PURDY FAMILY TRUST ETAL PO BOX 562 SYRACUSE, KS 67878

RE:

Field Office Application for Change

Water Right, File No. 5057

Dear Sir or Madam:

Enclosed is an order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approvals for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications.

Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM: Enclosures

CERTIFICATE OF SERVICE

On this 26th day of June 2024, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 5,057 dated 11th day of June 2024 was mailed postage prepaid, first class, US mail to the following:

PURDY FAMILY TRUST ETAL PO BOX 562 SYRACUSE, KS 67878

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	File No	. <u>5057</u>					- 74				R	ECE	IVED 45 A
Ä	Application	on is he	reby n	nade fo	or appr	oval o	of the C	Chief E	nginee	er to ch	nange	the (ch	eck or	ne or b	oth):		J	JN 21	0 2024
						□ P	lace o	f Use		\boxtimes	Point	of Dive	ersion				Gard	den City	Field Office
ι	inder the	water	right w	hich is	the s	ubject	of this	applic	ation i	n acco	rdance	e with t	the cor	ndition	s desc	ribed b	pelow.	n of Wa	ter Resour
	he sour						Fround			_		ce wate							
	Name an			400	71	ebecc	a Brow	nlee					طني	-			-	4	-
-	O Box					3 (1)							770 000						
	Phone N											9		2 5 25					
	Name an					orresp	onden	it: Pur	dy⊢ar	niiy i r	ust et a	al.						1	
_	Phone N								Fmail	addre	ee.		7 41						
	he pres						-		Lillan	addic			-				Car 3	-	
	Owner of															4			
				ESS:											4				
(If there is	more th	an one	landow	ner, at	tach su	ippleme	ental sh	eets as	neces	sary.)					20.			
		NE½		1/4		NW1/4				SW¼				SE¼			TOTAL		
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	ACRES
								A to	7		7 1			- 30	94.4			200	4
								10.4	1.					9.00	1	7 .			
								4.	200						- mar	i in	- 33	10	3.5
(f this app Owner of	Land -	NA	AME:						12.5		ace of	use be	e chan	ged to	:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
(If there is	more th	an one			tach su	Ippleme			neces	sary.)		-25	Pegg 1					**************************************
		20			1/4				V¼				V¼	0544	MEN		E¼	051/	TOTAL
Sec.	Twp.	Range	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE1/4	NW¼	SW1/4	SE1/4	NE%	NW¼	SVV/4	SE¼	
_		- 2		3	2 / W		-	300				-La							
		- 141								-		- 25						77	
				30				100	12.		<u></u>				<u>I</u>				

₅ [5. Presently authorized point of diversion:	
٠.	One in the Quarter of the NW	Quarter of the NW Quarter
	of Section 9 , Township 24	South Range 35 W
-	in Kearny County, Kansas, feet North	feet West of Southeast corner of section
	Authorized Rate Authorized Quantity D	enth of well 3/0 (feet)
	(DWR use only: Computer ID No. 3 GPS 5166 f	eet North 5206 feet West)
	☐This point will not be changed ☐ This point will be changed as follows: ☐ No o	
-	Proposed point of diversion: (Complete only if change is requested or i	그 아이들 경험을 잃었다면 모든 아이가 그렇게 하시다면 사이에 되었다면 하셨다면 그 그렇게 그리고 하시다면 하다.
1	One in the NW Quarter of the NW	
	of Section9 , Township 24	South, Range 35 W,
1	in Kearny County, Kansas, 5133 feet North 518	feet West of Southeast corner of section.
1	Proposed Rate Proposed Quantity P	roposed well depth (feet) 322 .
1	This point is: Additional Well Geo Center List other water rights that	t will use this point
-		
3. T	Presently authorized point of diversion:	
	One in the Quarter of the	Quarter of the Quarter
	of Section Township	South Range (E/W)
	in County, Kansas, feet North Authorized Rate Authorized Quantity D (DWR use only: Computer ID No GPS fe	feet West of Southeast corner of section.
	Authorized Rate Authorized Quantity D	epth of well (feet)
	(DWR use only: Computer ID No. GPS f	eet North feet West)
	☐This point will not be changed ☐This point will be changed as follows: ☐ No cl	nange, point better described with GPS as follows:
	Proposed point of diversion: (Complete only if change is requested or it	
	One in the Quarter of the	
-1	of Section, Township	South Range (E/M)
-1	in County, Kansas feet North	feet West of Southeast corner of section
-	Proposed Rate Proposed Quantity P	roposed well depth (feet)
	This point is: Additional Well Geo Center List other water rights that	will use this point
_		
۲.		
	(please be specific)	North 0 100 200 300
3.	B. If a well, is the test hole log attached? ⊠ Yes ☐ No	1 + 1 = 1 + 1 = 200
	F /	- 1 + 1 = 1 + 1 + 1 = 200
).	7. The change(s) (was)(will be) completed by?	= - \-
	As soon as possible 100 🗐 1	-1 + 1 = 1 + 1 + 1 + 1 = 100
10.	10. If the point of diversion is a well:	
	(a) What are you going to do with the old well?	unlun unlun gullun unlun unlun unlung 0 East
	Plugleon	
	Plug/cap	- + + + = + + + + = 100
	(b) When will this be done? As soon as possible	
	E V	- + = + + = 200
1.	1. Groundwater Management District recommendation attached? 200 - 1	- + = + + = 200
	☐ Yes No	-\ - = -/- =
2		

13a.If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

13b.If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed	a groundwater point of diversion is	300 of lewel leet it	ill the ex	isting point o	diversion, complete ti	ie ioliowing.
(a) Does the Yes	undersigned represent all owners No (If no, all owners	of the currently authorized must sign this application		ace(s) of use	identified in this applica	ation?
	wnership interest of any owner of f this application is approved as re No (If yes, all owner			e(s) of use in	dentified in this applica	ation be adversely
(c) If this app ✓ Yes	lication is not approved expeditiou No (If no, all owners	sly, will there be sub must sign this applic		amage to pro	perty, public health or	safety?
or a change in plac	roposes a surface water change in ce of use, the application must be rized statement authorizing represe	signed by all owners	groundw of the cu	ater change rrently autho	in point of diversion gr rized place of use, or t	eater than 300 fee heir duly authorize
age and the owr their behalf, in r	being first duly sworn upon ner, the spouse of the owner, regards to the water right(s) s application are true, correc	or a duly authorito which this app	zed age	ent of the o	wner(s) to make thi	is application of
Dated at	GARDEN CITY	, Kansas, this	19	day of	JUNE	
a m	-21					
1	Madely					·
100	(Ownter)				(Spouse)	
Kirl	(Please Print)	armer			(Please Print)	<u></u>
	(Please Print)				(Flease Fillit)	
	(Owner)				(Spouse)	
	(Owner)				(Оройос)	
- 19 - 19	(Please Print)				(Please Print)	
	A COMPANY OF THE PARK OF THE P		-	41		-
	(Owner)				(Spouse)	
	(Please Print)	× .	-		(Please Print)	
State of Kansas	INNEX } ss					
I hereby certify	that the foregoing application	n was signed in r	nv prese	ence and s	worn to before me	this 1977 day
of JUNE	CAT	HERINE REINERT NOTARY PUBLIC TATE OF KANSAS) Alhou	in Reinett	4.7
My Commission Ex		pp. Exp. Sept. 14, 2022		Mutte	Notary Public	
ONLY COMPLETE A accurate information; the appropriate fee m	PPLICATIONS WILL BE PROCESSE maps, if necessary, must be included; just be paid.	D. To be complete, all signatures of all the ap	of the app opropriate	licable portions owners' must b	of the application form no affixed to the application	nust be completed wi on and notarized; and
		FEE SCHEDU	LE			
orth in the schedul (1) Applica (2) Applica	change the place of use or the pole below: Make checks payable to ation to change a point of diversion ation to change a point of diversion ation to change the place of use.	oint of diversion under Kansas Departmen 300 feet or less In more than 300 feet	er this sec	riculture		\$100 \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 5057 JUNE 20, 2024 A change application was received on On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a foot radius of the authorized point(s) of diversion. Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable The point(s) of diversion authorized herein shall not actually be located more than authorized point(s) of diversion. Applicable Not Applicable feet from the previously As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 , or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water districted annually to the Chief Engineer by March 1 fellowing the and of each calendar water. diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20 2½, or within any authorized extension of time. By March 1, 20 25 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable Applicable The completed well log shall be submitted with the required notice. M Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c Applicable ☐ Not Applicable 11. Additional Conditions are attached. Yes Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901. you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of SUMMARY ORDER ISSUED Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, AIMEYER (Print Name): 2024 Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on Signature: TATE OF **AARON T. HOLSTED** NOTAHY My commission expires: (Notary Sealls, 2027 PUBLIC MANSAS

ADDITIONAL CONDITIONS TO SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS, Water Right, File No. 5,057

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which the following condition is included as a condition of the approval of this application for change in point of diversion.


That the applicant shall set surface casing through any shallow groundwater aquifers, at an approximate depth of greater than 110 feet below land surface, and shall cause the well under this appropriation to be constructed so that the source of supply will be restricted to withdrawal of water from the Ogallala aquifer system, thereby precluding withdrawal of water from any overlying water-bearing strata and ensure that an adequate seal is placed between the Ogallala aquifer system, and all overlying water-bearing strata so as to prevent any movement of water between formations.

That the gravel pack shall not extend more than two feet above the top of the well screen and shall be properly sealed (e.g. bentonite pellets) to prevent any movement of water between formations along the well annulus.

E (By: Muluw Duly Authorized Des	signee of the Chief Engineer)
	Print Name):Over Res	ources Kansas Department of Agriculture
T.	Dated of Issuance:	JUNE 26, 2024
State of Kansas)		
County of Finney)		
Acknowledged before me on the	ne 26mday of June 20	024
By Michael A.M.	eyer	
Signature for ho.	Isted	
Notary Notary Notary Notary	AARON T. HOLSTED My Appointment Expires	

File No. _____5,057

KiRK MADDOX, FARMER GRLL 620-355-9432





Kansas Water Wells inc.

1	
ala.	
	1

BROWNLEE

40'E & 35' South

Custome	er Ree	BECCA BROWN	LEE	Date	6/6/24									
Adress	1	0. BOX5	62	City/Stat	e 54	RA	cusie, Ks	EKS. 67878						
County	Kearny	Qua		NW	Sec.	9	Townsh	ip 24	Range	35				
GPS For	mat	NAD83		Lat.	3	2-9	8781	Long.	101.1	7583				
Static W	ater Lev				Well			302+	Sump =					
From	Pay			Des	cription	of	Strata	-WELL	LOCAT	-lane				
0	T	3	То	Top soil Description of Strata REPLACEMENT WELL LOCATION FILE \$ 5057										
3		38	Bro	own sandy o	lay									
38	1 3.	102	Gr	ey clay (little	e sticky	in s	oots)			,				
102		126	Gr	een clay		791		9.5						
126		129	Fir	e-med sand	ł		Lafe at 1							
129	-11 11-	131	W	White sandy clay/gyp/grey soluble clay										
131		144	Re	Red & white sandy clay										
144		152	Fir	Fine-med sand/clay streaks										
152	-	159	Re	Red & white sandy clay/gyp (firm)										
159	9	174	70	70% fine sand/30% med sand (loose, good chatter in spots)										
174	AL L	179	Fir	Fine sandy tan & white clay/gyp (tight)										
179		184	Fir	Fine sandy sticky clay/streaks of caliche (hard)										
184	4	188	40	% fine sand	/40% m	ed-c	coarse san	d/20% cla	ay					
188	4.18	189	Fir	ne sand (firn	n)									
189		197	Fir	ne-med sand	d/clay s	trea	ks							
197		202	50	% fine sand	/40% m	ed-d	coarse san	d/10% cla	ay streaks	(little loos				
202	18	220	30	% fine sand	/10% m	ed s	and/60%	coarse sa	nd & sma	III gravel				
			(lo	ose, used 1	25 gallo	ns c	of water)							
220		223	Fir	ne sand/clay	streak	s	2.8/							
223		243	Sti	cky yellow	clay/cou	uple	fine sand	streaks						
243		261		own sandy						5				
261	5	266	30	% fine-med	sand/7	0%	coarse san	d (loose)						
266		267		ndstone led				1						
267	15	282		% fine sand		-		THE RESERVE THE PERSON NAMED IN	3/8" grav	el				
				ery loose) (4	4.0				
Location	From C	Id Hole 40	Sun	7K425	EAS	14	EXIST	ina WEL		· · · · · · · · · · · · · · · · · · ·				
Bags Of	High Yie	ld 6		1	Bags Of	Hole	e Plug 1	- 40						

SCREENILO

From	Pay	То	Description of strata

282	20	302	20% fine sand/80% coarse sand & ¼"-3/8" gravel
-116	A Section of the Contract of t		(brown & white rock) (loose) (few big rocks about 190')
			(used 150 gallon of water)
302		307	Sticky yellow clay
307		316	Soft black shale
316		320	Hard black shale
	71		Total pay
	4		Fair pay
	32		Good pay
	35		Excellent pay
1 1 1 30			
7		A	
1.1			
n de			
1		130	
. P. C			
	1 1 72	Brac Sil	
3 4 4	1 - 1 × 1/		
	The state of		
	J 4		
		15 1 1 15	
35			
		1 1 2	
		The same and the	
			- K - K - K - K - K - K - K - K - K - K

