Kansas Department of Agriculture Division of Water Resources

APPROVAL OF CHANGE APPLICATION WORKSHEET

1. File No.: 24088	2. Status Change Date:		GMD: 0	fice: 04 - Garden 0 3 - Southwest es File No.:	City				
3. Package File No(s): FI-002; 212; 15	83; 5564; 10231; 11625;	24088	Filing/Pr	iority Date: 9/13/2 ion Complete Date					
5a. ☐ Applicant ☐ Owner ☐ WU☐ Address Change	C Person ID 38588 Add Seq#		· □ WUC ss Change						
WESLEY & DEBORAH CAMP 106 DIAMOND HILL DR GARDEN CITY, KS 67846-86		PHEASANT Attn: CHAR 2003 FAIRB PIERRE, S	LES T ROB ANK PL	ISON					
5c. ⊠ Owner □ WUC	Person ID 25457		□ wuc		son ID				
Address Change	Add Seq#	☐ Addres	ss Change	Add	d Seq#				
DEL CAMPBELL CATTLE CO Attn: WESLEY E & DEBRA CA 106 DIAMOND HILL DR GARDEN CITY, KS 67846									
	☐ UMW Reasonable Q: ection/Expiration Date:		7. Use of Wate Groundw UMW: IRF UMW:		Water				
8. Action Trail									
9. Special Conditions		. '							
10. 5YR Allocation Type: Star Comment:	rt Year: 5YR Quan	tity: Base /	Acres:						
11. Sand & Gravel Proj ID:	☐ Active ☐ Dredge	☐ IND Evap ☐] Jr Evap □	Other Diversion	☐ Rpt on Sr				
12. Waiver Rule ID: New D Applies: Rule No.: Rule Type: Rule SubType:	ate Requested:	Justification:							
Comments SEE DOCUWARE FOR LAND AGREEM	ENT - OWNERSHIP STAT	JS		Processed 3/13/2025 AM	Entered				
				Reviewed					

File No. 24088 13. County: FI Basin: ARKANSAS RIVER Stream: Structures File No: Aquifer Code: 211 Special Use Area:																								
						Code:	211									Spec	iai Use	Area:						
14. F	Points of Dive	rsion, F	Rates &	Quanti	ties										Oty			Rate		Sto	Storage Qty Storage Rate			
	PDIV	Qualifi	er		S 7		R	ID	'N	'W	Cor	nment (AKA Li	ne)	Aut		dd	Auth	Add	Au				Overlaps
СНК	12284																							
				-																				
15.	Limitations				uantity			Rate:				ed with												
		Тур	e:	C	uantity	:		Rate:		С	ombin	ed with	n file no	o(s):										
16.	Metering	\boxtimes	Meterir	ng Re	quired		nti-Re	verse	Require	ed [] Sea	ıl Requ	ired	Comp	liance	Date:	12/31/2	025						
17.	Place of Use																							
	PUSE S	Т	R	ID			Ξ1/4			NV					V1/4			SE			Total	Owner(s)	Chg?	Overlaps
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	SW	SE		_		
СНК	12935 8	215	32W	1	40	40	40	40	26			38	40	5	13	40	40	40	40	40	482	5a		**
CHK	21288 9	21S	32W	1	40	40	40	40	40	40	40	40	ı								320	5b		**
ENT	10469 33	208	32W	1									40	40	40	40					160	5a & 5c		**
ENT	31118 5	21S	32W	1					L-3 40.03	L-4 39.93	40	40	40	40	40	40	-				319.96	5a & 5c		**
18.	Point of Div	ersion	and P	lace o	f Use C	Overlap	s																	
*													**	FI-002	2; 212;	1583;	5564; 1	0231;	11625	24088	ŀ			
+													++											
#													##											
٨													^^											

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

March 13, 2025

WESLEY & DEBORAH CAMPBELL 106 DIAMOND HILL DR GARDEN CITY, KS 67846-8617

RE:

Filed Office Application for Change

Vested Right, File No. FI-002

Water Right, File Nos. 212; 1583; 5564; 10231; 11625 & 24088

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers. **Note:** this approval does not allow any single point of diversion to exceed its annual authorized quantity.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and/or installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Austin J. McColloch

ant. Molla

Assistant Water Commissioner

AM: enclosures

pc:

Pheasant Land Co.

GMD 1 GMD 3

CERTIFICATE OF SERVICE

On this 13th day of March, 2025, I hereby certify that the foregoing Approval of Application for Change in Place of Use, Vested Right, File No. FI-002 and Water Right, File Nos. 212, 1,583, 5,564, 10,231, 11,625 and 24,088 dated 13th day of March, 2025 was mailed postage prepaid, first class, US mail to the following:

WESLEY & DEBORAH CAMPBELL 106 DIAMOND HILL DR GARDEN CITY, KS 67846-8617

Pc:

PHEASANT LAND CO Attn: CHARLES T ROBISON 2003 FAIRBANK PL PIERRE, SD 57501

GMD₁

GMD 3

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s)

of div	version a	nd/or pl	ace of	use.															
						r- F	File No	. <u>2408</u>	8					i		R	EC	EIV 800 13 20	ED n
4	A Um add.	!- b-	~- b	la 6		al a	C.41- 0 C	N-1-4 F	!	مام جاء		11 (ab	یم یاد د	b	- 4b \.	S	EP	13 20	024
1.	Application	on is ne	reby ii	nade id	or appi				nginee					ie or b	otn):	Ga	rden C	itv Fiel	d Office
				Siele in	- 11	_	lace of		-tion i			of Dive		liti o no	- 4000	Divis	son of \	Water F	Resources
	under the				s tne s				ation i					Iditions	s desc	ribea b	elow.		
	The sour	ce of su	ibbly is	S :		⊠ G	Ground	water		П	Surfac	ce wate	er						
2.	2. Name and address of Applicant: WESLEY & DEBORAH CAMPBELL																		
	106 DIAMOND HILL DR GARDEN CITY KS 67846 - 8617																		
	Phone N																		
	Name an	d addre	ess of \	Water	Use C	orresp	onden	t: SAM	ME AS	ABO\	<u>/E</u>					- V			
	N	1	,							م مرام اد						γ7	1		
	Phone N								Emaii	addres	ss:							r n	
	3. The presently authorized place of use is: Owner of Land NAME: WESLEY & DEBORAH CAMPBELL																		
,	Owneron										TY KS	67846	8 - 861	7	-				
	(If there is											0.0		-					_
	NE1/4							NW¼				sv	N ¹ / ₄		SE1/4				TOTAL
Sec	. Twp.	Range	NE1/4			SE1/4	NE1/4		SW1/4	SE1/4	NE1/4	NE¼ NW¼ SW¼ SE¼ NE¼			NW1/4	SW1/4	SE1/4	ACRES	
8	21S	32W	40	40	40	40	26			38	40	5	13	40	40	40	40	40	482
		9	1			7													
	5	r)								14	H .							j.	
			-			je sv													
	If this app				_						the pla	ace of	use be	chan	ged to	:			**
	Owner of										TV KS	67846	6 - 861	7	7 3				
	(If there is											010-0	1-001	-					
	(11 4.10.0	11.0.0			E1/4		-		N1/4			SV	N ¹ / ₄			SI	Ε1/4	- 1 7	TOTAL
Sec	c. Twp.	Range	NE1/4		T	SE1/4	NE1/4		9.	SE1/4	NE1/4		SW1/4	SE1/4	NE1/4			SE1/4	ACRES
8		32W	40	40	40	40	26			38	40	5	13	40	40	40	40	40	482
								_										1	
													V						
	For Offic		Only	Codo		Eo	0 4 2	M 1	N TD	#		D	ocoint	Date	9-12	2-74	Char	· k # l -	474
	For Onic	e use	Only.	Code			e \$	00.0	UIK	#			ceipt	Date_			Circo	K # LO	-11-

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. <u>FI-002; 1583; 5564; 10231 & 24088</u> MAKE ADDITIONAL COPIES AS NECESSARY

3. C	ontinue wner of	Land -	NA	ntly au AME: ESS:	PHEA	SANT	LAND	CO A				ROBIS	SON						
				NE	Ξ1/4			NV	V1/4			SV	V1/4			SI	=1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES
9	21S	32W	40	40	40	40	40	40	40	40								\vdash	320
																		-	
0	wner of							<u> </u>											
			ADDR	ESS:				- 1-											
				NE	=1/4			NV	V1/4			SV	V1/4		SE1/4				TOTAL
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1⁄4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	-4	,																	
																-	-	\vdash	
0	wner of																		
			ADDR	ESS:															
				NE	Ξ1/4			NV	N ¹ / ₄			SV	V1/4			SI	Ξ1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
																-			
																-	_		
4. C	ontinue	d: If th	is app	lication	is for	a chai	nge in	place	of use,	it is p	ropose	d that	the pla	ace of	use be	chan	ged to	:	
0	wner o											ROBIS	SON	,					
			ADDR	ESS:	2003 1	AIRB	ANK	L PIEI	KKE 5	D 5/5	01								
				T	E¼			T	N ¹ / ₄			SW¼				SI	TOTAL ACRES		
Sec.	N N	Range									NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9	21S	32W	40	40	40	40	40	40	40	40		-				_			320
				-	+	-			-							-	-	\vdash	
									H										
0	wner o														E CO				
	46		ADDR	ESS:	106 D	IAMOI	אט אונ	LDR	GARD	EN CI	IYKS	6/840	0 - 80 1	/					
				NI	E1/4			N\	N ¹ / ₄			SV	N1/4			S	E1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
33	20S	32W		-			1.0	1.4	_		40	40	40	40			-		160
5	21S	32W					L-3 40.03	L-4 39.93	40	40	40	40	40	40					319.96
	wner o	fland	N	AME.															
J	WING! U			ESS:															
				NII.	F1/			A II	AM/			C)	AM/			-	-1/		TOTAL
Sec.	Twn	Range	NF1/		E1/4 SW1/4	SE1/4	NE1/4		N1/4 SW1/4	SE1/4	NE1/4		N1/4 SW1/4	SE1/4	NE1/4		E1/4 SW1/4	SE1/4	TOTAL ACRES
	i wp.	range	142/4	1111/4	5474	JL/4	141.74	1174/4	544/4	JL/4	142/4	14474	544/4	JL/4	112/4	1100/4	344/4	JL/4	
																		\Box	
			-				-												

Page ___

DWR 1-121-2 (Revised 5/1/2019)

File No. ___

5.	Presently authorized point of diversion:		po = 1	
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township		South, Range	(W),
	in County, Kansas,	feet North _	feet West of S	Southeast corner of section.
	Authorized Rate Authorized Quantity	/	Depth of well	(feet)
	(DWR use only: Computer ID No G	PS	feet North	feet West)
	☐This point will not be changed ☐This point will be chan			
	Proposed point of diversion: (Complete only if char			
	One in the Quarter of the			
	of Section, Township		South, Range	(W),
	in County, Kansas,	feet North ₋	feet West of S	Southeast corner of section.
	Proposed Rate Proposed Quantity		Proposed well depth	(feet)
L	This point is: Additional Well Geo Center List	other water rig	that will use this point	
			4.	
6.	Presently authorized point of diversion:			
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township		South, Range	(VV),
	in County, Kansas,	feet North _	feet West of S	Southeast corner of section.
	Authorized Rate Authorized Quantity	/	Depth of well	(feet)
	(DWR use only: Computer ID No G			
	☐ This point will not be changed ☐ This point will be chan	7		
	Proposed point of diversion: (Complete only if char	nge is request	ed or if existing point is	better described by GPS)
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township			
	in County, Kansas,			
- 1	Proposed Rate Proposed Quantity			
L	This point is: Additional Well Geo Center List	other water rig	that will use this point	
7.	The changes herein are desired for the following reason (please he specific) CREATING A COMPLETE OVERLAD			
	(please be specific) <u>CREATING A COMPLETE OVERLAF</u> IN PLACE OF USE WITH WR FILE NOS. FI-002; 212;	30	0 200 100 North	100 200 300
	1583; 5564; 10231; 11625 & 24088			
				1 + 1 + 1 = 200
8.	If a well, is the test hole log attached? Yes No	200		1 + 1 + 1 = 200
q	The change(s) (was)(will be) completed by?			
٥.		400	[/	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	UPON APPROVAL	_ 100	<u> </u>	1 + 1 + 1 + 100
10.	If the point of diversion is a well:		 =	
	(a) What are you going to do with the old well?	West 0	in duulaalaalaalaa	
	(a) That are year going to do man are ord non-			
	N/A	-	1+1+1=	
	(b) When will this be done? N / A	100	1 + 1 + 1 =	+ + 100
				/ =
11.	Groundwater Management District recommendation attach	red? 200	E 1 + 1 = 1	1 + 1 + 1 = 200
	Yes No			
			Ī	<u> </u>
12.	Assisted by AM / GCFO	- 30	00 200 100 0	100 200 300
13a	. If the proposed point of diversion will be relocated more tha	n 300	South	Scale: 1 hashmark=10 ft
	feet but within 2,640 feet of the existing point of diversion, a	attach 13b. If th	e proposed point of diversion	on will be relocated within a 300

feet but within 2.640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

13b.If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer feet fi	om the existing point of diversion, complete the following:
 (a) Does the undersigned represent all owners of the currently auth ☐ Yes ☐ No (If no, all owners must sign this appl 	
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this approved) 	
(c) If this application is not approved expeditiously, will there be su ☐ Yes ☐ No (If no, all owners must sign this appl	
If the application proposes a surface water change in point of diversion, or a change in place of use, the application must be signed by all owner agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirn age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this ap- contained in this application are true, correct and complete.	rized agent of the owner(s) to make this application on
Dated at, Arizona, this	28th day of JANUARY , 20 25
X Wal Alm Present	
(Owner)	(Spouse)
Charles Robison, President of Pheasant Land Company (Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Arizona)	WILL NOT
County of Maricopa	NOTAR NO 650 3 A ELLA
of, hereby certify that the foregoing application was signed in	aumin funn
My Commission Expires May 22, 2027.	Notary Pablich, EXP. 32 Print
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the atthe appropriate fee must be paid.	of the applicable portions of the application formalist be completed with ippropriate owners' must be affixed to the application and notarized; and
FEE SCHED	
Each application to change the place of use or the point of diversion und forth in the schedule below: Make checks payable to: Kansas Departm (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nent of Agriculture

14. If the proposed groundwater point of diversion is 300 or fewer feet from	in the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently autho ☐ Yes ☐ No (If no, all owners must sign this application)	
 (b) Will the ownership interest of any owner of the currently authori affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 	ing part of the
(c) If this application is not approved expeditiously, will there be subs ☐ Yes ☐ No (If no, all owners must sign this application)	
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirmating age and the owner, the spouse of the owner, or a duly authorize their behalf, in regards to the water right(s) to which this appropriate contained in this application are true, correct and complete.	zed agent of the owner(s) to make this application on
Dated at Garden City KS, Kansas, this	Deliver Copiel
Wz5/zy Clampho// (Please Print)	Deborah Campbell (Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of Finney SS	911
I hereby certify that the foregoing application was signed in m of September, 20 24.	ny presence and sworn to before me this 4 day
My Commission Expires NOTARY PUBLIC - State of Kansas MARK HORCHEM My Appt Expires 2209-2025	Mark Horchem Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all caccurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	of the applicable portions of the application form must be completed with propriate owners' must be affixed to the application and notarized; and
FEE SCHEDU	I.F.
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	r this section shall be accompanied by the application fee set ent of Agriculture \$100 \$200


SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS


This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 24088 A change application was received on Section 13, 2029 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a radius of the authorized point(s) of diversion.

Applicable Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable Not Applicable The point(s) of diversion authorized herein shall not actually be located more than authorized point(s) of diversion. ☐ Applicable ► Not Applicable feet from the previously As required by K.A.R. 5-3-5d. if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 5, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20 25, or within any authorized extension of time. By March 1, 2026 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. ☐ Applicable Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ★ Applicable ★ Not Applicable 11. Additional Conditions are attached. ☐ Yes No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within **30** days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. Austin (Print Name): Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on Signature: Notary Public TATEO My commission expires: JULIE JONES Notally Spelintment Expires PUBLIC December 15, 2026

CHANGE IN PLACE OF USE VESTED RIGHT FILE NO. FI-002 WATER RIGHT, FILE NOS. 1583; 5564; 10231 & 24088





List of owner name and addresses within 1/2 mile:



By signing below I agree that all wells, including domestic, and owners names and addresses within 1/2 mile of the proposed point of diversion have been shown on the map

0 0.13 0.25 0.5 Miles

(Signature)

Date AM/GCFO 1:24,000 Scale



Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street Garden City, Kansas 67846

(620) 275-7147 phone www.gmd3.org

February 18, 2025

Austin McColloch Division of Water Resources 4532 W Jones Ave., Suite B Garden City, Kansas 67846

RE: Applications for Change in Place of Use

Vested Right FI 02

Water Right, File Nos. 212, 1583, 5564, 10231, 11625 & 24088

Dear Austin:

We have completed a review of the applications for the above referenced water rights. The proposals are not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). In accordance with K.A.R. 5-5-11(b), the applicant is proposing to make a complete overlap in current acres. No new unauthorized acres are proposed. It is therefore recommended that the application be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest Assistant Manager

GMD3 Change Review

File No(s).: <u>FI02, 212, 1583</u>	, 5564, 10231,	11625, 24088.	DWR office: _	<u>GC</u> .					
App filed to change: PU.									
Is Landowner(s) correct in WRIS: Wesley & Deborah Campbell.									
If NO, is documentat	ion included?								
Is Water Use Correspondent	correct in WRI	S?							
If NO, is documentat	ion included?								
Regulation(s) Reviewed: KA									
Point of diversion ID No(s)		ed.							
(-)		,							
ft. North	ft. West								
Authorized PD									
Proposed PD									
Difference	0 0								
a2 + b2 = c2	0 0	0							
GPS for proposed PD: Lat:	Long:								
Is proposed PD stacking on	existing WRs?	No changes .							
Is Proposed PU overlapping	existing WRs?	Overlap in all acres							
Neighboring certified well(s) notified:								
Name									
Address									
Zip									
Email: Phone:									
Domestic well(s) notified: _									
Name									
Address									
Zip									
Base Acres:									
Perfected Acres:									
Irr. Return-Flow%									
Finney County									
FI02: 250AF @ 1800gpm									
1583: 215AF @ 370gpm									
5564: 200AF @ 500gpm									
10231: 187AF @ 150gpm									
24088: 189AF @ 570gpm									
The above WRs overlap sa	me acres								
482acres 8-21-32									
320acres N2 9-21-32	2								

GMD3 Change Review

212: 320AF @ 1600gpm

160acres SW 33-20-32

11625: 912AF @ 1955gpm. Limited to 960AF @ 2850gpm w/212

Same acres w/212 319.96acres 5-21-32

Is a waiver needed: No. All acres are currently authorized, proposal is a complete overlap, no new acres.

Recommendation: <u>After review of available information, it appears current area rules are met.</u> Staff recommends approval of the applications.