

CHECK SHEET Short Change

(To be completed and attached to each application)

File No. 23658

Field Office No. 2

GMD No. 2

1. **Plugging agreement obtained for GMD?** Yes No Non Applicable

2. **Is Landowner correct as currently shown in WRIS?** Yes No **Address Change?** NO
If applicable, list Place of Use Overlap File Nos. None

3. **Is Water Use Correspondent correct as currently shown in WRIS?** Yes No **Address Change?** NO
Name of Former WUC --- Name of New WUC ---

4. a. **Point of diversion computer ID No(s).** 3 **for point(s) being changed.**

b. **Show feet distances from the** SE **corner of the section for the new point(s) of diversion:**

Action	PDIV ID	Geo Ctr?	Sec	Twp	Rng	'N	'W	County	Qualifiers
DEL	50590	NO	10	25S	2W	4615	1320	Sedgwick	NC N2 NE
ENT		NO	10	25S	2W	4663	1386	Sedgwick	NE NW NE

c. **If multiple points of diversion exist and rates and quantities are individually assigned, show:**

Old PDIV ID	Authorized Rate	Additional Rate	Authorized Quantity	Additional Quantity
<u> </u>	<u> </u> gpm/cfs	<u> </u> gpm/cfs	<u> </u> af/mgy	<u> </u> af/mgy
<u> </u>	<u> </u> gpm/cfs	<u> </u> gpm/cfs	<u> </u> af/mgy	<u> </u> af/mgy
<u> </u>	<u> </u> gpm/cfs	<u> </u> gpm/cfs	<u> </u> af/mgy	<u> </u> af/mgy

d. **Name of Drainage Basin** Arkansas River **Is this correctly shown in WRIS?** Yes No

e. **Formation Name & No.** Equus Beds (190) **Special Use Area** None

5. **Distances from the original p/d:** 30 ' N 0 ' W

6. WATER RIGHT ACTION TRAIL COMMENTS

3/27/2017 Change Application Received (date accepted for priority)
3 / 30 / 17 Change Approved
Notice and Proof by 12/31/2017
 / / Completion Requirement Removed (Change No. C)

7. METER ACTION TRAIL COMMENTS

3 / 30 / 17 DWR Meter Required by 12/31/2017
 / / Anti-Reverse Meter Required by / /
3 / 30 / 17 Meter Seal Required by 12 / 31 / 17

8. Base Acres --- Year --- Minimum Reasonable Quantity ---

Date Created **3/28/17** by **TJS**
Date Entered by

CHECK SHEET ATTACHMENT

9. Changes to the place of use will be:

File Number 23658

Action	Owner Person ID	Place Use ID #	Sec.	Twp.	Range		NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
							NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
MOD	63841	36334	10	25S	2W	Acres Authorized	34	40														74	
						New Acres	34	40															
ENT			10	25S	2W	Acres Authorized	6															6	
						New Acres	6																
						Acres Authorized																	
						New Acres																	
						Acres Authorized																	
						New Acres																	

Names and Address:

1. Person ID # <u>63841</u> <u>NEVILLE FARMS LLC</u> <u>14601 W 77TH ST N</u> <u>COLWICH KS 67030</u>	2. Person ID # _____ <u>John E. Kelsay</u> <u>11611 N. 151st St. West</u> <u>Bentley, KS 67016</u>	3. Person ID # _____ _____ _____ _____
--	--	---

GENERAL INSTRUCTIONS

- | | | |
|---|---|---|
| 1. Give to Applicant: <ul style="list-style-type: none"> a. <u>Original</u> application/approval b. Original receipt (one for <u>each</u> application) c. Information packet containing: <ul style="list-style-type: none"> • Notice and Proof form • Water Meter Specifications • Acceptable Meter list • Water level measurement tube specifications • Check Valve specifications • Pink Sheet - K.S.A. 82a-728 letter • Form stating to record in Register of Deeds Office (OPTIONAL AS NEEDED) | 2. Send to headquarters: <ul style="list-style-type: none"> a. Good, scannable copy of application and/or approval and this check sheet b. Original check and copy of receipt c. Test hole log d. GMD recommendation, if any e. Map or aerial photograph, if any 3. Send to KDHE: Letter (KDHE.LT) advising of location of abandoned well. <input type="checkbox"/> | 4. Date stamp received and approved.
5. Complete ownership and WUC change information. |
|---|---|---|

ADDITIONAL PHOTOCOPIES

HQ _____

GMD #2 _____

Driller's Copy _____

CONDITIONS

1. Insert notice and proof date.
2. Type or print applicant's/owner's name on line.
3. Complete notary statement.

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
 10:00am
 MAR 27 2017

File No. 23658

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

Stafford Field Office
 Division of Water Resources

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: Neville Farms LLC

14601 W. 77th Street North, Colwich, KS 67030

Phone Number: (316) 796-1422

Email address: _____

Name and address of Water Use Correspondent: Neville Farms LLC

14601 W. 77th Street North, Colwich, KS 67030

Phone Number: (316) 796-1422

Email address: _____

3. The presently authorized place of use is:

Owner of Land ---- NAME: A) Neville Farms LLC

B) John E. Kelsay

ADDRESS: A) 14601 W. 77th St. North, Colwich, KS 67030

B) 11611 N. 151st St. West, Bentley, KS 67016

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
A) 10	25S	2W	34	40															74
B) 10	25S	2W	6																6

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code _____ Fee \$ 100- TR # _____ Receipt Date _____ Check # 1258

5. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the NC-N/2-NE Quarter
 of Section 10, Township 25 South, Range 2W (E/W),
 in Sedgwick County, Kansas, 4615 feet North 1320 feet West of Southeast corner of section.
 Authorized Rate 785 GPM Authorized Quantity 105 AF Depth of well 85 (feet)
 (DWR use only: Computer ID No. 3 GPS 4633 feet North 1386 feet West)
 This point will not be changed This point will be changed as follows: acc 3/30/17
Proposed point of diversion: (Complete only if change is requested)
 One in the NE Quarter of the NW Quarter of the NE Quarter
 of Section 10, Township 25 South, Range 2W (E/W),
 in Sedgwick County, Kansas, 4663 feet North 1386 feet West of Southeast corner of section.
 Proposed Rate 785 GPM Proposed Quantity 105 AF Proposed well depth (feet) 80-100
 This point is: Additional Well Geo Center List other water rights that will use this point none

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows:
Proposed point of diversion: (Complete only if change is requested)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. Why do you need a new point of diversion? Well is old
and converting from flood irrigation to center pivot

8. If a well, is the test hole log attached? Yes No

9. When do you propose to complete the new point of diversion?
ASAP


10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
Plug it

(b) When will this be done? When new well drilled

11. Groundwater Management District recommendation attached? Yes No

12. Assisted by T. Boese, GMD2

13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.)



13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines.

RECEIVED

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).


** TIS-RED PHONE CALL W/APPLICANT ON 3/28/17*

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regard to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Halstead, Kansas, this 24th day of March, 2017.

<u>Brock Neville</u> (Owner)	_____ (Spouse)
<u>Brock Neville</u> (Please Print)	_____ (Please Print)
_____ (Owner)	_____ (Spouse)
_____ (Please Print)	_____ (Please Print)
_____ (Owner)	_____ (Spouse)
_____ (Please Print)	_____ (Please Print)

State of Kansas }
County of HARVEY } SS



I hereby certify that the foregoing application was signed in my presence and sworn to before me this 24th day of MARCH, 2017.

Rebecca Wilson
Notary Public


My Commission Expires 06/11/2018.

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: **Make checks payable to: Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200



SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 *et. seq.* With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 23658.

1. A change application was received on 3/27/17 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion authorized herein shall not actually be located more than 80 feet from the previously authorized point(s) of diversion. Applicable Not Applicable
5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
6. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2017**, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
7. **Installation of the works for diversion of water shall be completed on or before December 31, 2017**, or within any authorized extension of time. By March 1, 2018 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
8. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
9. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
10. Additional Conditions are attached. Yes No
11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

You have the right to a hearing in accordance with K.A.R. 5-14-3 before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the **Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Topeka, Kansas 66502**, within 15 days after the date shown on the Certificate of Service attached hereto. If a hearing is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown on the Certificate of Service.

For Use by Register of Deeds

FOR OFFICE USE ONLY
**APPLICATION APPROVED AND
SUMMARY ORDER ISSUED**

By: Cameron R. Conant
Duly Authorized Designee of the Chief Engineer

(Print Name): Cameron R. Conant
Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: 3/30/17

State of Kansas)

County of Stafford) SS

Acknowledged before me on 3/30/17
by Cameron Conant

Signature: Jessica Engelbrecht
Notary Public



My commission expires _____ (Notary Seal)

RECEIVED

**ADDITIONAL CONDITIONS TO SUMMARY ORDER APPROVING
APPLICATION FOR CHANGE AND IMPOSING CONDITIONS**

The effective date of the change approval to change the point of diversion shall be the date this order is executed by the Chief Engineer.

- 10a. A seal shall be placed on the water flowmeter by the Division of Water Resources or the Groundwater Management District in such a manner as to render the meter non-removable from the measuring chamber without breaking the seal. If the seal is broken without the permission of the chief engineer, this shall create a rebuttable presumption that the point of diversion had been unlawfully operated in violation of the order of the chief engineer and that the water right holder had been acting in violation of the conditions of his or her water right.

Equus Beds Groundwater Management District No. 2 Abandoned Well Plugging Agreement

I, Neville Farms LLC, the undersigned and owner of an abandoned water well understand that an abandoned water well is a groundwater contamination threat and a public health and safety hazard.

The abandoned water well is located NC, N/2, NE, Section 10, Township 25 South, Range 2 West, Sedgwick County which is approximately 4633 feet North and 1386 feet West of the apparent SE section corner. Total well depth is 85 feet and the diameter of the well is 16 inches. Current depth to static water level in the well is ~20 feet below land surface. The well was previously authorized by water permit no. 23658.

I agree to properly plug the abandoned well pursuant to the Equus Beds Groundwater Management District rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207 and the following agreement provisions:

1. Well plugging operations will be supervised by either (a) a water well contractor licensed with the Kansas Department of Health and Environment, (b) a profession engineer or geologist licensed to practice in the State of Kansas, or (c) the abandoned water well owner or land owner of the property on which the water well or borehole is located.
2. The above described well will be plugged: a) by _____, 20____, or b) within 30 days after the replacement well, approved by a change in point of diversion, becomes operational.
3. A completed WWC-5P form will be submitted to the Kansas Department of Health and Environment within 30 days after the abandoned well is plugged and a copy of the WWC-5P form will be furnished to the District within the same period of time.
4. The well owner or authorized agent will notify the District 48 hours before plugging operations occur.
5. Failure to comply with the provisions of this agreement shall constitute noncompliance of the groundwater management district rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207.


Dated this 24th day of March, 2017 at Halstead, KS

Signature Rebecca Wilson member

Address 14601 W. 77th St. North

City, State, Zip Code Colwich, KS 67030

Telephone _____

State of Kansas	County of <u>HARVEY</u>	
Subscribed and affirmed to before me this <u>24th</u> day of <u>MARCH</u> , 20 <u>17</u> ,		
by <u>Rebecca Wilson</u> <small>(Notary Public)</small>		
My Commission Expires <u>06/11/2018</u>		
		NOTARY PUBLIC - State of Kansas REBECCA WILSON My Appt Exp. <u>06/11/2018</u>

RECEIVED

MAR 27 2017

Stafford Field Office

INPUTS	
Target Section Definition	
Section	10
Township	25
Range	2
Range Direction	w
Target Point Coordinates (NAD27 or NAD83)	
Target Longitude	-97.523540 NAD27
Target Latitude	37.896070

Load Data and Compute

Instructions

1. Enter values for section, township, range and range direction.
2. Enter **NAD27** or **NAD83** longitude and latitude of target point.
3. Click "Load Data and Compute" button.
4. Use feet distances corresponding to datum of target point.

Longitude changed

Latitude changed

Water Right No. 23658
Well Location

UTM - NAD27

629818

4195105

3/21/2017

Loaded Section Data From LEOBASE using NAD83		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88335870	-97.53715692
NW	37.89785369	-97.53709556
NE	37.89794573	-97.51873819
SE	37.88335870	-97.51905938
Degrees Longitude per Foot		3.46501732E-06
Degrees Latitude per Foot		2.74614213E-06
Target Point Distances from Corners using NAD83		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4629	-3930
NW	-650	-3912
NE	-683	1386
SE	4629	1293

Loaded Section Data From LEOBASE using NAD27		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88334700	-97.53683500
NW	37.89784200	-97.53677400
NE	37.89793400	-97.51841700
SE	37.88334700	-97.51873800
Degrees Longitude per Foot		3.46501677E-06
Degrees Latitude per Foot		2.74598553E-06
Target Point Distances from Corners using NAD27		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4633	-3837
NW	-645	-3819
NE	-679	1478
SE	4633	1386

Difference (NAD83 Minus NAD27)		
Corner	Corner Latitudes	Corner Longitudes
SW	0.00001170	-0.00032192
NW	0.00001169	-0.00032156
NE	0.00001173	-0.00032119
SE	0.00001170	-0.00032138

Difference (NAD83 Minus NAD27)		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	-4.52474394	-92.90513311
NW	-4.22008136	-92.80124032
NE	-4.23273667	-92.69529747
SE	-4.52474394	-92.75011659


RECEIVED

MAR 27 2017

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Sedgwick	Fraction 1/4 NW 1/4 NE 1/4	Section number 10	Township number T 25 S R 2	Range number 2	(EW)	
2. Distance and direction from nearest town or city: Street address of well location if in city: 1/2 N 1/2 W Bentley			3. Owner of well: Reinard Simon R.R. or street: Colwich Kansas 67030 City, state, zip code:				
4. Locate with "X" in section below: 			Sketch map:			6. Bore hole dia. 30 in. Completion date 7/10/76 Well depth 85 ft.	
5. Type and color of material			From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			Topsoil	0	1	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
			Fine Sand	1	20	9. Casing: Material C-Asb Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft.	
			Fine Sand w/Clay	20	35	Dia. 1 1/2 in. to 85 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 3/4"	
			Good Gravel	35	45	10. Screen: Manufacturer's name Johnson	
			Clay	45	60	Type Cem-Asb. Dia. 1 1/2" Slot/gauze 1/4" Length 39' Set between 59 ft. and 85 ft. 33 ft. and 46 ft.	
			Good Gravel	60	85	Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material 3/8	
						11. Static water level: <input type="checkbox"/> mo./day/yr. 18 ft. below land surface Date 6/25/76	
						12. Pumping level below land surfaces: 25 ft. after 1 hrs. pumping 900 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1000 g.p.m.	
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
			14. Well head completion: <input type="checkbox"/> Pitless adapter 18 Inches above grade				
			15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.				
			16. Nearest source of possible contamination: ft. 44m Direction W Type Dom. Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Peerless Model number 613915 HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 70 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other				
18. Elevation:			19. Remarks:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Weninger Drilling 238 Business name Maize License No. <input type="checkbox"/> Address Maize Signed H. Weninger Date 7/23/76 Authorized representative	
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley			RECEIVED				

25-20-10
T
R
Sec
1/4
1/4
1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

MAR 27 2017

Stafford Field Office
Division of Water Resources



Stafford Field Office
300 S. Main Street
Stafford, Kansas 67578-1521
Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Jeff Lanterman, Water Commissioner

Phone: (620) 234-5311
Fax: (620) 234-6900
www.agriculture.ks.gov
Sam Brownback, Governor

March 30, 2017

NEVILLE FARMS LLC
14601 W 77TH ST N
COLWICH KS 67030

Re: Water Right, File No(s). 23658

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

A handwritten signature in black ink that reads "Jeff Lanterman".

Jeff Lanterman
Water Commissioner

Enclosures

pc: Water Rights Section
Ground Water Management District 2
John E. Kelsay

CERTIFICATE OF SERVICE

On this **11 April 2017**, I hereby certify that the attached Change in Point of Diversion, File No. 23658 dated March 30, 2017 was mailed to the following:

Neville Farms LLC
14601 W 77th St N
Colwich KS 67030

pc: Water Rights Section
GMD #2
John E Kelsay



Staff