

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 19962	2. Status Change Date: <i>12/27/22</i>	3. Change Num: C1	4. Field Office: 02	5. GMD: 02	
6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return				7. Filing Date of Change: 12/16/22	
8a. Applicant(s) New to system <input type="checkbox"/>		Person ID _____ Add Seq# _____		8c. Landowner(s) New to system <input type="checkbox"/>	
8b. Landowner(s) New to system <input type="checkbox"/>		Person ID 858 Add Seq# 1		8d. WUC New to system <input type="checkbox"/>	
GARY L & SHARON J BASE REVOCABLE TRUST 11011 N RIDGE RD SEDGWICK KS 67135-9531		8B			
9. Documents and Enclosure(s): <input checked="" type="checkbox"/> DWR Meter(s) Date to Comply: 12/31/23 <input checked="" type="checkbox"/> N & P Date to Comply: 12/31/23					
<input type="checkbox"/> Anti-Reverse Meter <input type="checkbox"/> Meter Seal <input checked="" type="checkbox"/> Check Valve <input checked="" type="checkbox"/> N & P Form <input checked="" type="checkbox"/> Water Tube <input checked="" type="checkbox"/> Driller Copy <input checked="" type="checkbox"/> H & E Letter					
<input type="checkbox"/> Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____					
10. Use Made of Water From: --- To: ---					
Date Prepared: 12/20/22 By: TMA Date Entered: 1/4/2023 By: LMoody					

File No. **19962** 11. County: **MP SG** Basin: **LITTLE ARKANSAS RIVER** Stream: --- Formation Code: **190** Special Use: **N/A**

12. Points of Diversion											Rate and Quantity					
CHK	MOD	DEL	PDIV	Qualifier	S	T	R	ID	'N	'W	Comment (AKA Line)	Authorized		Additional		Overlap PD Files
ENT												Rate gpm	Quantity af	Rate gpm	Quantity af	
DEL	50437			NC NE	7	25S	1W	3				1000	240	1000	240	NO
ENT	89961			NC NE	7	25S	1W		3981	1353		1000	240	1000	240	NO

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use										NE¼								NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
CHK	MOD	DEL	ENT	PUSE	S	T	R	ID		NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼								
CHK	4109			7	25S	1W	1			40	40	40	40													160	8B	NO	NO				

Base Acres: **N/A** Year: **N/A** Minimum Reasonable Quantity: **1.06**
 Comments: **N/A**

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
 9:30am
 DEC 16 2022

File No. 19962

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

Stafford Field Office
 Division of Water Resources

2. Name and address of Applicant: Gary L. Base

11011 N. Ridge Rd., Sedgwick, KS 67135

Phone Number: (316) 655-2062

Email address: gsbase64@gmail.com

Name and address of Water Use Correspondent: Gary L. & Sharon J. Base Revocable Trust

11011 N. Ridge Rd., Sedgwick, KS 67135

Phone Number: (316) 655-2062

Email address: gsbase64@gmail.com

3. The presently authorized place of use is:

Owner of Land ---- NAME: Gary L. & Sharon J. Base Revocable Trust

ADDRESS: 11011 N. Ridge Rd., Sedgwick, KS 67135

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7	25S	1W	40	40	40	40													160

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code CLT Fee \$ 100⁰⁰ TR # _____ Receipt Date _____ Check # 2094

5. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the NC-NE Quarter
 of Section 7, Township 25 South, Range 1W (E/W),
 in Sedgwick County, Kansas, N/A feet North N/A feet West of Southeast corner of section.
 Authorized Rate 1,000 GPM Authorized Quantity 240 AF Depth of well Unknown 75 (feet)
 (DWR use only: Computer ID No. 3 GPS * 3981 feet North * 1336 feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the NC-NE Quarter
 of Section 7, Township 25 South, Range 1W (E/W),
 in Sedgwick County, Kansas, 3981 feet North 1353 feet West of Southeast corner of section.
 Proposed Rate 1,000 GPM Proposed Quantity 240 AF Proposed well depth (feet) ~70-80
 This point is: Additional Well Geo Center List other water rights that will use this point None

** Opting to use GMD2 GPS here b/c NAD83*

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) Old well casing is failing and is pumping sand. Move well 17' west.

8. If a well, is the test hole log attached? Yes No

9. The change(s) (was)(will be) completed by?
ASAP


10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
Plug it

(b) When will this be done? When new well drilled.

11. Groundwater Management District recommendation attached? Yes No

12. Assisted by D. Randolph, GMD2

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

RECEIVED

DEC 16 2022

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Halstead, KS, Kansas, this 14th day of December, 2022.

<u>Gary L. Base</u> (Owner)	
<u>Gary L. Base, Trustee of the Gary L. & Sharon J. Base Revocable Trust</u> (Please Print)	

State of Kansas }
 County of HARVEY } SS
 I hereby certify that the foregoing application was signed in my presence and sworn to before me this 14TH day of DECEMBER, 2022.

Rebecca Wilson
Notary Public

My Commission Expires 06/21/2026.

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners, must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

- Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**
- (1) Application to change a point of diversion 300 feet or less \$100
 - (2) Application to change a point of diversion more than 300 feet \$200
 - (3) Application to change the place of use \$200

NOTARY PUBLIC - State of Kansas
 REBECCA WILSON
 My Appt. Exp. 06/21/2026

RECEIVED

DEC 16 2022

Equus Beds Groundwater Management District No. 2 Abandoned Well Plugging Agreement

I, Gary L. Base, the undersigned and owner of an abandoned water well understand that an abandoned water well is a groundwater contamination threat and a public health and safety hazard.

The abandoned water well is located , , NC-NE, Section 7, Township 25 South, Range 1W West, Sedgwick County which is approximately 3981 feet north and 1336 feet west of the apparent Southeast section corner. Total well depth is unknown feet and the diameter of the well is 16 inches. Current depth to static water level in the well is ~22 feet below land surface. The well was previously authorized by water permit no. 19962.

I agree to properly plug the abandoned wells pursuant to the Equus Beds Groundwater Management District rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207 and the following agreement provisions:

1. Well plugging operations will be supervised by either (a) a water well contractor licensed with the Kansas Department of Health and Environment, (b) a profession engineer or geologist licensed to practice in the State of Kansas, or (c) the abandoned water well owner or land owner of the property on which the water well or borehole is located.
2. The above described wells will be plugged: a) by _____, _____, or (b) within 30 days after the replacement well, approved by a change in point of diversion, becomes operational.
3. A completed WWC-5P form will be submitted to the Kansas Department of Health and Environment within 30 days after the abandoned well is plugged and a copy of the WWC-5P form will be furnished to the District within the same period of time.
4. The well owner or authorized agent will notify the District 48 hours before plugging operations occur.
5. Failure to comply with the provisions of this agreement shall constitute noncompliance of the groundwater management district rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207.


Dated this 14th day of December, 20 22 at Halstead, KS

Signature Gary L. Base

Address 11011 N. Ridge Rd.

City, State, Zip Code Sedgwick, KS 67135

Telephone (316) 655-2062

State of Kansas	County of <u>HARVEY</u>
Subscribed and affirmed to before me this <u>14TH</u> day of <u>DECEMBER</u> , 20 <u>22</u> ,	
by <u>Rebecca Wilson</u>	
(Notary Public)	
My Commission Expires <u>06/21/2026</u>	
	

Stafford Field Office
300 S. Main Street
Stafford, KS 67578-1521



Phone: 620-234-5311
Fax: 620-234-6900
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

December 27, 2022

Gary L & Sharon J Base Revocable Trust
11011 N Ridge Rd
Sedgwick, KS 67135-9531

Re: Water Right, File No(s). 19962

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <https://www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/new-applications-and-permits>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Lanterman".

Jeff Lanterman
Water Commissioner

Enclosures

pc: Water Rights Section
Groundwater Management District No. 2

CERTIFICATE OF SERVICE

On this **27th** day of **December, 2022**, I hereby certify that the attached DWR Field Office Application for Change in Point of Diversion for Water Right, File No. **19962**, dated **December 27th, 2022** was mailed via First Class U.S. mail to the following:

Gary L & Sharon J Base Revocable Trust
11011 N Ridge Rd
Sedgwick, KS 67135-9531

A copy of the letter was sent via First Class U.S. Mail to the following:

PC: Water Rights Section

Faith Curtis

Staff

INPUTS	
Target Section Definition	
Section	7
Township	25
Range	1
Range Direction	W
Target Point Coordinates (NAD27 or NAD83)	
Target Longitude	-97.468480 NAD83
Target Latitude	37.894200

Load Data and Compute

- Instructions**
1. Enter values for section, township, range and range direction.
 2. Enter *NAD27* or *NAD83* longitude and latitude of target point.
 3. Click "Load Data and Compute" button.
 4. Use feet distances corresponding to datum of target point.

Water Right No. 19962
existing irrigation well

UTM-NAD83

4195182
634660.3

12/9/2022

Loaded Section Data From LEOBASE using NAD83		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88326684	-97.48222377
NW	37.89779284	-97.48214733
NE	37.89777775	-97.46383605
SE	37.88326684	-97.46385147
Degrees Longitude per Foot		3.46501248E-06
Degrees Latitude per Foot		2.74614450E-06

Target Point Distances from Corners using NAD83		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	3981	-3966
NW	-1308	-3944
NE	-1303	1340
SE	3981	1336

Loaded Section Data From LEOBASE using NAD27		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88325500	-97.48190300
NW	37.89778100	-97.48182700
NE	37.89776600	-97.46351600
SE	37.88325500	-97.46353100
Degrees Longitude per Foot		3.46501193E-06
Degrees Latitude per Foot		2.74598553E-06

Target Point Distances from Corners using NAD27		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	3986	-3874
NW	-1304	-3852
NE	-1299	1433
SE	3986	1428

RECEIVED

DEC 16 2022

Stafford Field Office
Division of Water Resources

INPUTS	
Target Section Definition	
Section	7
Township	25
Range	1
Range Direction	W
Target Point Coordinates (NAD27 or NAD83)	
Target Longitude	-97.468540 NAD83
Target Latitude	37.894200

Load Data and Compute

- Instructions**
1. Enter values for section, township, range and range direction.
 2. Enter *NAD27* or *NAD83* longitude and latitude of target point.
 3. Click "Load Data and Compute" button.
 4. Use feet distances corresponding to datum of target point.

Water Right No. 19962
proposed irrigation well

UTM-NAD83

4195182
634655

12/9/2022

Loaded Section Data From LEOBASE using NAD83		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88326684	-97.48222377
NW	37.89779284	-97.48214733
NE	37.89777775	-97.46383605
SE	37.88326684	-97.46385147
Degrees Longitude per Foot		3.46501248E-06
Degrees Latitude per Foot		2.74614450E-06

Target Point Distances from Corners using NAD83		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	3981	-3949
NW	-1308	-3927
NE	-1303	1358
SE	3981	1353

Loaded Section Data From LEOBASE using NAD27		
Corner	Corner Latitudes	Corner Longitudes
SW	37.88325500	-97.48190300
NW	37.89778100	-97.48182700
NE	37.89776600	-97.46351600
SE	37.88325500	-97.46353100
Degrees Longitude per Foot		3.46501193E-06
Degrees Latitude per Foot		2.74598553E-06

Target Point Distances from Corners using NAD27		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	3986	-3857
NW	-1304	-3835
NE	-1299	1450
SE	3986	1446

RECEIVED

DEC 16 2022

Stafford Field Office
Division of Water Resources