Kansas Department of Agriculture Division of Water Resources TERM PERMIT NEW APPLICATION WORKSHEET

1. F	ile Number:	949166		2. Status 2/23/2	Change Date: 2022	3. Field Office: 2		4. GMD:						
5. 5	Status:	Approved	Denied by I	DWR/GMD	WR/GMD Dismiss by Request/Failure to Return									
6. E	Enclosures:	Check Valve	N of C Form	□ v	Vater Tube		∐ Meter							
7a.	Applicant(s New to syst		Person ID 33 Add Seq#	3120	7c. Landown New to sy			Person ID Add Seq#						
	РО ВОХ	AN COMPANY II 2931 3600 HY A, KS 67201	NC 'DRAULIC											
7b.	'b. Landowner(s) Person ID New to system ⊠ Add Seq#				7d. Misc. New to sy	stem 🗌		Person ID Add Seq#						
	7a													
8.	New to syst	em 🗌	Person ID Add Seq#	0.5.000	9. Use of Wat	er: Changing? ☑ Groundwater	ר ⊡ □ נ	Yes ☐ No Surface Water						
	Overlap File		Notarized WU	C Form				DEW 🗌 MUN						
	7a.				□ ѕтк	□ SED		DOM 🛛 CON						
					HYD DRG WTR PWR ART RECHRG									
10.	Completion I	Date:	11. Peri	fection Date):	12.	Exp Dat	e:						
13. Conservation Plan Required? 🗌 Yes 🛛 No Date Required: Date Approved: Date to Comply:														
14.	14. Water Level Measuring Device? 🗌 Yes 🖾 No Date to Comply: Date WLMD Installed:													
					2/15/2022 JDK	Date Prepared: 5 Date Entered: 2 L								

File No.	949166		15. Form	ation Cod	on Code: Drainage Basin: Little Arkansas F									River County: SG Special U					ecial U	se: Stream:			
vc16. Points of Diversion								1	17. Rate and Quantity														
MOD DEL ENT														Authorized						Additional			
	PDIV	Qualif	Qualifier S		Г	R		ID 'N		1 '\		V		Rate gpm		Quantity mgy			Rate gpm		Quantity mgy	Overlap PD Files	
СНК	34283	NW SW	NW	34 2	26S	1E			336	60	5 ⁻	184		50 2			26	26.40				26.4	NA
	15																						
18. Stora	18. Storage: RateNF					Quantityac/ft Additio									tional Rate NF Additional Quantity ac/ft								ac/ft
Limitation: af/yr at gpm (cfs) wh	en co	mbine	d with	file nu	ımber(s)								
20. Mete										Date Acceptable Meter Installed													
21. Place of Use					NE¼				NW¼				sv	SW¼			SE¼			Total	Owner	Chg?	Overlap Files
MOD DEL ENT	PUSE S	TR	ID	NE 1⁄4	NW 1⁄4	SW 1⁄4	SE 1⁄4	NE 1⁄4	NW 1⁄4	SW 1⁄4	SE 1⁄4	NE 1⁄4	NW ¼	SW 1⁄4	SE 1⁄4	NE 1⁄4	NW 1⁄4	SW 1⁄4	SE 1⁄4				
		26S 1E			REMEDIATION PROJECT							T IN :	IN 34-26-1E							7a	No	SEE COMMENTS	
																I							
Comments: OVERLAPS IN PLACE OF USE WITH TERM WATER RIGHT NO. 949164, 949165, & 2014908								49085	5														

KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources

<u>M E M O R A N D U M</u>

TO: Files

DATE: May 4, 2021

FROM: Brandon Milner

RE: Application, File No. 949166

The Coleman Company Inc had filed the above referenced term application to appropriate groundwater for industrial use on November 18, 2014

The applicant was asked for a voluntary dismissal on December 4, 2020 for Term Permit No. 949166 to be combined into new term application No. 20209086.

A voluntary dismissal of an application for the term permit to appropriate water was received on December 4, 2020 at the Manhattan office as part of application no. 20209086.

Based on the voluntary dismissal received by the applicant, it is recommended that the file be dismissed.

Brandon Milner Environmental Scientist New Applications Unit



KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES Earl D. Lewis Jr., Chief Engineer

FINDINGS AND ORDER IN THE MATTER OF THE DISMISSAL OF TERM PERMIT FILE NO. 949166

After due consideration, the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture (hereinafter referred to as the "Chief Engineer"), makes the following findings and order:

FINDINGS

- 1. That on October 6, 1994 the Chief Engineer approved an application for Term Permit to appropriate water for beneficial use, assigned File No. 949166, authorizing the appropriation of water for contamination remediation use.
- 2. That on December 4, 2020 a new application for Term Permit was received in the office of the Chief Engineer and assigned File No. 20209086. This application proposes a point of diversion that represents the geographical center of the area from which water is being removed for contamination remediation, and would replace multiple term permits currently authorizing the same project, including the above referenced file number.
- 3. That a Voluntary Dismissal of Hearing & Dismissal of Water Right or Permit form was signed and returned to the Manhattan Office on December 4, 2020, requesting the dismissal of Term Permit File No. 949166.
- 4. That Term Permit File No. 949166 should be dismissed and its priority forfeited.

ORDER

NOW, THEREFORE, It is the decision and order of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, that effective the date of this order, in accordance with the law, Term Permit File No. 949166, is herewith dismissed and the priority assigned to it is considered to be forfeited.

It is so ordered this 23 day of February

) SS

, 2022, in Manhattan, Riley County, Kansas.

And Lat near

Lane P. Letourneau, P.G. Water Appropriation Program Manager Division of Water Resources Kansas Department of Agriculture

State of Kansas	
County of Riley	

The foregoing instrument was acknowledged before me this 23 day of Febrary, 2022, by Lane P. Letourneau, P.G. Program Manager, Division of Water Resources, Kansas Department of Agriculture.

Notary Public

ASHLEE FREEMAN My Appointment Expires April 21, 2024 1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov

Mike Beam, Secretary



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Laura Kelly, Governor

March 1, 2022

COLEMAN COMPANY INC PO BOX 2931 3600 HYDRAULIC WICHITA, KS 67201

Re: Term Water Permit 949166

Dear Sir or Madam:

Enclosed is the Findings and Order by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, dismissing Term File No. 949166 as received on December 4, 2020.

This order shall become final agency action without further notice to the parties, if a request for hearing or a petition for administrative review is not filed in a manner set forth in the enclosed order.

If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

KristendBaum

Kristen A. Baum New Application Unit Supervisor Water Appropriation Program

KAB:bmm Enclosures pc: Stafford Field Office File No. 949166

Page 3 of 3

RIGHT TO PETITION FOR REVIEW UNDER THE KANSAS JUDICIAL REVIEW ACT

This is a final agency action as defined in K.S.A. 77-607(b). You may pursue judicial review of this Order as provided in the Kansas Judicial Review Act, K.S.A. 77-601 et seq. A petition for judicial review must be filed in a Kansas court of competent jurisdiction within 30 days after service of this Order as provided in K.S.A. 77-613. The agency officer designated to receive service of a petition for judicial review on behalf of the Kansas Department of Agriculture is the Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Dr. Manhattan, KS 66502.

CERTIFICATE OF SERVICE

On this St day of March , 2022, I hereby certify that the foregoing Dismissal of Term Permit, File No. 949166, dated 23 February , 2022, was mailed postage prepaid, first class, US mail to the following:

COLEMAN COMPANY INC PO BOX 2931 3600 HYDRAULIC WICHITA, KS 67201

With photocopies to:

Stafford Field Office

Division of Water Resources