Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION

WATER METER REQUIRED



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change is	
100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the au	thorized and proposed point(s) of
diversion and/or place of use.	C>. 300m

divers	sion and	/or plac	e of us	ie.													SEE	8:30	0am 2024
						F	File No.	. <u>41,61</u>	17								Staffor	rd Field	d Office
1. A	Application	on is he	ereby n	nade fo	or appr	roval o	f the C	hief E	nginee	er to ch	ange t	he (ch	eck on	e or bo	oth):	Divis	sion of	Water	Resources
							lace of					of Dive							
u	under the	e water	right w	vhich is	s the s	ubject	of this	applic	ation i	n acco	rdance	with t	he con	ditions	s desci	ribed b	elow.		
	The sour						round					ce wate							
	Name an																		
_	22548 SV					S 6703	<u> 39-866</u>			- 4444		-		-tmail	2000				
	Phone No									addres			ros@n	<u>otmaii</u>	.com				
	Name an								או ט ואונ	CClure	Living	Hust							
_	2548 SW Phone N					0/038	<u>1-000 i</u>		Email	addres	ee' mc	clureh	h	otmail	com				
	The pres					ee is.			Eman	auurea	,5. <u>1110</u>	Cluren	103(4)11	Ourian	.COIII				
	Owner of	-					others	Farms	e I I C		,	ار ** اد	ohn D 8	≀ Viraiı	nia D N	McClur	re		
	Wilei Gi		ADDRE	-						KS 670	0.701.07							(S 670	39-8661
(I	If there is			-								<u> </u>	,100.		110		10.22		
	B Distriction of				Ξ1/4				V1⁄4			SW	V1/4			SE	=1/4		TOTAL
Sec.	Twp.	Range	NE¼	NW1/4		SE¼	NE¼	NW¼		SE1/4	NE1/4	NW1/4	SW1/4	SE¼	NE¼	NW¼	SW1/4	SE1/4	ACRES
*31	29	4E													15.0			15.0	30.0
**6	30	4E	Lot 4 25.5		32.0	32.0	2.0		-	2.0									119.0
			20.0	20.0	02.0	02.0	2.0												
	i.																		
4. If	f this app	plicatior	n is for	a cha	nge in	place	of use,	, it is p	ropose	ed that	the pla	ace of	use be	chanç	ged to:	•			
C	Owner of			_									ohn D 8						
				-								<u>\\</u> 25	548 SV	V Adar	ns Rd,	Doug	lass, k	(S 670	39-8661
(1	If there is	more th	an one	landow	vner, at	tach su	ppleme	ntal sh	eets as	necess	sary.)								
			<u> </u>		E¼	The second	ļ.		N¼				N¼				E¼	т	TOTAL ACRES
Sec.		Range			SW¼		NE¼		SW1/4	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
*31	29	4E	24.0	40.0	40.0	40.0	33.0	2.0	13.0	40.0	34.0	4.0	\vdash	4.0	30.0	40.0	11.0	2.0	357.0
*31	29	4E	Lot 4	Lot 4	 '	\vdash	 '		├──	\vdash			\vdash			15.0	15.0	$\vdash \vdash \vdash$	30.0
**6	30	4E	25.5		32.0	32.0	2.0			2.0									119.0
/								350			14.								
	For Offic	co Hea	Only	Code	COL	Fo	0 \$ 7	CNO	TR:	#		Re	ceint l	Date			Chec	k# (625

			i	,
			:	

5. [Presently author							
	One in the	SE	Quarter of the	SE	Quarte	r of the	SE	Quarter
	of Section	31	, Township	29	South,	Range	4	EAST,
-	in Butler	Co	unty, Kansas, <u>480</u>	feet North _	fe	et West of	Southeast cor	ner of section.
	Authorized Rate	1,000 GPM	Authorized Quantity	185 AF	Depth of	well	N/A (feet)
	(DWR use only:	Computer ID	No. 2 GF	os	feet Noi	rth	· feet \	Nest)
	⊠This point will no	ot be changed	☐This point will be chang	ed as follows:	🔲 No change, _l	point better o	lescribed with	GPS as follows:
	Proposed point	of diversion:	(Complete only if change	ge is request	ed or if existi	ng point is	better descr	ibed by GPS)
	One in the		Quarter of the		Quarte	r of the		Quarter
	of Section		, Township		South,	Range		(E/W),
	in-	Co	unty, Kansas,	feet North _	fe	et West of	Southeast cor	ner of section.
	Proposed Rate		Proposed Quantity _		Proposed	d well depth	(feet)	•
	This point is:	Additional We	☐ Geo Center List o	other water rig	hts that will us	se this point		·
L	тию решител 🔲	100						
6. T	Presently author	rized point of	diversion:					
ь.	One in the	nzeu point ei	Quarter of the		Quarte	r of the		Quarter
	of Section		, Township		South	Range		(E/W).
	in	Co	unty, Kansas,	feet North	fe	et West of	Southeast co	ner of section.
ı	Authorized Date		Authorized Quantity	100(1101(1)_	Renth of	well	(feet)
-	/DMD was anker	Computer I	NoGF		feet No	rth	feet	West)
-	(DVVK use only:	Computer IL	☐This point will be chang	ed as follows:	No change r	oint hetter d	escribed with (GPS as follows:
	I nis point will no	et be changed	(Complete only if chan	go is roquest	no change, p	na noint is	hotter descr	ihed by GPS)
	Proposed point	or alversion:	Complete only it chair	ge is request	Ouerte	r of the	better deser	Quarter
	One in the		Quarter of the		Quarte	Panga		Quarter
	of Section		, Township	6 4 N 4	South,	range	Southoast so	ener of section
	in	Cc	ounty, Kansas,	<u> teet Nortn </u>	16	et west or	Southeast co	Hei Oi Section.
	Proposed Rate _		Proposed Quantity		Propose	a well aeptn 	(1861)	
L	This point is:	Additional We	II ☐ Geo Center List ←	other water rig	nts that will us	se this poin		•
_			d for the following magazine					
7.	Ine changes her	ein are desire c) Applicant de	d for the following reason sires to create a complete	115 !		Norti		
	place of use overla	ap between Fil	e Nos. 31,206 and	20	0 200	100 0	100 2	00 300
	41,617					<u> </u>		l'''''
						- <u>=</u>	- /	
8.	If a well, is the tes	t hole log attac	hed? 🔲 Yes 🔛 No	200	-1/+ 1	+ 1 =	1 + 1 -	200
0	The change(s) (wa	ac)(will ba) car	anleted hv2			<u> </u>		100
9.	The change(s) (wa	as)(will be) cor	ipleted by:		- /	Ι, , Ξ		
	as soon as approv	ved		_ 100	<i>‡</i>	+ 1 =	1 + 1 -	+ 1 1 100
10	If the point of dive	rsion is a well:			- -	- -		
10.	•		th the old well?	West 0	F [IIII IHE O East
	(a) What are you	going to do w	in the old well?			` <u> </u>		
	N/A			_	-	_ <u>=</u>		. A
	(b) When will this	s ha dana? N/A		100	+ ++	十十章	1 + 1 -	十 月 100
	(b) when will this	s be done! in/		-	= \ -	_ =		- /킠
	O	Diate	at recommendation attach	od2 200		1 I E	1 + 1 -	200
11.		iagement Distri Yes	ct recommendation attach	ed? 200	[' V '	T ' =	' ' '	
	Ш	res 🖂 No				_ _		-
12	Assisted by JNE /	// SFFO					100	
				- 30	00 200	100 0 Sout		200 300 shmark=10 ft
13a	a. If the proposed po	int of diversion	will be relocated <u>more than</u> xisting point of diversion, a	n 300	e proposed po	int of divers	ion will be rela	cated within a 300
	a tonographic m	an or aerial r	hotograph. For ground	water foot	radius of the e	existina poin	t of diversion.	indicate its location
	sources, show all	wells (includin	g domestic) within one-hal	f mile on t	he diagram sh	own above	in relation to t	ne existing point o

foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.

lines

of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

	ı	

14. If the proposed groundwater point of diversion is 300 or fewer feet fr		
(a) Does the undersigned represent all owners of the currently auth ☐ Yes ☐ No (If no, all owners must sign this appli	orized place(s) of use identified in this a cation.)	oplication?
(b) Will the ownership interest of any owner of the currently autho affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this app		oplication be adversely
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this appli	ostantial damage to property, public heal cation.)	th or safety?
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	a groundwater change in point of diversions of the currently authorized place of use	on greater than 300 feet, , or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this ap contained in this application are true, correct and complete.	ized agent of the owner(s) to mak plication pertains. I further verify	e this application on that the statements
Dated at Melloge beas From LCC, Kansas, this	13rd day of Septem	<u>ber</u> , 20 24.
John McComments (Owner)	(Spouse)	
John McClope (Please Print)	(Please Print)	
Lagis McChurc	(Spouse)	
(Please Print)	(Please Print)	
(Owner)	(Spouse)	
(Please Print)	(Please Print)	,
State of Kansas County of SS I hereby certify that the foregoing application was signed in	my prosonce and sworn to before	me this 23rd day
or <u>September</u> , 20—7.	- e 1/	
My Commission Expires 9-4-2026 LARRY L. I	tate of Kansas	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, a accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	appropriate owners' must be affixed to the ap	form must be completed with olication and notarized; and
Each application to change the place of use or the point of diversion und forth in the schedule below: Make checks payable to: Kansas Departm (1) Application to change a point of diversion 300 feet or less. (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	ler this section shall be accompanied by nent of Agriculture	\$100 \$200
	RECEIVED	
DWR 1-121 (Revised 09/11/2019) Page 3	SEP 2 5 2024	File No. <u>41,617</u>

				1
	,			

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 41,617 1. A change application was received on <u>Johan har 35, 2034</u> requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a ______ foot radius of the authorized point(s) of diversion.


Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion.

Applicable Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable

Not Applicable 7. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2024, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.

\[\times Applicable \quantarrow \text{Not Applicable} Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Applicable Not Applicable Not Applicable ☐ Applicable 9. The completed well log shall be submitted with the required notice. 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☒ Not Applicable ⊠ No 11. Additional Conditions are attached. ☐ Yes 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of SUMMARY ORDER ISSUED Agriculture. A request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. Duly Authorized Designee of the Chief Engineer (Print Name): Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Date of Issuance: ___ Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas SS For Use by Register of Deeds County of _____ Acknowledged before me on _____ RECEIVED by __ SEP 2 5 2024 Signature: ____ Notary Public Stattard Field Office Day and of Water Pescurces My commission expires: _____ (Notary Seal)



Legend

- Water Appropriations
- Authorized Point of Diversion
- Section Corner
- Section Line
- Proposed Place Of Use
- Authorized Place of Use

Water Appropriation, File No. 41,617


Change in Place of Use Map 31-29-4E // Butler County

RECEIVED

SEP 2 5 2024

Stafford Field Office Division of Water Resources

			,



Legend

- Water Appropriations
- Authorized Point of Diversion
- Section Corner
- Section Line
- Proposed Place Of Use
- Authorized Place of Use

Water Appropriation, File No. 41,617

Change in Place of Use Map 31-29-4E // Butler County

To the best of my knowledge, all landowners within one half-mile up stream and downstream of the proprty encompassing the proposed place fo use have been shown. SEP 2 5 2024

Stafford Field Office
Division of Water Resources

RECEIVED