## Kansas Department of Agriculture Division of Water Resources APPROVAL OF CHANGE APPLICATION WORKSHEET

1. File No.: <b>14,791</b>	2. Status Change Date:		GMD: 02	4. Field Office: 02 - Stafford GMD: 02 - Equus Beds Structures File No.:			
3. Package File No(s):		Filing Date: <b>12/16/2024</b>					
5a. ⊠ Applicant ⊠ Owner ⊠ WU □ Address Change	C Person ID <b>60679</b> Add Seq# <b>1</b>	5b. Owner	ner				
NED G & TERESA W BERGKAMP 4620 S 311 <sup>TH</sup> ST W CHENEY KS 67025							
5c. ☐ Owner ☐ WUC ☐ Address Change	5d. ☐ Owner	r □ WUC ss Change		son ID Seq#			
6. Change No.: 3 PD PU Base Acres: Year: Min Reasona Previous UMW: Not changing MDS Gauge: Active Admin? Completion Date: 12/31/2025			7. Use of Wate  Groundw  UMW: IRF  UMW:  UMW:		Water		
8. Action Trail							
9. Special Conditions							
10. 5YR Allocation Type: Sta Comment:	rt Year: 5YR Quantity:	Base Acres: -			and the second s		
11. Sand & Gravel Proj ID:	Active	IND Evap 🔲 J	Jr Evap ☐ Oth	ner Diversion	Rpt on Sr		
12. Waiver Rule ID: New Date Applies: Rule No.: Rule Type: Rule SubType:	Requested:	Justification:					
Comments				Processed 12/31/24 JNE	Entered		
				Reviewed			
				L			

File No.	-			13	. Cour	nty: SO	<b>B</b> as	in: <b>33</b>	- ARK	ANSAS	RIVE	R Str	eam:									·			
Structure	es File I	۷o:		Aq	uifer (	Code: '	190 - E	QUUS	BEDS	3						Spec	ial Use	Area:							
14. Points	of Diver	sion, Ra	ites & Qu	antitie	es										Otv	/ AF		Rate o			ta Ot		04	D - 4 -	
		PDIV	Qua	lifier	s	т	R	ID	'N	w	Со	mment	AKA Li	ne)	Aut		∖dd	Auth	Add Add		torage Qt uth A	y .dd	Storage   Auth/Add		Overlaps
DEL		47546	NDA/	NE		26S	2W	5	4800	1100			·		82		32	615	615		<u> </u>	uu	7 tatii/Tac	-	*
ENT			NW NE	NE	8	268	2W		4797	1259	·				82	8	32	615	615						*
						-																			
15. Limit	tations	Type Type			antity: antity:			Rate: Rate:				ined w ied with								- 1111					
16. Mete	ering		Meter	ing R	Require	ed [	] Anti	-Reve	rse Re	quired		Seal R	equire	d Co	mpliar	nce Da	te:		,,,,,,						
17. Place	of Use												1			· · · · · · · · · · · · · · · · · · ·									
	PUSE	s	T R	ID	NE	NW NW	E¼ sw	SE	NE	NW NW	V1/4 sw	SE	NE	SV NW	√1/ <sub>4</sub> SW	SE	NE	SE NW	1/4	T	Total	Owr	ner(s)	Chg?	Overlaps
NO CHG	7397	8 2	26S 2W	1	37.0	38.0	40.0	40.0	I NE	1400	300	35	INE	1444	344	SE	NE	NVV	sw	SE	155.0	5a			*
																					155.0	Ja		·	
		···																					·····		
18. Poin						verlap	s																· · · · · · · · · · · · · · · · · · ·	····	
^ PD A	AND PL	OVER	LAP WI	TH 2	2397								**												
#													##												
٨													^^												

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION WATER METER REQUIRED



#### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
8:32.0m

						_					,								3:32 am
						F	ile No	. <u>1479</u>	1									DL	C 1 0 2024
1. <i>A</i>	Application	on is he	reby n	nade fo	or appr	oval o	f the C	hief E	nginee	r to ch	ange t	he (ch	eck on	e or b	oth):		Div		rd Field Office f Water Resources
						□Р	lace of	Use		$\boxtimes$	Point	of Dive	rsion						
ι	ınder the	water	right w	hich is	the s	ubject	of this	applic	ation ir	n acco	rdance	with t	he cor	ditions	desc	ribed b	elow.		
Т	he sour	ce of su	apply is	s:		⊠ G	round	water			Surfac	ce wate	er						
2. 1	Name an	d addre	ess of <i>i</i>	Applica	ant: <u>N</u>	ed G.	Bergka	amp											
4	1620 S. S	311th St	. W., C	heney	, KS 6	7025													
	Phone N									addres									
	Name an						onden	t: Nec	I G. & '	Teresa	a W. B	ergkan	np Joir	nt Rev.	Trust				
_	1620 S. 3					<u> </u>													
	Phone N								Email	addres	ss:								
	The pres	•																	
(	Owner of								•			ust							
,			ADDRE						-										
(	If there is	more th	an one	landov	vner, at	tach su	Г			neces	sary.)								
				NE				NV		l			V1/4				1/4	054/	TOTAL ACRES
Sec.		Range	NE¼	NW¼	SW1/4	SE¼	NE¼	NW¼	SW¼	SE¼	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	455
08	26S	2W	37	38	40	40													155
	f this ap Owner o	f Land -	NA	AME:	NO CI	HANG		, it is p	ropose	ed that	the pl	ace of	use be	e chan	ged to	:			
,	16.0		ADDRI			-1		مام امدس			2221								
	If there is	more tr	ian one	landov	vner, at	tach st	Ibbierrie			neces	Sary.)								
					Ξ¼ Ι				V¼ 				V1/4				Ξ¼ 	054/	TOTAL ACRES
_ Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW1/4	SE¼	NE1⁄4	NW¼	SW1/4	SE¼	
			-								<b> </b>								
										-									
	For Offi	ce Use	Only:	Code	CL	Fe	e \$ <u>/(</u>	20 e	TR	#		Re	eceipt	Date _			Chec	k#_2	457

5.	Presently authorized point of diversion:		¥	NE	
	One in the Quarter of the	NE	Quarter of the	NE OW	Juarter
	of Section, Township	26	South, Range	2VV	. (E/VV),
	in Sedgwick County, Kansas, 4800 fee	et North _	1100 feet West of S	outheast corner of se	ection.
	Authorized Rate 615 GPM Authorized Quantity	82 AF	Depth of well~	80' (feet)	
	(DWR use only: Computer ID No. 5 98 GPS	4797	feet North <u>1285</u>	feet West)	
	☐This point will not be changed ☐This point will be changed as				
	Proposed point of diversion: (Complete only if change is				
	One in the Quarter of the	NE	Quarter of the	NE	Quarter
	of Section, Township	26	South, Range	2W	(E/W),
	in <u>Sedgwick</u> County, Kansas, <u>4797</u> fee	et North _	1259 feet West of S	outheast corner of se	ection.
	Proposed Rate 615 GPM Proposed Quantity	82 AF	Proposed well depth (f	feet)~80-90'	·
	This point is:  Additional Well Geo Center List other	water righ	ts that will use this point 2	22397	<u> </u>
-					
6.	Presently authorized point of diversion:				
-	One in the Quarter of the		Quarter of the		Quarter
	of Section , Township		South, Range		_(E/W),
	in County, Kansas, fee	et North_	feet West of S	outheast corner of se	ection.
	Authorized Rate Authorized Quantity	_	Depth of well	(feet)	
	(DWR use only: Computer ID No GPS		feet North	feet West)	
	☐ This point will not be changed ☐ This point will be changed as	follows:	No change, point better des	scribed with GPS as fo	llows:
	Proposed point of diversion: (Complete only if change is	requeste	d or if existing point is b	etter described by	GPS)
	One in the Quarter of the				
	of Section, Township		South, Range		(E/W),
	in County, Kansas, fee	et North	feet West of S	outheast corner of se	ection.
	Proposed Rate Proposed Quantity	_	Proposed well depth (1	feet)	
	This point is: Additional Well Geo Center List other	water righ	ats that will use this point		
L	This point is.     / tuditional vvoii	trate:g.		The second secon	2,3,345
7.	The changes herein are desired for the following reasons?				
, .	(please be specific) Old well casing failing. Screens plugged	•	North		
	and pumping sand Move well 26 ft. east.	300 F	200 100 0 	100 200 30 1111111111111111111111111111111111	00
8.	If a well, is the test hole log attached?  Yes No	E	· ' <u> </u> ' <u> </u> ' <u></u>	'	
0	The change(s) (was)(will be) completed by?	E			
9.		200	-1 + 1 + 1 =	+   +   =	200
	ASAP	E	· ' <del>-</del>	=	
10	If the point of diversion is a well:	100 E	-1 + 1 + 1 =	1 + 1 + 1 =	100
10.	·	E	-1+1+1=		
	(a) What are you going to do with the old well?	E	Ξ		
	Plug it	West 0	+dudududududu <b>®</b> ⊗	tunlunlunlundr <del>u</del> d	O East
	(b) When will this be done? When new well drilled.	E	=	=	
	(b) When will this be done: When hew well drilled.	100E	-	1 4 1 4 1 =	100
	Groundwater Management District recommendation	100			100
11.	Groundwater Management District recommendation attached? Yes No	E	· · =		
	arraction: Tites KA 140	200	-1 + 1 + 1 =	1+1+1=	200
12.	Assisted by D. Randolph, GMD2	E		=	
		E		قىياسىلىسلىساسىلىسا	
13a	If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion,		200 100 0	100 200 30	00
	attach a topographic map or aerial photograph. For		South	Scale: 1 hashmark=10 ft	
1	groundwater sources, show all wells (including domestic) within	13b.If the	proposed point of diversion	on will be relocated v	vithin 300
	one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water	feet o	of the existing point of divergence shown above in rela	sion, indicate its locat	on on the o thiog
	sources, show the names and addresses of the landowner(s)	diver	am shown above in rela sion. (PLEASE NOTE: 1	he "X" in center of	diagram
	one-half mile downstream and one-half mile upstream from your property lines	abov	e represents the pres	sently authorized	point of
	your property lines	dive	rsion.)	2024	

\* CRC 1/10/25

<ol> <li>If the proposed groundwater point of diversion is 300 or fewer feet from</li> </ol>	om the existing point of diversion, complete the following:
<ul> <li>(a) Does the undersigned represent all owners of the currently auth</li> <li>☑ Yes</li> <li>☑ No</li> <li>(If no, all owners must sign this applied</li> </ul>	orized place(s) of use identified in this application? cation.)
<ul> <li>(b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☑ No</li> <li>(If yes, all owners must sign this application)</li> </ul>	
(c) If this application is not approved expeditiously, will there be sub ⊠ Yes □ No (If no, all owners must sign this application)	stantial damage to property, public health or safety? cation.)
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundwater change in point of diversion greater than 300 feet, of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this approportion of this application are true, correct and complete.	ized agent of the owner(s) to make this application on plication pertains. I further verify that the statements
Dated at, Kansas, this	12th day of Deember, 20 24.
	Teresa W. Bergheng Trustee
(Owner)	(opodoo)
(Please Print)	Teresa W. Bergkamp, Trustee (Please Print)
(r lease i filit)	(1020011111)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print) TERRI SCHAUF
State of Kansas  County of Selfquiel  SS	Notary Public STATE OF KANSAS My Appt. Exp. 1-71-1275
hereby certify that the foregoing application was signed in m	y presence and sworn to before me this 1213 day of
	Notary Public
My Commission Expires January 22, 2025	Totaly Fubic
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the a the appropriate fee must be paid.	of the applicable portions of the application form must be completed with ppropriate owners' must be affixed to the application and notarized; and
FEE SCHED!	<u>JLE</u>
Each application to change the place of use or the point of diversion undeforth in the schedule below: Make checks payable to: Kansas Departm (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	ent of Agriculture \$100 t\$200

#### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 14791 requesting that the place of use and / or point of A change application was received on December 16, 2024 diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. 

Applicable 
Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a <u>50</u> radius of the authorized point(s) of diversion. Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than <u>76</u> authorized point(s) of diversion. 

☐ Applicable ☐ Not Applicable feet from the previously As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2025, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2025, or within any authorized extension of time. By March 1, 2026 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable The completed well log shall be submitted with the required notice. ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. 

Applicable 11. Additional Conditions are attached. ☐ Yes ⊠ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901. SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative Cameran (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Division of Water Resources - Kansas Department of Agriculture Date of Issuance: Janvan 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on RECEIVED Cameron DEC 16 2024 Signature: Notary Public Stafford Field Office Division of Water Resources My commission expires: (Notary Seal) TATE OF **FAITH CURTIS** HOTARY My Appointment Expires

PUBLIC .

KUBAR

April 29, 2927

14791

File No. \_





Phone: 620-234-5311 Fax: 620-234-6900 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

January 10, 2025

Ned & Teresa Bergkamp Joint Rev Trust 4620 S 311 St W Cheney, KS 67025

Re: Water Right, File No(s). 14791 & 22397

Dear Water Right Owner:

Enclosed is an order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of <u>Certified Water Flowmeters</u> as well as <a href="http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters">http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters</a>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced in formation.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Jeff Lanterman

Water Commissioner

**Enclosures** 

pc: Water Rights Section

Groundwater Management District No. 2

### CERTIFICATE OF SERVICE

On this 10th day of January, 2025, I hereby certify that the attached Change in Place of Use for Water Right, File No. 14791 & 22397, dated January 10, 2025 was mailed via First Class U.S. mail to the following:

Ned & Teresa Bergkamp Joint Rev Trust 4620 S 311<sup>th</sup> St W Cheney, KS 67025

A copy of the letter was sent via electronic mail to the following:

GMD<sub>2</sub>

Faith Cute

## **Equus Beds Groundwater Management District No. 2**

Abandoned Well Plugging Agreement
I, <u>Teresa Bergkamp, trustee</u> , the undersigned and owner of an abandoned water well understand that an abandoned water well is a groundwater contamination threat and a public health and safety hazard.
The abandoned water well is located <u>NW</u> , <u>NE</u> , <u>NE</u> , Section <u>8</u> , Township <u>26</u> South, Range <u>2W</u> West, <u>SG</u> County which is approximately <u>4797</u> feet north and <u>1285</u> feet west of the apparent <u>Southeast</u> section corner. Total well depth is <u>~80</u> feet and the diameter of the well is <u>16</u> inches. Current depth to static water level in the well is <u>~32</u> feet below land surface. The well was previously authorized by water permit no. <u>14791 &amp; 22397</u> .
I agree to properly plug the abandoned well pursuant to the Equus Beds Groundwater Management District rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207 and the following agreement provisions:
1. Well plugging operations will be supervised by either (a) a water well contractor licensed with the Kansas Department of Health and Environment, (b) a profession engineer or geologist licensed to practice in the State of Kansas, or (c) the abandoned water well owner or land owner of the property on which the water well or borehole is located.
2. The above described well will be plugged: a) by,, or b) within 30 days after the replacement well, approved by a change in point of diversion, becomes operational.
<ol> <li>A completed WWC-5P form will be submitted to the Kansas Department of Health and Environment within 30 days after the abandoned well is plugged and a copy of the WWC- 5P form will be furnished to the District within the same period of time.</li> </ol>
<ol> <li>The well owner or authorized agent will notify the District 48 hours before plugging operations occur.</li> </ol>
5. Failure to comply with the provisions of this agreement shall constitute noncompliance of the groundwater management district rules and regulations K.A.R. 28-30-200 through K.A.R. 28-30-207.
Dated this 2 day of Duember, 2024 at Sanden Plain Ks
Signature Torean W. Burghamp Trustee
Address 4620 S. 311 <sup>th</sup> St. W.
City, State, Zip Code <u>Cheney, KS 67025</u> <u>DEC 1 6 2024</u>
Telephone (316) 293-8433 Stafferd Field Office Division of Water Resources
State of Kansas County of Stag well
Subscribed and affirmed to before me this 12th day of
by TERRI SCHAUF   Notary Public   Notary Public   STATE OF KANSAS
My Commission Expires January 22, 2025 My Appt. Exp. 1-22-7225

INPUTS	
Target Section Definition	
Section	8
Township	26
Range	2
Range Direction	W
Target Point Coordinates (NA	
Target Longitude	-97.558710 NAD83
Target Latitude	37.807130

#### **Load Data and Compute**

#### Instructions

- 1. Enter values for section, township, range and range direction.
- 2. Enter NAD27 or NAD83 longitude and latitude of target point.
- Click "Load Data and Compute" button.
   Use feet distances corresponding to datum of target point.

#'s 14791 & 22397 **Existing Well Location** 

UTM-NAD83

4185394 626875.5

12/2/2024

	Loaded Section Data						
	From LEOBASE usin	ng NAD83					
Corner	Corner Latitudes	Corner Longitudes					
SW	37.79374358	-97.57266635					
NW	37.80831569	-97.57316909					
NE	37.80868164	-97.55458373					
SE	37.79395682	-97.55426405					
Degrees	Degrees Longitude per Foot 3.46083435E-06						
	Latitude per Foot	2.74618494E-06					
	Target Point Distances from Corners using NAD83						
Corner	Feet North(+)/South(-)						
SW	4875	-4033					
NW	-432	-4178					
NE	-565	1192					
SE	4797	1285					

	,,,,,,							
	Loaded Section Data							
	From LEOBASE using NAD27							
Corner	Corner Latitudes	Corner Longitudes						
sw	37.79373200	-97.57234200						
NW	37.80830400	-97.57284500						
NE	37.80867000	-97.55426000						
SE	37.79394500	-97.55394000						
Degrees	s Longitude per Foot	3.46083381E-06						
Degrees	s Latitude per Foot	2.74598553E-06						
Target	t Point Distances from C	orners using NAD27						
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)						
SW	4879	-3939						
NW	-428	-4084						
NE	-561	1286						
SE	4802	1378						

RECEIVED

INPUTS	
Target Section Definition	
Section	8
Township	26
Range	2
Range Direction	W
Target Point Coordinates (NA	D27 or NAD83)
Target Longitude	-97.558620 NAD83
Target Latitude	37.807130

Load	Data	and	Com	pute

#### Instructions

- Enter values for section, township, range and range direction.
   Enter NAD27 or NAD83 longitude and latitude of target point.

- Click "Load Data and Compute" button.
   Use feet distances corresponding to datum of target point.

#'s 14791 & 22397 Proposed Well Location (flag)

UTM-NAD83

4185395 626883.4

12/2/2024

	Loaded Section	Data				
	From LEOBASE usin	ng NAD83				
Corner	Corner Latitudes	Corner Longitudes				
SW	37.79374358	-97.57266635				
NW	37.80831569	-97.57316909				
NE	37.80868164	-97.55458373				
SE	37.79395682	-97.55426405				
Degree	Degrees Longitude per Foot 3.46083435E-06					
Degree	s Latitude per Foot	2.74618494E-06				
Targe	t Point Distances from C	orners using NAD83				
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)				
sw	4875	-4059				
NW	-432	-4204				
NE	-565	1166				
SE	4797	1259				

SE	4797	1259
Loaded Section Data		
From LEOBASE using NAD27		
Corner	Corner Latitudes	Corner Longitudes
sw	37.79373200	-97.57234200
NW	37.80830400	-97.57284500
NE	37.80867000	-97.55426000
SE	37.79394500	-97.55394000
Degrees Longitude per Foot		3.46083381E-06
Degree	s Latitude per Foot	2.74598553E-06
_	4 D - ! - 4 D! - 4 6 0	NADOZ
Target Point Distances from Corners using NAD27		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4879	-3965
NW	-428	-4110
NE	-561	1260
SE	4802	1352

RECEIVED