Kansas Department of Agriculture Division of Water Resources APPROVAL OF CHANGE APPLICATION WORKSHEET

1. File No.: 27,948	2. Status Change Date:		GMD: 0	4. Field Office: 02 - Stafford GMD: 05 - Big Bend Structures File No.:						
3. Package File No(s):				te: 04/25/2025						
5a. ⊠ Applicant □ Owner ⊠ WU □ Address Change	C Person ID 35280 Add Seq# 1	1	5b. ☑ Owner ☐ WUC Person ID 68 ☐ Address Change Add Seq# 1							
KI D & KIMBERLY KAY GAMB 16134 30TH AVE GREENSBURG KS 67054 7704		ANTHONY R & TYSON STURGEON PO BOX 116 HAVILAND KS 67059								
5c. ☐ Owner ☐ WUC ☐ Address Change	Person ID Add Seq#	5d. ☐ Owner ☐ Addre	∽		son ID I Seq#					
6. Change No.: 1			7. Use of Wate Groundw UMW: IRF UMW: UMW:		• Water					
8. Action Trail										
9. Special Conditions										
10. 5YR Allocation Type: Sta Comment:	rt Year: 5YR Quantity:	Base Acres: -	 -							
11. Sand & Gravel Proj ID:	Active Dredge D	IND Evap 🔲 J	r Evap 🔲 Otl	ner Diversion	Rpt on Sr					
12. Waiver Rule ID: New Date Applies: Rule No.: Rule Type: Rule SubType:	Requested:	Justification:								
Comments				Processed 04/25/25 JNE	Entered					
				Reviewed						
				L	1					

				T																					
File No. 27,94						- RATT																			
Structures File	NO:			Aqı	uifer C	Code: 1	180 - L	INDIF	FEREN	TIATE	D KAI	NSAN/	NEBR	ASKAI	N	Spec	ial Use	Area:							
14. Points of Dive	rsion, F	Rates	& Qua	antitie	s										Qty	ν A F		Rate g	ıpm	St	orage (Qty	Storage	e Rate	
	PDIV		Qual	ifier (s -	T	R	ID	'N	'W	Cor	mment	(AKA Li	ne)	Aut	th A	Add	Auth	Add	Αι	ıth	Add	Auth/A	/O bb	verlaps
DEL	1288	4	CN N	W :	33 2	26	18W	2	5250	3985					161	1 1	61	880	880						
ENT			CN N	w :	33 2	26	18w		5250	3940					161	1 1	61	880	880		-				
											A.W			M											
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,																·····							
15. Limitations	Тур Тур				antity: antity:			Rate: Rate:					ith file i												
16. Metering	YES	S Me	etering	g Red	quired		Anti-F	Revers	e Requ	ired	□ s	eal Re	quired	Con	nplianc	e Date	: 12/3	1/2025							
17. Place of Use				NE1/4				NW1/4				SW1⁄4				SE1⁄4					Owner(s)	Chg? Overlaps			
PUSI	E S	Т	R	ID	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Tot	aı	Owner(s)	City: O	venaps
NO CHG 3596	33	26	1	2					40	40	40	40									16	0	5b, 5c		

																						-			
,																									
18. Point of Div	ersion	and	Place	e of l	Jse O	verlap	s						**												
+													++												
. #													##												
# ^													<i>##</i>												
													1												

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area.

Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE** POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	ile No.	27,94	.8		,							. /	ECEIVED 1:3/am R 25 2025
1. A	pplication	on is he	reby m	ade fo	r appr	oval o	f the C	hief Er	nginee	r to ch	ange t	he (ch	eck on	e or b	oth):				ord Field Office
						□ P	lace of	Use		\boxtimes	Point o	of Dive	rsion				Di		of Water Resource
u	nder the	e water	right w	hich is	the su	ubject	of this	applica	ation ir	n acco	rdance	with t	he cor	ditions	desc	ribed b	elow.		
	he sour						round					e wate							
2. N	lame ar	ıd addre	ess of A	Applica	ant: <u>Ki</u>	Gamb	ole								7				
1	6134 30	Oth Ave,	Green	sburg,	KS 67	054-7	704												
P	hone N	umber:	(620)	546-35	45				Email	addres	ss: ga	mblefa	rmsgre	ensbu	urg@g	mail.co	om		
٨	lame ar	nd addre	ess of \	Nater	Use C	orresp	onden	t: <u>Ki D</u>	& Kin	nberly	Kay G	<u>amble</u>							
1	6134 30	Oth Ave	Greer	sburg	, KS 6	7054-7	7704												
F	hone N	umber:	<u>(620)</u>	546-35	45	* * 5			Email	addres	ss: ga	mblefa	rmsgr	eensbu	urg@g	mail.co	om		
3. T	he pres	ently a	uthorize	ed plac	ce of u	se is:													
	owner o					•													
		I	ADDRE	ESS: J	PO Bo	x 116,	Havila	nd, K	S 6705	9									
(If there is	more th	an one	landow	ner, at	tach su	ppleme	ntal sh	eets as	neces	sary.)								
				NE	1/4			NV	V1/4			SV	V1/4			SE	1/4		TOTAL
Sec.	Twp.	Range	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	ACRES
33	26	18W					40	40	40	40									160
																	20		*
(f this ap Owner o	f Land -	NA Addri	ME: .	NO CH	HANGI HANGI	Ē					ace of	use be	e chan	ged to	:			
	II there is						I PPIOTTIC										-1/		TOTAL
					=1/4	0544	11546		V1/4	051/	NET	NW¼	V¼ SW¼	SE¼	NE¼	NW¼	5W1/4	SE¼	TOTAL ACRES
Sec.	Twp.	Range	NE¼	NW¼	SW¼	SE¼	NE1⁄4	NW¼	SW1/4	SE¼	NE¼	INVV/4	SVV/4	SE/4	INE 74	INVV/4	30074	SE/4	
			,									-							
	For Offi	ce Use	Only:	Code	CU	Fe	e \$_/_	20 -	TR	#		Re	eceipt	Date _			Chec	:k#	

5.	Presently author						
	One in the		Quarter of the		Quarter of the _	CN NW	Quarter
			, Township				
			nty, Kansas, <u>5250</u>				
			_ Authorized Quantity _				
			No. <u>1</u> GP:				
			This point will be change				
	Proposed point of	of diversion: (Complete only if chang	<u>je is request</u>	ed or if existing poin	t is better described	d by GPS)
	One in the		Quarter of the		Quarter of the _	CN NW	Quarter
	of Section	33	, Township	26	South, Range _	18	WEST,
			nty, Kansas, <u>5250</u>				
			_ Proposed Quantity _				
L	This point is:	Additional Well	☐ Geo Center List of	ther water rig	ints that will use this po	oint <u>None</u>	· · · · · · · · · · · · · · · · · · ·
г	D (1 (1		U				
6.	Presently author				O		Oughan
			Quarter of the				
	of Section	2	, Township	foot Nieuti-	South, Kange _	of Couthoost sormer	of section
			nty, Kansas,				
			Authorized Quantity _				
			No GP ⊒This point will be change				
	7						
			Complete only if change				
			Quarter of the				
			, Township				
	Proposed Data	COL	nty, Kansas,	_ ieet ivorth .	Proposed well de	or southeast corner	OI SCULIUII.
			Proposed Quantity Geo Center List o				·
L	THIS POINT IS: 1		— □ Geo Genter List o	water ne	ji ito ti iat wili use ti iis pi	JIIIL	··
7.	The changes here	ein are desired	for the following reason	s?			
	(please be specific	c) Well is old and	d applicant desires to			orth	200
		to the East of th	e current authorized	30 I	00 200 100 Emporphism	0 100 200 1 411111-1-1-1	300 TITT <u>H</u>
	location.					± '	`∄
8.	If a well, is the test	t hole log attach	ed? 🗌 Yes 🔲 No			┋╷+╷}	, = =
				200		<u> </u>	1 3 200
9.	The change(s) (wa	as)(will be) com	oleted by?		F/	-	/3
	as soon as approv	ved.		100	$\not\models$ \mid $+$ \mid $+$ \mid	= 1 + 1 +	100
10	If the point of diver	reion is a wall			- -	<u> </u>	<u>#</u>
10.	If the point of dive			\Mest 0	[[] 	= ™ um x uuluutuuluu	IIIII 0 Fast
	(a) What are you	going to do with	the old well?	westu	#:	=	Last
	Keep for domestic	: livestock well			<u> </u>	Ī	. ∄
	•		oon as new well is drilled	100	<u> </u>	<u> </u>	100
	(n) which will fills	pe dolle: Wa 2	Don as new well is unlied		╞ \	-	/=
11	Groundwater Man	agement Distric	t recommendation attache	ed? 200			200
11.			recommendation attache	,u: 200			' ‡
	ш.	<u></u>				<u></u>	<u></u>
12.	Assisted by JNE /	/ SFFO		3(եսվավական իսվա 00 200 100	0 100 200	300 பாப்பு
				3.	S	outh Scale: 1 hashmar	

13a.If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile sources, show all wells (including domestic) within one-half mile diversion and the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion in relation to the existing point of diversion. The proposed point of diversion must be legated. of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the land we first make half mile downstream and one-half mile upstream from your property lines

diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14.	If the proposed groundwater point of diversion is 300 or fewer for	eet from the existing point of diversion, comple	te the following:
	 (a) Does the undersigned represent all owners of the currently ∑ Yes ☐ No (If no, all owners must sign this) 	authorized place(s) of use identified in this ap application.)	plication?
(affected if this application is approved as requested?		plication be adversely
	(c) If this application is not approved expeditiously, will there b ☑ Yes ☐ No (If no, all owners must sign this	pe substantial damage to property, public health application.)	າ or safety?
or a	e application proposes a surface water change in point of divers change in place of use, the application must be signed by all or nt (attach notarized statement authorizing representation).	sion, a groundwater change in point of diversio wners of the currently authorized place of use,	n greater than 300 feet, or their duly authorized
age thei	and the owner, the spouse of the owner, or a duly at	uthorized agent of the owner(s) to make is application pertains. I further verify	e this application on
Date	ed at <u>Stafford</u> , Kansas	s, this <u>25th</u> day of <u>April</u>	, 20 <u>25</u> .
	M dan de		
-	(Owner)	(Spouse)	
	(Please Print)	(Please Print)	
-	(Owner)	(Spouse)	
_	(Please Print)	(Please Print)	
-	(Owner)	resent all owners of the currently authorized place(s) of use identified in this application? (If no, all owners must sign this application.) to fany owner of the currently authorized place(s) of use identified in this application be adversely its of any owner of the currently authorized place(s) of use identified in this application be adversely its approved as requested? (If yes, all owners must sign this application.) proved expeditiously, will there be substantial damage to property, public health or safety? (If no, all owners must sign this application.) the water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, plication must be signed by all owners of the currently authorized place of use, or their duly authorized authorizing representation). The sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful as of the owner, or a duly authorized agent of the owner(s) to make this application on water right(s) to which this application pertains. I further verify that the statements are true, correct and complete. [Spouse] Print) (Please Print) (Spouse) Print)	
	(Please Print)	(Please Print)	
	e of Kansas		
Cou	horaby cortify that the foregoing application was signed	d in my presence and sworn to before	me this 25th day
of _	, 20 s.		т съ
	IESSICA ENGEL BRECHT	Jessua Callrick	<i>t</i>
•	Commission Expires My Appointment Expires September 6, 2025	// Notary Public	
accı	Y COMPLETE APPLICATIONS WILL BE PROCESSED. To be compounded information; maps, if necessary, must be included; signatures of a appropriate fee must be paid.	lete, all of the applicable portions of the application for all the appropriate owners' must be affixed to the app	orm must be completed wit lication and notarized; and
			u Pastian fas sat
Eac forth	h in the schedule below: Make checks payable to: Kansas De (1) Application to change a point of diversion 300 feet or I (2) Application to change a point of diversion more than 3	epartment of Agriculture less	
	.,		

APR 2 5 2025

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, *et seq.* and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 27,948 requesting that the place of use and / or point of A change application was received on April 25, 2025 diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a <u>50</u> radius of the authorized point(s) of diversion. Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than 100 feet from the previously authorized point(s) of diversion. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable

Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2025, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2025, or within any authorized extension of time. By March 1, 2026 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable
Not Applicable ☐ Yes ⋈ No 11. Additional Conditions are attached. 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief SUMMARY ORDER ISSUED Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): an ternam review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Division of Water Resources - Kansas Department of Agriculture Date of Issuance: 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas SS For Use by Register of Deeds County of Acknowledged before me on Signature: Notary Public RECEIVED My commission expires: y Seal) SALE OF **FAITH CURTIS** APR 2 5 2025

> Stafford Field Office Division of Water Resources

Page 4

NOTARA

My Appointment Expires April 29, 2927

ile No. 27,948



Stafford Field Office 300 S. Main Street Stafford, KS 67578-1521

Mike Beam, Secretary

www.agriculture.ks.gov

Laura Kelly, Governor

Phone: 620-234-5311

Fax: 620-234-6900

April 25, 2025

Ki D & Kimberly Gamble 16134 30th Ave Greensburg, KS 67054-7704

Re: Water Right, File No(s). 26033 & 27948

Dear Water Right Owner:

Enclosed is an order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of <u>Certified Water Flowmeters</u> as well as http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced in formation.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Jeff Lanterman

Water Commissioner

Enclosures

pc: Water Rights Section

Groundwater Management District No. 5

CERTIFICATE OF SERVICE

On this **25th** day of **April 25, 2025**, I hereby certify that the attached Change in Point of Diversion for Water Right, File No. **26033 & 27948**, dated **April 25, 2025** was mailed via First Class U.S. mail to the following:

Ki D & Kimberly Kay Gamble 16134 30th Ave Greensburg, KS 67054-7704

A copy of the letter was sent via electronic mail to the following:

GMD 5

Fouth Centre

Staff

DRILLER'S TEST LOG

Custome	er Name	: <u>Ki Gamble</u>								Date:	2/7/2	2025
Address:										Test No:	#1-	25
County:		Edwards	Quarter:	NW	Section:	3	3	Towi	nship:	26	Range:	18
Drilled F From	ootage To		Description of	Strata			Indicate	e Test Loca	tion by an	ıΧ		
0	3	Sandy top	soil					83				
3	10	Soft, sandy	/ clay					ļ				
10	15	Brown clay	1	Decorphic state and an artist and an artist and an artist and an artist and artist ar				ļ				
15	23	Tan clay			~							
23	60	Sand & gra	ivel- small to s	ome med	, clean			 				
60	80	Sand & gra	ivel - med to la	arge, clear	1					1		
80	85	Tan clay										
85	92	Tan clay &	fine sand					 				
92	110	Sand & gra	ivel - small, m	ed to pea	size,		! ! !	ļ <u>-</u>			ļ 	
		clean					i i i i					
110	125	Tan & whit	te clay w/ calid	che			 					
125	130	Sand & gra	ivel - fine to sr	mall w/ so	me		i i i i					
		med, clear	1			Static \	Water I	evel: _			-Ft	
130	135	Tan clay &	fine sand mix	ed		Remar	ks:	Test hole	e was not	t plugged.		ž.
135	140	Sand & gra	evel - fine to si	mall w/ so	me							
		clay mix 7	0/30							-		
140	155	Sand & gra	avel - small, m	ed, clean		e e	:					
155	160	Yellow sha	ile			Garmi	n GPS:	NAD 83				
						Latitud	le: 37.	74813 N				
						Longit	ude: 99	9.30009	W			
		Dept	th 160	TD		Elevați	ion:	· · · · · · · · · · · · · · · · · · ·				
		,		ACAHA CARTA BARANA BARANA								
						-						****
	,						-					
						Driller:	Luis L	una				
						Spot Lo	cation:	NW/ NV	V/ NE/ N	W		

RECEIVED

ROSENCRANTZ-BEMIS EQUIPMENT CO., INC

Telephone (620) 792-2488 or (620) 793-5512 P.O. Box 713, Great Bend, KS 67530

APR 2 5 2025

Property Details for PID: 0241583300000002000

Shareable link to Property

Information:

https://www.kansasgis.org/orka/permalinkprop.cfm?

parcelid=0241583300000002000

Shareable link

to Map:

https://www.kansasgis.org/orka/permalink.cfm?

parcelld=0241583300000002000

QuickRef ID:

R4035

Owner Name:

STURGEON, ANTHONY RAY TOD

Location:

00000 LEW RT 2, Lewis, KS 67552

Abbreviated

Boundary

OTHER AGRI LANDS, S33, T26, R18, ACRES 152.5,

NW4 LESS RD R/W SECTION 33 TOWNSHIP 26

Description: RANGE 18

Owner Information:

Owner

STURGEON, ANTHONY RAY TOD

STURGEON, TYSON

Mailing Address

PO BOX 116 HAVILAND, KS 67059

Property Information:

Type

Agricultural Use

Status

Active

Taxing Unit

058 S BROWN TWP 502 TR

Neighborhood

Code

150