

#### KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

#### **DIVISION OF WATER RESOURCES**

Earl D. Lewis Jr., Chief Engineer

File Number \_\_\_\_\_\_51402
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

## APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

JAN 22 2025

KS DEPT OF AGRICULTURE

3:44 PM

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

1.	Name of Applicant (Please Print): Stutz	man Greenhouse,	nc Attn: Ben Miller	
	Address: <u>6709 W. HWY 61</u>			
	City: Hutchinson		State KS	Zip Code <u>67501</u>
	Telephone Number: (620 ) 662-055	59	<u> </u>	
2.	The source of water is:   surface	water in	(strea	am)
	OR ground	water in NF Ninne	170	y Îstantia de la compansion de la compan
	Certain streams in Kansas have minin when water is released from storage fo to these regulations on the date we re- and return to the Division of Water Re	r use by water assu ceive your applicati	rance district member	s. If your application is subject
3.	The maximum quantity of water desire	ed is <u>11.21</u> a	cre-feet OR	gallons per calendar year,
	to be diverted at a maximum rate of 5	0 gallon	per minute OR	cubic feet per second.
	Once your application has been assig requested quantity of water under the requested maximum rate of diversion approposed project and are in agreement.	nat priority number and maximum quar	can <u>NOT</u> be increasitity of water are appro	sed. Please be certain your priate and reasonable for your
4.	The water is intended to be appropriat	ed for (Check use int	ended):	
	(a) ☐ Artificial Recharge (b) ☐ Irri	gation (c)	☐ Recreational	(d) Water Power
	(e) ■ Industrial (f) □ Mu	ınicipal (g)	☐ Stockwatering	(h) ☐ Sediment Control
	(i) ☐ Domestic (j) ☐ De	watering (k)	☐ Hydraulic Dredgin	g (I) ☐ Fire Protection
	(m) ☐ Thermal Exchange (n) ☐ Co	ntamination Reme	diation	
	YOU <u>MUST</u> COMPLETE AND ATTACH ADDIT SUBSTANTIATE YOUR REQUEST FOR THE A			
r Offic D. <u>1</u> ode	ce Use Only:GMD Meets K.A.R. 5-3-1 (YES / I	VO) Use IND (	Source G/S County Receipt Date	RN <sub>By KJN Date</sub> 1/24/25

## JAN 22 2025

		File No
KS DE	PT O	AGRICULTURE location of the proposed wells, pump sites or other works for diversion of water is:
		e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the <u>SE</u> quarter of the <u>NE</u> quarter of the <u>SE</u> quarter of Section <u>1</u> , more particularly
Geo Cer	nter	described as being near a point 1774 feet North and 432 feet West of the Southeast corner of said
		section, in Township 24 South, Range 7W East/West (circle one), Reno County, Kansas.
	(B)	One in the SE quarter of the NE quarter of the SE quarter of Section 1, more particularly
West W	مان ا	described as being near a point 1778 feet North and 530 feet West of the Southeast corner of said
vvest vv	ell	section, in Township 24 South, Range 7W East/West (circle one), Reno County, Kansas.
	(C)	One in the SE quarter of the NE quarter of the SE quarter of Section 1 , more particularly
E ()M		described as being near a point 1770 feet North and 334 feet West of the Southeast corner of said
East We	ell	section, in Township 24 South, Range 7W East/West (circle one), Reno County, Kansas.
	(D)	One in the quarter of the quarter of the, more particularly
	(0)	described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
		e source of supply is groundwater, a separate application shall be filed for each proposed well or battery of
	A bathan	e same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more four wells in the same local source of supply within a 300 foot radius circle which are being operated by ps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a mon distribution system.
6.		owner of the point of diversion, if other than the applicant is (please print):  1 Holdings, LLC, 3317 N. North Shore Ct., Wichita, KS 67205, (620) 662-0559
		(name, address and telephone number)
	-	(name, address and telephone number)
	land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other ment with this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
		Executed on 09-09, 2024.
	land	applicant must provide the required information or signature irrespective of whether they are the owner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the ication will be returned to the applicant.
7.	The	proposed project for diversion of water will consist of Battery of 2 Wells
		(was)(will be) completed (by) 1/17/1985 & 7/12/2002 (?) - Approved by Water Permit No. 46227 on 6/30/2006
8.	The	(Month/Day/Year - each was or will be completed) first actual application of water for the proposed beneficial use was or is estimated to be as soon as possible bay/Year)

## JAN 2 2 2025

File	No.			

		_	-		-	- I I	1 mayor 1	1	
KSI				621	21		1 1 1	pag"	-
	11-		T 14	L DI	1	$\cup \cup$	- 1		-

	KS DEPT OF AGNICOLITING
9.	Il pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion work
	Yes  No If "yes", a check valve shall be required.
	chemigation safety requirements must be met including a chemigation permit and reporting requirement
10.	ou are planning to impound water, please contact the Division of Water Resources for assistance, prior pmitting the application. Please attach a reservoir area capacity table and inform us of the total acres face drainage area above the reservoir.
	ve you also made an application for a permit for construction of this dam and reservoir with the Division ater Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here NA
	If no, explain here why a Water Structures permit is not required NA
11.	e application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed proving the following information. On the topographic map, aerial photograph, or plat, identify the center esection, the section lines or the section corners and show the appropriate section, township and rangements. Also, please show the following information:
	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or oth diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the Nort South distance and the East-West distance from a section line or southeast comer of section.
	If the application is for groundwater, please show the location of any existing water wells of any kind with ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name ar mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstrea and $\frac{1}{2}$ mile upstream from your property lines must be shown.
	The location of the proposed place of use should be shown by crosshatching on the topographic material photograph or plat.
	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and rang numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence Kansas 66047.
12.	t any application, appropriation of water, water right, or vested right file number that covers the same ersion points or any of the same place of use described in this application. Also list any other recedifications made to existing permits or water rights in conjunction with the filing of this application. ater Rights Nos. 46227, 46228, and 46229 all have identical Place of Use overlap with this
	plication, also this application will overlap No. 46227 PD. This application is to increase the
	antity to the maximum small use quantity of 15 AF with Water Right No. 46227. Rate to be limited
	GPM combined with No. 46227. Pending Applications that overlap No. 46228 & 46229 PDs
	I also have identical place of use overlap with this application.

	Information below is from:	☐ Test holes	■ Wel	l as completed	Drillers	log attached
	Well location as shown in p	paragraph	(A)	(B)	(C)	(D)
	Date Drilled			7/12/2002	1/17/1985	
	Total depth of well			61 ft	50 ft	
	Depth to water bearing for	mation		9 ft	11 ft	
	Depth to static water level			27 ft	28 ft	
	Depth to bottom of pump in	ntake pipe		unknown	unknown	
	Stutzman Greenhouse,	(name, addre	ess and te	lephone numbe	r)	
5.	The owner(s) of the property					
	Statzman Greenhouse,					, (020) 002-030
	BHM Holdings, LLC,			Ct., Wichita,		(620) 662-055
S.	The undersigned states that that this application is subm	t the information	set forth a			/her knowledge a
	Dated at Hutching			day of	entemb (month)	(year)
		E 180				
	Bo Mul	(b)				
-	(Applicant Signatur	e)	_			
Ву	y tag tagan ang ang ang ang ang ang ang ang ang					
By	i de la compania del compania de la compania del compania de la compania del compania de la compania del compania de la compania del comp					
Ву	y tag tagan ang ang ang ang ang ang ang ang ang					
Ву	y tag tagan ang ang ang ang ang ang ang ang ang	ature)				
- - - - -	(Agent or Officer Signa	e Print)		lydrogeolog		7/09/2024

File No. \_\_\_\_

JAN 2 2 2025

JAN 2 2 2025

#### INDUSTRIAL USE SUPPLEMENTAL SHEET

KS DEPT	OF AGE	RICULT	20
---------	--------	--------	----

	File No
	Name of Applicant (Please Print): Stutzman Greenhouse, Inc. (Attn: Ben Miller)
1.	Please describe type of industry or product produced: Greenhouse and plant growing operation
	Standard Industrial Classification Code Number: 0181
2.	Please complete the following table to show your past and present water requirements:

#### PAST PRODUCT PRODUCTION AND WATER DIVERTED, IF APPLICABLE

LAST 5 YEARS	AMOUNT OF PRODUCT	WATER DIVERTED (GALLONS)	GALLONS PER PRODUCT PER DAY					
5 years ago	720,000 Plants	1,138,700	3120					
Last year	686,000 plants	1,100,600	3015					
Present year	716, Iddo Plants	822,000 As of B1-124	3512 as of 8/112					

3. Please complete the following table to show your future water requirements:

#### ESTIMATED FUTURE PRODUCT PRODUCTION AND WATER DIVERTED

NEXT 5 YEARS	AMOUNT OF PRODUCT	WATER TO BE DIVERTED (GALLONS)	GALLONS PER PRODUCT PER DAY			
Year 1	- 752,499 Plants	4,887,765	13,391			
Year 2	790,123 plants	4,887,765	13,391			
Year 3	813,826 Plants	4,887,765	13,391			
Year 4	838,240 Plants	4,887,765	13,391			
Year 5	863,387 Plants	4,887,765	13,391			

Number of days of operation of the industry per year is  $\sim$ 365 days.

Please attach any tables, curves or additional information showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used. Show in the space provided below the Section (S), Township (T), and Range (R), and the number of acres in each forty acre tract or fractional portion thereof.

-		D		NI	E1/4			NV	V1/4			sv	V1/4			SE	E1/4		TOTAL
5	1	K	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
6	248	7W						12	5		- 4								17
1	248	7W	2.7				l vig				= =	ď			20				22.7

You may attach any additional information you believe will assist in informing the Division of the need for your request.

JAN 2 2 2025

KS DEPT OF AGRICULTURE

#### FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

#### **CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

## Application Map - File No.



I declare that all water wells or diversion sites using the same source of supply and within 1/2 mile of the proposed point of diversion have been plotted on the application map.

Signature	09-09-2029 Date		
X New Application Application No To Change:	Water wells within 1/2 mile of proposed point of diversion include: (type use, owner, address)  1) See attached sheet for details		
Point of Diversion	,,		
Place of Use	2)		
Use Made of Water	WATER RESOURCES RECEIVED		
<ul><li>Proposed Point of Diversion</li><li>Existing Points of Diversion</li></ul>	3) JAN 2 2 2025		
Proposed Place of Use	KS DEPT OF AGRICULTURE		
Authorized Place of Use	Completed By GMD2 Staff		

#### Well owners within ½ mile

 Industrial Well Water Right No. 46229 – Applicant's Stutzman Greenhouse – Attn: Ben Miller 6709 W. HWY 61 Hutchinson, KS 67505

JAN 22 2025

WATER RESOURCES
RECEIVED

 Domestic Well Vernon J. Miller Rev. Trust 5002 S. Dean Rd. Hutchinson, KS 67501

- Domestic Well Center Amish Mennonite Church c/o Keith Miller 7611 W. Morgan Ave. Hutchinson, KS 67501
- Domestic Well
   Nisly & Company Real Estate, LLC
   P.O. Box 93
   Partridge, KS 67566
- Domestic Well Nathan L. & Marjean K. Nisly 5307 S. Dean Rd. Hutchinson, KS 67501
- Domestic Well Melvin H. & Clara Mae Nisly 5217 S. Dean Rd. Hutchinson, KS 67501-9104
- Domestic Well David & Sara Jenkins
   5715 S. Dean Rd. Hutchinson, KS 67501-9128
- & 9.) Domestic Wells John & Joanna Riehl
   5716 S. Dean Rd. Hutchinson, KS 67501
- Domestic Well James Ivan & Janet Shetler 5600 S. Dean Rd. Hutchinson, KS 67501
- Domestic Well Norman & Roda Yutzy Trust 5907 W. Long View Rd. Hutchinson, KS 67501
- 12) Domestic Well Duane D. & Kathleen Yoder 7214 W. Mills Ave. Hutchinson, KS 67501-7843
- Domestic Well Luke E. & Victoria D. Helmuth 7210 W. Mills Ave. Hutchinson, KS 67501-7843

- 14) Domestic Well Aaron & Sarah Keller 7204 W. Mills Ave. Hutchinson, KS 67501
- Domestic Well John A. Yoder Jr.
   7002 W. Mills Ave. Hutchinson, KS 67501-9053
- 16) Domestic Well Joseph M. Schmucker Trust 6918 W. Mills Ave. Hutchinson, KS 67501
- 17) Domestic Well Amanda Stephenson 6912 W. Mills Ave. Hutchinson, KS 67501
- 18) Domestic Well Shawn & Jazzmine Andsager 6818 W. Mills Ave. Hutchinson, KS 67501
- Domestic Well Silas Beachy
   6804 W. Mills Ave. Hutchinson, KS 67501
- 20) Domestic Well Merrill D. & Laura A. Yoder 6714 W. Long View Rd. Hutchinson, KS 67501
- 21) Domestic Well Angela J. & Eric J. Beachy 609 E. Avenue A Hutchinson, KS 67501
- 22) Domestic Well Rosalie Nisly Rev. Trust 5804 S. Dean Rd. Hutchinson, KS 67501-9129
- 23) Domestic Well Doris & Matthew Yoder 6602 W. Mills Ave. Hutchinson, KS 67501
- 24) Domestic Well Steven & Evely Fern Miller 6809 W. Mills Ave. Hutchinson, KS 67501-8895
- 25) Domestic Well John Vincent & Elizabeth Grace Miller 6403 W. Mills Ave. Hutchinson, KS 67501

JAN 22 2025

KGS Hydrology

Water Well Database Query

## Scan of WWC5 Form

WATER RESOURCES RECEIVED

JAN 2 2 2025

		Ca	ction Number	Township Number	Range Number
	VE NE	1	)	T 24	S R Z EW
istance and direction from nearest fown or city street addre					S
3 mi F /	N of Par	tride	6	809 W M	1111s Rd
WATER WELL OWNER: STE. VE Mille					
	ills hd				oro. Division of Water Resource
FULL PROPERTY.	5 6756		# F. F.	Application Numb	The state of the s
		•			
N WELL'S STATIC WA					11.3 7-12-02
Pump to	st data: Well water	was	8 It. al	ler 12 ho	urs pumping . 2.5
NW NE ESI, YIER		was ubtc water			urs pumpinggp
		Al feld water			12 Other (Specify below)
W E 2 Irrigation	4 Industrial O	omestic (la	vn & garden) 1		
	teriological sample s	ubinitted to			es, mo/cay/yrs sample was su
mated			Wat	er Well Disinlected?	No No
\$					
	Vreught iron	8 Concr			Glued Clamped
DPVC 4 ABS 7 F	iberglass		(specify below)	and the second	We'ded
Blank casing diameter	/ 11. Oia		in. lo	It., Dia	in, to
asing height above land surface/-2	in, weight		B	os /It. Wall thickness or	gunge No. 160
YPE OF SCREEN OR PERFORATION MATERIAL:	· Carreto	DP1		10 Asbestos	
	berglass Concrete tile	9 AE	1P (S9) S		ecity)
CREEN OR PERFORATION OPENINGS ARE:		ed wrapped		(Saw cut	11 None (open hole)
1 Continuous slet 3 Mil stel	6 Wire v	vrappod	-	9 Drilled holes	
2 Louvered shutter 4 Key punched	7 Toich				-n-m
CREEN-PERFORATED INTERVALS: From	11. 15	61	It From		II. lo
or received the state of the st			man and a reservation	***************************************	
GRAVEL PACK INTERVALS From 23		64	It., From		ft. to
GRAVEL PACK INTERVALS: From		64	It., From	· ••• · •• · • · • · • · • • • • • • •	ft. 10 ft. to ft. to
GRAVEL PACK INTERVALS From 23		64	IL. From II., From		ft. 10 ft, 10 lt. 50
GRAVEL PACK INTERVALS From 2.3 From 2.3 GROUT MATERIAL: 1 Newscement 2	fi to	6.4 (Den	II., From II., From II., From	Olber	ft. 10 ft. 10 ft. 10
GRAVEL PACK INTERVALS From 23  GROUT MATERIAL: 1 Neat cement 2  Grout Intervals: From 3 It to 2.3	fi to	6.4 (Den	II., From II., From II., From	Olher	ft. 10 ft. 10 ft. 10
GRAVEL PACK INTERVALS From 2.3  GROUT MATERIAL: 1 New cement 2  Grout Intervals: From 3 It to 2.3	fi to	6.4 (Den	II., From	Olhertl. From	ft. 10 ft. 10 it. 50
GRAVEL PACK INTERVALS From  GROUT MATERIAL: 1 Neat cement 2 Grout Intervals: From	ti. to	6.11 Den	II., From	Olher ti, From	ft. to (ft. to
GRAVEL PACK INTERVALS  From 2.3  From 2.3  GROUT MATERIAL: 1 Neat cement 2  Grout Intervals: From 3. If to 2.3  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	It. to It. form It. From It. From It. From	6.11 Den	II. From III. II. II. II. II. II. II. II. I	Olher	ft. to ft
GRAVEL PACK INTERVALS  From 2.3  From 2.3  From 2.3  From 2.3  From 2.3  GROUT MATERIAL: 1 Neat cement 2  Grout Intervals: From 3.1 to 2.3  What is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 2  Sewar lines 5 Cass pool 3  Watertight sewer fines 6 Seepage pit forcetion from well?	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to iii. to iii. to iii. to iii. to iii. lo ii. lo iii. lo ii. lo i
GRAVEL PACK INTERVALS  From 2.3  Fro	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	6.11 Den	II. From III. II. II. II. II. II. II. II. I	Olher	ft. to ft
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Grout Intervals: From 3 to 23  What is the nearest source of possible contamination: 4 Lateral fines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil Sirection from well?  FROM TO LITHOLOGIC LOC	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to iii. to iii. to iii. to iii. to iii. lo ii. lo iii. lo ii. lo i
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Graut Intervals; From 3. It to 2.3.  What is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil firection from well?  FROM TO LITHOLOGIC LOC 0.9 8 C Cay 9	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to iii. to iii. to iii. to iii. to iii. lo ii. lo iii. lo ii. lo i
GRAVEL PACK INTERVALS  From 23  GROUT MATERIAL: 1 Neat cerrent 2  Grout Intervals: From 3 to 2.3  That is the nearest source of possible contamination:  (1) Septic tank 4 Lateral fines 5 Cess pool 3 Waterlight sewer fines 6 Seepage pil firection from well?  FROM TO LITHOLOGIC LOC	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to iii. to iii. to iii. to iii. to iii. lo ii. lo iii. lo ii. lo i
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  irout Intervals; From 3. It to 2.3.  Phat is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Watertight sewer lines 6 Scepage pil frection from well?  FROM TO LITHOLOGIC LOC 0 9 8 C Clay 9 14 F Sand	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to iii. to iii. to iii. to iii. to iii. lo ii. lo iii. lo ii. lo i
GRAVEL PACK INTERVALS  From 23  From 24  From 25  From 25  From 25  From 25  From 26  From 26  From 26  From 27  From 27	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 24  From 25  From 25  From 25  From 25  From 26  From 26  From 26  From 27  From 27	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Graut Intervals; From 3. It to 2.3.  What is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil firection from well?  FROM TO LITHOLOGIC LOC 0.9 8 C Cay 9	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Graut Intervals; From 3. It to 2.3.  What is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil firection from well?  FROM TO LITHOLOGIC LOC 0.9 8 C Cay 9	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  irout Intervals; From 3. It to 2.3.  Phat is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Watertight sewer lines 6 Scepage pil frection from well?  FROM TO LITHOLOGIC LOC 0 9 8 C Clay 9 14 F Sand	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Graut Intervals; From 3. It to 2.3.  What is the nearest source of possible contamination:  (Deptic tank 4 Lateral fines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil firection from well?  FROM TO LITHOLOGIC LOC 0.9 8 C Cay 9	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Graut Intervals: From 3. It to 2.3.  What is the nearest source of possible contamination: 4 Lateral fines 2 Sewer lines 5 Cess pool 3 Waterlight sewer lines 6 Scepage pil brection from well?  FROM TO LITHOLOGIC LOC 0.9 8 C Cay 9	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From 23  From 23  From 23  GROUT MATERIAL: 1 Neat cement 2  Grout Intervals: From 3. It to 2.3.  What is the nearest source of possible contamination: 4 Lateral fines 2 Sewer lines 5 Cess pool 3 Waterlight sewer fines 6 Scepage pill  Direction from well?  FROM TO LITHOLOGIC LOC 0  9 14 F Sand	ft. to ft. From ft. From ft. From ft. From general Sewage is 9 Feedyard	<b>Den</b> 1.	II. From II. From II. From II. From II. From II. From III. From II	Olher	ft. to ft. to II. to III. to I
GRAVEL PACK INTERVALS  From	It to  fi. lo  fi. lo  fi. lo  Cameni graut  fi. From  7 Pat privy 8 Sewage is 9 Facetyard	Gen St.	II., Flori II., From III., From III., From III., From III. From	Olher	ft. to ft
GRAVEL PACK INTERVALS  From	It to  fi. lo  fi. lo  fi. lo  Cameni grout  fi. From  7 Pat privy 8 Sewage is 9 Feedyard 3	G. P. Spen	II., Flom	Olher	ft. to ft
GRAVEL PACK INTERVALS  From	It to  fi. lo  fi. lo  fi. lo  fi. lo  fi. lo  Cameni graut  7 Pit privy 8 Sewage li 9 Feedyard 3	G. P.  It.  It.  It.  It.  IT.  IT.  IT.  IT	II., Flori III., From	Olher	ft. to ft

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 2, 2014 Data added continuously.

		All I	WATER WE	LL RECORD	Form WWC-5	KSA 82a			
OCATI	ON OF WAT	Market Control of the	Fraction			tion Number	Township Nu		Range Number
unty:	Ken direction	from nearest town o	NE 14	VE 14 5	E 1/4		T 24	S	R J EM
laile a	and direction	nom nearest town o				0			
WATER	R WELL OW	MED. LL	mi Entehinson	1010 0 15	Truc	ruri	iage		
	Address, Bo		Compour				Board of Ac	riculture I	Division of Water Resour
	, ZIP Code		itch, Ks				Application		Sivilion of viator ricood.
OCATE		OCATION WITH 4	DEPTH OF COMPL	LETED WELL			TION:		
w [	NW	WE   WE	Pump test	data: Well wa gpm: Well wa	2 <i>8</i> ft. b ter was 3 ter was	elow land sur	face measured on fter	mo/day/yr hours pu hours pu	/-/6-85 mping 25 gr mping gr to
"			LL WATER TO BE	USED AS:	5 Public water	r supply	8 Air conditioning		Injection well
	- SW	SF	Omestic	3 Feedlot		The second second			Other (Specify below)
	1	%	2 Irrigation	4 Industrial			10 Observation wel		
L	1	l Wa	s a chemical/bacter	riological sample	submitted to De				, mo/day/yr sample was s
		s mit	ted				ter Well Disinfected		
		CASING USED:	5 V)	rought iron	8 Concre	Different Comment			Clamped
1 Ste	200	3 RMP (SR)		sbestos-Cement		(specify below			ed
@PV		4 ABS		iberglass					aded
									in. to
sing hei	ight above la	and surface	.عin., v	weight 3.			ft. Wall thickness o	r gauge N	0 1.6.0
PE OF	SCREEN O	R PERFORATION M	ATERIAL:		$\mathcal{O}^{v}$	С	10 Asbe	estos-ceme	ent
1 Ste	eel	3 Stainless ste	el 5 Fi	iberglass	8 RM	P (SR)	11 Othe	r (specify)	
2 Bra	ass	4 Galvanized	steel 6 C	oncrete tile	9 AB	S	12 None	e used (op	en hole)
REEN (	OR PERFOR	RATION OPENINGS	ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Co	ontinuous slo	ot 3 Mill s	ot	6 Wire	wrapped		9 Drilled holes		
2 Lo	uvered shut	ter 4 Key p	unched	7 Toro	ch cut		10 Other (specify)	r	: 
		ED INTERVALS:		ft. to	50	ft Fro			0
		CK INTERVALS:	From	ft. to	<u>.</u>	ft., Fro	m	ft. t	0
			From	ft. to		ft., Fro			
GROUT	MATERIAL	: Neat cem	ent 2 Ce	ment grout	3 Bento	nite 4			
out Inter	rvals: Fro						ft., From		ft. to
at is th	e nearest so	ource of possible con					tock pens		bandoned water well
(1)Se	eptic tank	4 Lateral li	nes	7 Pit privy		11 Fuel	storage	15 C	il well/Gas well
	wer lines	5 Cess poo	of	8 Sewage la	goon		izer storage	16 C	Other (specify below)
3 W	atertight sew			9 Feedyard	3		ticide storage		
	from well?	F	3.1	o . occaya.c		How ma			
ROM	ТО		ITHOLOGIC LOG		FROM	TO		LITHOLOG	IC LOG
)	11	Br Cla	.,						
11	55	Sand - 1	F-C						
,									
				-					
							-		
						<b></b>			
	<u> </u>						- V		ESOURCES
				<del></del>				REG	EIVED
								IAAL (	0 2025
					264 - 264 1 308			JAN S	2 2 2025
							KSI	JEPT OF	AGRICULTURE
		and the state of t				·			
CONTR	HACTOR'S	OH LANDOWNER'S	CERTIFICATION:						der my jurisdiction and v
		/year) / /						or my kn	owledge and belief. Kan
				This Water	Well Record wa			1	
	business na	me of MI//	er Drillia	for survey	and OCULT -1	by (signa			a correct annuary South
OD CON	es to Kanasa	Department of Hacit	and Environment	Division of Envir	opment Fource	y. Please till i	n Dianks, underline	KS 66620	e correct answers. Send . Send one to WATER WE
NNER a	and retain or	ne for your records.	. and Environment, I	E.TIGIOTI OF ETIVIT	o.anon, enviol		5, 200.1011, 10pond,		

09-09-2024 (Date)

Kansas Department of Agriculture Division of Water Resources Earl D. Lewis, Jr., Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re: Application
File No. \_\_\_\_\_

Minimum Desirable Streamflow

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

		Signature of Applicant		
State of Kansas	)	Bons, Miller		
County of <u>Leno</u>	) ss )	(Print Applicant's Name)		

Notary Public

My Commission Expires:

MARILYN FISK

Notary Public - State of Kansas

My Appt. Expires 11-08-7025

WATER RESOURCES RECEIVED

IAN 99



JAN 2 2 2025

# MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

KS DEPT OF AGRICULTURE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

JAN 2 2 2025

# DOMESTIC WATER WELL OWNER WATER WELL SPACING CONSENT FORM

K.A.R. 5-22-2(e)(4)

I, <u>David &amp; Sara Jenkins</u>	, own domestic wells at <u>5715 S. Dean Rd.</u> ,
Name Domestic Water Well Owner Hutchinson	Address 67501_9128
Hutchinson , KS , State	Postal Code Telephone
to supply water for domestic needs and use. on//	That said water well was drilled and constructed
	n Greenhouse, Inc. has either filed a change in  Applicant Name er permit # or new application #not known groundwater for non-domestic beneficial use.
battery in the SE 1/4 NE 1/4 SE	a proposed non-domestic water well or water well a proposed non-domestic water well or water well a proposed in the water well and a proposed in the water water water well a proposed in the water wa
	osed non-domestic water well or water well battery val of 660 or 960 feet, respectively, of my domestic
	out waiving any right to file an impairment complaint esources, I grant my permission to locate said well d spacing interval from my domestic well.
Dated at <u>Flutchinson</u> , Kansas, t Signed b	this 6th day of September 2024.  Domestic Well Owner
Witnessed by: Bon H. Mills Address: 6709 W Huira  Witchenson K. Telephone: 620 662-0.	ey 6 (

JAN 2 2 2025

## DOMESTIC WATER WELL OWNER WATER WELL SPACING CONSENT FORM

K.A.R. 5-22-2(e)(4)

I, Nathan L. & Marjean Nisly		, own domestic we	ells at <u>5307 S. De</u>	an Rd.
Name Domestic Water Well Owner	KC	67504	Address	
Hutchinson,	KS, State	67501, Postal Code	Telephone	······································
to supply water for domestic needs	and use.	That said water		d constructed
on//				
I understand and acknowledge that _ point of diversion application on exist for a water permit to withdraw or app	A sting wate	er permit #	or new application	n # <u>not knowr</u>
That the application described the lobattery in the <u>SE</u> 1/4 <u>NE</u> 1/4 Range <u>7</u> West, <u>Reno</u> per year at <u>50</u> gallons per min	SE_1 Coun	1/4 of Section ity, and will allow t	1, Township	24 South
The applicant has informed me that is within the minimum required spac well.				
Having full knowledge of the above a with the Chief Engineer, Division of or well battery less than the minimun	Water Re	sources, I grant m	ny permission to lo	cate said wel
Dated at Hutchinson,	Kansas, t	y: With	Angust  Domestic Well Owner	_20 <u>24</u> .
Witnessed by: Swilly Address: 6709 w 9	V.M	fler of 61		
Telephone: <u>620 66</u>	2-0	559		

JAN 2 2 2025

### **DOMESTIC WATER WELL OWNER** WATER WELL SPACING CONSENT FORM

K.A.R. 5-22-2(e)(4)

I, Melvin H. & Clara Mae Nisly	,	own domestic w		
Name Domestic Water Well Owner Hutchinson	KS	67501-9104	Address	
Hutchinson ,,	State	Postal Code	Telephone	,
to supply water for domestic needs a	and use.	That said water	well was drilled a	nd constructed
on/				
l understand and acknowledge that <u>S</u>		Greenhouse, Inc	c. has either file	d a change in
point of diversion application on exist	ting watei	permit #	or new applicat	ion # <u>not known</u>
for a water permit to withdraw or appr	opriate gr	oundwater for no	on-domestic bene	ficial use.
That the application described the loc				
battery in the <u>SE</u> 1/4 <u>NE</u> 1/4	SE1/	4 of Section	1, Township	24 South,
Range <u>7</u> West, <u>Reno</u> per year at <u>50</u> gallons per mini	Count ute for i	y, and will allow t industrial use	the withdrawai of	11.21 acre-teet
gallotto por 1111111	uto 101	<del>Hadothar</del> doo.		
The applicant has informed me that the	ha muamaa			
The applicant has informed me that the swithin the minimum required spacing the contract of the contract that the contract is the contract of	ne propos na interva	sea non-aomestic Lof 660 or 960 fe	et respectively	iter well battery
well.	.9		oct, respectively,	or my domocae
Having full knowledge of the above ar	nd withou	t waiving anv righ	nt to file an impair	ment complaint
with the Chief Engineer, Division of W	Vater Res	sources, I grant n	ny permission to I	ocate said well
or well battery less than the minimum	required	spacing interval	from my domestic	well.
41.			n .	
Dated at <u>Hutchinson</u> , K	ansas, th	is <u>24 <sup>17</sup></u> day of _	Hugust	20 <u>24</u> .
	Signed by	Mole	Domestic Well Owner	slee
	oigned by	11/29	Domestic Well Owner	
				U
$\mathcal{D}$	•	•0-		
Witnessed by:	me	ller		
Address: 6709 W 9	Heir	461		
Hietatrasson	0	7		
	200			
Telephone: <u>620 66</u>	2-0	559		

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

January 24, 2025

STUTZMAN GREENHOUSE INC- Attn: BEN MILLER 6709 W HWY 61 HUTCHINSON KS 67501

RE: Application, File No(s). 51402

#### Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kris Neuhauser New Applications Lead Water Appropriation Program