Submit To: CHIEF ENGINEER Division of Water Resources Kansas Department of Agriculture 1320 Research Park Drive Manhattan, KS 66502-5000 http://agriculture.ks.gov/dwr

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR **BENEFICIAL USE**



STATUTORY FILING FEE MUST ACCOMPANY THIS APPLICATION Please refer to the Fee Schedule attached to this application form.

51406

WATER RESOURCES RECEIVED

JAN 27 2025

	File Number:	51406	JAN 27 2025
	This item to be completed by the Divi	sion of Water Resour	ces staff.
			KS DEPT OF AGRICULTURE
1.	Name of Applicant: ILS Land LLC		12:08 PM
	Address: 551 SW 30 Rd	7	
	City: Great Bend State:		Zip Code: 67530-9730
	Phone: 620-792-6166		ilsbeef.com
2.	The source of water is: surface water in		
		(stre	eam)
	□ groundwater in Arkansas River	er ()	
_		*	age basin)
3.	The maximum annual quantity of water desired is 148.67		
	to be diverted at a maximum rate of 512	. ⊠ gpm	s ∐ natural flows ∐ natural evaporation
	☐ This project involves surface water storage and redive	sion. The maxim	um annual quantity of water desired to
	be rediverted is acre-feet	gallons, at a rate	e of gpm
	Conversion		
	1 acre-foot (AF) = 3		=\
	1 million gallons (mg) = 1 cubic foot per second (c.f.s.) = 44		
IMP	ORTANT: Once your application has been assigned a price		,
dive	rsion and maximum requested annual quantity of water und	der that priority no	umber can NOT be increased. Please be
	ain your requested maximum rate of diversion and maximur our proposed project.	n annual quantity	of water are appropriate and reasonable
ioi y	our proposed project.		
4.	The water is intended to be appreciated for the following	(2):	
4.	The water is intended to be appropriated for the following		□ Water Dewes*
	☐ Artificial Recharge* ☐ Irrigation* ☐ Recrea		☐ Water Power*
	☐ Industrial* ☐ Municipal* ☐ Stocky		Sediment Control
		ulic Dredging	☐ Fire Protection
	☐ Thermal Exchange ☐ Contamination Remediation		
	*IMPORTANT: You must submit a supplemental form proquantity of water listed in Item No. 3 for the intended use(s		
	quantity of water listed in item No. 3 for the intended use(s	referenced abov	7 .
	FOR OFFICE US		1/27/25
	FO 2 GMD 5 DUA - Use IRR Source GW		KJN _{Date} 1/27/25
Code	26-2 Fee \$ 300 TR # Receipt	Date 1/27/2025	Check #_ 2520

		Etta Ma
		File No.
5.	ap sp	le location(s) of the proposed diversion work(s) (well, pumpsite, etc.) are described below. Note that for the plication to be accepted, the point of diversion location(s) <u>must</u> be described to at least a 10-acre tract, unless you ecifically request a 60-day period of time in which to locate the site within a specifically described, minimal legal arter section of land. You can specify a nickname for the point of diversion via the A.K.A. line to help you identify it.
		If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.
		A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300-foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800gpm and which supply water to a common distribution system.
	(A)	One Near the Center of the Northeast quarter of Section 26, more particularly described
		as being near a point 3,976 feet North and 1,304 feet West of the Southeast corner of said section, in
		Township 23 South, Range 16 West, Pawnee County, KS. A.K.A: 118
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly described
	()	as being near a point feet North and feet West of the Southeast corner of said section, in
		Township South, Range West, County, KS. A.K.A:
	(C)	One in the quarter of the quarter of the, more particularly described
	(0)	as being near a point feet North and feet West of the Southeast corner of said section, in
		Township South, Range West, County, KS. A.K.A:
		
	(D)	One in the quarter of the quarter of Section, more particularly described
		as being near a point feet North and feet West of the Southeast corner of said section, in
		Township South, Range West, County, KS. A.K.A:
	(E)	One in the quarter of the quarter of the quarter of Section, more particularly described
		as being near a point feet North and feet West of the Southeast corner of said section, in
		Township South, Range West, County, KS. A.K.A:
6.	Th	e proposed project for diversion of water will consist of one well
	an	(number of wells, pumps, dams, etc.) d was/will be completed on or by the following date: Fall 2026
	an	(date each was or will be completed)
7.	The	first actual application of water for the proposed beneficial use was or is estimated to be Fall 2026 (Date)
		,———,
8.	div	st any application, appropriation of water, water right, or vested right file number that covers the same point(s) of version or any of the same place of use described in this application. Also list any other recent modifications made existing permits or water rights in conjunction with the filing of this application.
	Pla	ace of Use: Pending new application in NW 26-23-16W // Point of Diversion: none
	<u>Th</u>	is application is an offset under K.A.R. 5-25-22 from File Nos. 21177 & 21776 in Zone B.
	<u>Fil</u>	e No. 21117 and 21776 are currently in a 25.97% response area. These files are also being used as offsets
	for	proposed apps in the SW of 14-23-16W and the NW of 26-23-16W, Pawnee County.
	Fil	e Nos. 21117 and 21776 will be dismissed if all apps are approved.

Page 2 of 4

WATER RESOURCES RECEIVED

9.	Will	pestic	cide, ferti	lizer, or other foreign s	ubstance be in	jected into the	water pumped f	rom the diversi	on works?
	□ Y	es/	☐ No	If yes, a check valve sh chemigation permit and			afety requiremen	ts must be met i	ncluding a
10.				g to impound water, acity table and inform					
	Hav	e you	made ar	n application for a pern	nit for construct	ion of this dam	and reservoir w	vith DWR?	Yes 🛛 No
	lf y	yes, w	rite the	Water Structures perm	it number here	: ==			
11.	Furr	nish a	detailed	topographic or aerial	map that depic	ts the following	information:		
				ust be supplemented ped in A-D below.	by a topograp	ohic map, aeria	al photograph o	r a detailed pl	at showing the
	(A)			the section, the section range numbers, as we				owing the appr	opriate section
	(B)	work	s) descri	of the proposed point bed in Item No. 5 of the n line or southeast core	e application, s				
	(C)	The	location	of the proposed place	of use identified	d by crosshatch	ning,		
	(D)	or we	ells and	water Use, the locatior indicate for each well in the are no wells within	its type of use	and the name	and mailing add		
				Water Use, the name myour property lines, a		sses of the lan	downer(s) 1/2 r	nile downstrea	m and ¹ / ₂ mile
	(E)			of proposed or existing the purpose of storing			nals, pipelines,	power houses	, and any othe
12.	drille	er's lo		use, furnish copies of the depth to the static woon:					
	V	Vell lo	cation as	shown in Item No. 5	(A)	(B)	(C)	(D)	(E)
				Date drilled					
				Total depth of well					
			Depth t	o static water level					
12.	The	owne	r(s) of th	e point of diversion, if	other than the a	applicant, is/are	:		
	ILS	Land	LLC, 551	SW 30 Rd, Great Ber			onID 59931-1)		
					(name, address	s, and phone)			
					(name, address	s, and phone)			
					Page :	3 of 4		WATER RESC	

File No.

JAN 27 2025

	File No
	The owner(s) of the property where the water is used, if other than the applicant, is/are:
	ILS Land LLC, 551 SW 30 Rd, Great Bend KS 67530-9730 (PersonID 59931-1)
	(name, address, and phone)
	(name, address, and phone)
	The relationship of the applicant to the proposed place where the water will be used is that of:
	Owner Agent Tenant Other:
t	A water use correspondent (WUC) must be designated. The WUC will be mailed the annual water use report, whice must be filed with the Division by March 1 of each year. Failure to timely file an accurate water use report will subject the owner(s) to a civil fine of up to \$1,000 and potential suspension of the water appropriation or right. By signing this application, I verify that the owner(s) of the water right or permit have confirmed that the following person or agents should be designated as the WUC:
	LS Farms, WFY Holding Company Inc, 551 SW 30 Rd, Great Bend KS 67530-9730 (PersonID 61230 - 3) (name, address, and phone)
F v a	understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. This could affect the economics of my decision to appropriat vater. Situations where this might occur may include times when minimum desirable streamflow (MDS) requirement are not met, when Assurance District or Water Marketing releases are made from storage in federal reservoirs, when Water Reservation Right upstream of a federal reservoir is administered, or when water rights administration becomes necessary to prevent impairment.
	declare, under penalty of perjury, that I have legal access to or control of, the point(s) of diversion described in thi application from the landowner or the landowner's authorized representative.
	By signing below, I verify that the information set forth above is true to the best of my knowledge, I agree with a statements made above, and that this application is submitted in good faith.
	Sant / Sound 01/24/2025
	(Applicant Signature) (Date)
	Garret Smith
	(Applicant Name – Please Print)
	Director of Farm Operations
	(Applicant Title, if applicable – Please Print)
	WATER RESOURCES RECEIVED
	JAN 27 2025
	KS DEPT OF AGRICULTURE

Assisted By <u>EKF</u> (office/title)

JAN 27 2025

IRRIGATION USE SUPPLEMENTAL SHEET

KS DEPT OF AGRICULTURE

							Fi	le No											
			Nar	ne of	Appl	icant	(Plea	ase F	rint):	ILS	Lanc	LLC							
i	Please rrigate portio	ed, a	nd de	the n	ame ate th	and ne ac	addr tual r	ess on the second secon	of ea er of	ch la acres	ndow s to b	/ner, e irri	the l gated	egal I in e	desc ach f	criptio orty a	on of acre	the I tract o	ands to be or fractional
Land	down	er of	Rec	ord I	NAM	E: <u>IL</u> S	S Lan	d LL	C										
				ADI	DRES	SS: <u>5</u>	51 S\	N 30	Rd, (Great	Ben	d KS	6753	80-97	30 (F	erso	nID 5	59931	-1)
	_	_		NE	1/4			NV	V1/4			SV	V1/4			SE	Ξ1/4		
s	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
26	23S	16W	33.75	33.75	33.75	33.75	33.75	33.75	33.75	33.75									270
D-1																			
Land	down	er of	Rec	ord	NAM	F.													
Lam	u01111	C. O.	1100																
s	STR		ll	NE	=1/														
	1 1	R	\			L 0.F	NE		V1/4	05	NE.		V1/4	CE.	L.		E1/4	l cr	TOTAL
		R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	V¼ SW	SE	NE	NW	SW	SE	TOTAL
	<u>'</u>	R	NE			SE	NE		_	SE	NE			SE	NE			SE	TOTAL
	'	R	NE			SE	NE		_	SE	NE			SE	NE			SE	TOTAL
	'	R	NE			SE	NE		_	SE	NE			SE	NE			SE	TOTAL
		R	NE			SE	NE		_	SE	NE			SE	NE			SE	TOTAL
	down			NW	SW			NW	SW			NW	SW			NW	SW	SE	TOTAL
				NW	SW	E:		NW	SW			NW	SW			NW	SW	SE	TOTAL
Land	down	er of		ord ADI	NAM DRES	E:		NW	SW			NW	sw			NW	SW	SE	
				ord ADI	NAM DRES	E:		NW	SW			NW	SW			NW	SW	SE	TOTAL
Land	down	er of	Rec	ord ADI	NAM DRES	E: SS: _		NW	SW			NW	SW			NW	SW		
Land	down	er of	Rec	ord ADI	NAM DRES	E: SS: _		NW	SW			NW	SW			NW	SW		
Land	down	er of	Rec	ord ADI	NAM DRES	E: SS: _		NW	SW			NW	SW			NW	SW		

2. P A	le	ase ach s	complete supplem	e the following informa ental sheets as neede	ation for the descripti ed.	on of the operation	n for the	irrigation project.
а			So Nar		Percent of field (%)	Intake Rate (in/hr)		Irrigation Design Group
b			imate the	tal: e average land slope i		%		
С		Тур	e of irrig	ation system you prop	pose to use (check o	ne):		
		<u>X</u> — Oth	Gra	nter pivot vity system (furrows) se describe:		stem (borders)		"Big gun" sprinkle Sideroll sprinkler
d				ign features:				
		i.	Descril	oe how you will contro	ol tailwater:			
		ii.	For spi	inkler systems:				
			(1)	Estimate the operatin	g pressure at the dis	stribution system:		_ psi
			(2)	What is the sprinkler	package design rate	? gpm		
			(3)	What is the wetted dia	ameter (twice the dis	stance the sprinkle	r throws	water) of a
				sprinkler on the outer	100 feet of the syste	em?	_ feet	
			(4)	Please include a copy	y of the sprinkler pac	kage design inforr	nation.	
е		Cro	p(s) you	intend to irrigate. Ple	ease note any planne	ed crop rotations:		
f.		(par par Wa	rticularly t of the n ter from	cribe how you will dete important if you do no utrient management p the lagoons at the fac ne proposed groundwa	ot plan a full irrigation plan for a proposed s ility will be applied to	n). These systems tock facility to be I	s are pro	oposed to be a n 23-23S-16W.
/ou n	na	v att	tach any	additional information	you believe will ass	ist in informing the	Divisio	n of the need for

You may attach any additional information you believe will assist in informing the Division of the need for your request.

WATER RESOURCES RECEIVED Page 2 of 2

JAN 27 2025

JAN 27 2025

FEE SCHEDULE

Make checks payable to the Kansas Department of Agriculture.

KS DEPT OF AGRICULTURE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic, waterpower, dewatering, or sediment control use, shall be (see No. 2 below if requesting storage);

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 32.585	≤ 100	\$200.00
32.586 - 104.272	100.1 - 320.0	\$300.00
		\$300.00
> 104.272	> 320	plus \$20 for each additional 100AF (32.586mg) or any part thereof

2. The fee for an application in which **storage** of water is requested, except for domestic use, shall be:

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 81.462	≤ 249.9	\$200.00
		\$200.00
≥ 81.463	≥ 250	plus \$20 for each additional 100AF
		(32.586mg) or any part thereof

Note: If an application requests both direct use and storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for waterpower or dewatering use shall be \$100.00 plus \$200.00 for each 44.880 gallons per minute (100 c.f.s.), or part thereof, of the diversion rate requested.

IMPORTANT NOTICE

If this application is approved, the applicant shall notify the Chief Engineer when the diversion works (well, pump, reservoir, pit, etc.) has/have been completed via the Notice of Completion of Diversion Works form (DWR 1-203.11) and along with the statutorily required field inspection fee of:

- \$200.00 for sediment control use or groundwater pits for industrial use, or
- \$400.00 for all other uses made of water

Failure to complete the diversion works by the deadline specified in the Approval of Application and Permit to Proceed (or any subsequent extension of time of said deadline) and/or failure to submit the proper notice and field inspection fee will result in the dismissal of the appropriation and forfeiture of any priority associated with it.

For assistance with this application, please contact the Division of Water Resources (DWR).

Manhattan HQ 1320 Research Park Dr. Manhattan, KS 66502 785-564-6638

Topeka Field Office 1131 SW Winding Rd, Ste 400 300 S. Main St Topeka, KS 66615 785-296-5733

Stafford Field Office Stafford, KS 67578 620-234-5311

Stockton Field Office 820 S. Walnut Stockton, KS 67669 785-425-6787


Garden City Field Office 4532 W. Jones Ave. Ste B Garden City, KS 67846 620-276-2901

Helpful Sources of Information

DWR Water Appropriation Program https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation **DWR Water Appropriation Forms** https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-appropriation-forms KGS Water Well Completion Records https://www.kgs.ku.edu/Magellan/WaterWell/index.html **DWR Structures Program** https://agriculture.ks.gov/divisions-programs/dwr/dam-safety/permit-requirements

JAN 27 2025

KS DEPT OF AGRICULTURE



Legend

- Water Appropriation
- Proposed Point of Diversion
- ☆ Domestic Well
- Section Corner
- Section Line
- Half Mile Circle
- Proposed Place of Use

New Application, File No.


Permit to Proceed Application Map 26-23S-16W // Pawnee County

To the best of my knowledge, all groundwater wells within one-half mile of the proposed point of diversion have been shown and are owned by the applicant/correspondent.

Signature / Date

01/24/2025

1/24/2025 EKF/SFFO 1:17,000 sca



MAP LEGEND

00

Δ

Water Features

Transportation

+++

Background

Spoil Area

Stony Spot

Wet Spot

Other

Rails

US Routes

Major Roads

Local Roads

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways

Aerial Photography

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points

Special Point Features

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

A Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Pawnee County, Kansas Survey Area Data: Version 23, Sep 5, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Apr 29, 2021—Nov 15, 2021

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
5861	Attica fine sandy loam, 1 to 3 percent slopes	67.8	21.4%
5928	Pratt loamy fine sand, 1 to 5 percent slopes	165.4	52.2%
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	9.9	3.1%
5961	Solvay loamy fine sand, 0 to 2 percent slopes	73.6	23.2%
Totals for Area of Interest		316.8	100.0%

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

5944—Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2tt4z Elevation: 1,660 to 2,610 feet

Mean annual precipitation: 25 to 33 inches Mean annual air temperature: 55 to 57 degrees F

Frost-free period: 180 to 200 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Saltcreek and similar soils: 46 percent Naron and similar soils: 44 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Saltcreek

Setting

Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex

Parent material: Eolian deposits over alluvium

Typical profile

Ap - 0 to 8 inches: fine sandy loam Bt1 - 8 to 15 inches: sandy clay loam Bt2 - 15 to 26 inches: sandy clay loam Bt3 - 26 to 39 inches: fine sandy loam 2Bt4 - 39 to 56 inches: silty clay 2Btk1 - 56 to 66 inches: silty clay loam 2Btk2 - 66 to 79 inches: silty clay loam

Properties and qualities

Slope: 1 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water

(Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 5 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Moderate (about 8.3

inches)

Interpretive groups

Land capability classification (irrigated): 1 Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: C

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

Description of Naron

Setting

Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex Parent material: Eolian deposits

Typical profile

Ap - 0 to 12 inches: fine sandy loam Bt1 - 12 to 34 inches: sandy clay loam Bt2 - 34 to 51 inches: fine sandy loam BC - 51 to 66 inches: fine sandy loam C - 66 to 79 inches: fine sandy loam

Properties and qualities

Slope: 1 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 3 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Moderate (about 7.9 inches)

Interpretive groups

Land capability classification (irrigated): 1 Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: B

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Minor Components

Hayes

Percent of map unit: 5 percent Landform: Dunes on paleoterraces Down-slope shape: Convex

Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Funmar

Percent of map unit: 3 percent

Landform: Paleoterraces

Landform position (three-dimensional): Tread

Down-slope shape: Convex Across-slope shape: Convex

Ecological site: R079XY115KS - Loamy Plains

Hydric soil rating: No

Taver

Percent of map unit: 1 percent

Landform: Paleoterraces
Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R079XY107KS - Clayey Plains

Hydric soil rating: No

Carbika

Percent of map unit: 1 percent

Landform: Depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Pawnee County, Kansas Survey Area Data: Version 23, Sep 5, 2024

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

Map Unit Setting

National map unit symbol: 2xlj3 Elevation: 1,660 to 2,610 feet

Mean annual precipitation: 25 to 33 inches Mean annual air temperature: 55 to 57 degrees F

5961—Solvay loamy fine sand, 0 to 2 percent slopes

Frost-free period: 180 to 200 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Solvay and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Solvay

Setting

Landform: Interdunes on paleoterraces

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Eolian deposits over alluvium

Typical profile

Ap - 0 to 5 inches: loamy fine sand 2Bt1 - 5 to 23 inches: fine sandy loam 2Bt2 - 23 to 37 inches: fine sandy loam 2BC1 - 37 to 58 inches: fine sandy loam 2BC2 - 58 to 79 inches: loamy fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Drainage class: Somewhat poorly drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: About 24 to 48 inches

Frequency of flooding: None Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): 2e Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: C

Ecological site: R079XY132KS - Subirrigated

Hydric soil rating: No

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

Minor Components

Hayes

Percent of map unit: 10 percent Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Carway, frequently ponded

Percent of map unit: 3 percent

Landform: Open depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Carbika, frequently ponded

Percent of map unit: 2 percent

Landform: Closed depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Pawnee County, Kansas Survey Area Data: Version 23, Sep 5, 2024

WATER RESOURCES
RECEIVED

JAN 27 2025

JAN 21 LULJ

KS DEPT OF AGRICULTURE

5928—Pratt loamy fine sand, 1 to 5 percent slopes

Map Unit Setting

National map unit symbol: 2r9c6 Elevation: 1,660 to 2,610 feet

Mean annual precipitation: 25 to 33 inches Mean annual air temperature: 55 to 57 degrees F

Frost-free period: 180 to 200 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Pratt and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Pratt

Setting

Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex Parent material: Eolian deposits

Typical profile

Ap - 0 to 8 inches: loamy fine sand Bt - 8 to 24 inches: loamy fine sand E and Bt - 24 to 43 inches: loamy fine sand E and Bt - 43 to 64 inches: fine sand C - 64 to 79 inches: fine sand

Properties and qualities

Slope: 1 to 5 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High to

very high (6.00 to 20.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 2 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): 2e Land capability classification (nonirrigated): 3e

Hydrologic Soil Group: A

Ecological site: R079XY121KS - Sand Plains

Hydric soil rating: No

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

Minor Components

Naron

Percent of map unit: 5 percent
Landform: Dunes on paleoterraces
Down-slope shape: Convex
Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Carway

Percent of map unit: 5 percent

Landform: Depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Attica

Percent of map unit: 3 percent Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Tivin

Percent of map unit: 2 percent Landform: Dunes on paleoterraces Down-slope shape: Linear, convex Across-slope shape: Linear, convex

Ecological site: R079XY103KS - Choppy Sands

Hydric soil rating: No

Data Source Information

Soil Survey Area: Pawnee County, Kansas Survey Area Data: Version 23, Sep 5, 2024

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

5861—Attica fine sandy loam, 1 to 3 percent slopes

Map Unit Setting

National map unit symbol: 2w9kd Elevation: 1,660 to 2,610 feet

Mean annual precipitation: 25 to 33 inches
Mean annual air temperature: 55 to 57 degrees F

Frost-free period: 180 to 200 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Attica and similar soils: 85 percent Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

Description of Attica

Setting

Landform: Dunes on paleoterraces
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Eolian deposits

Typical profile

Ap - 0 to 8 inches: fine sandy loam
Bt - 8 to 21 inches: fine sandy loam
BC - 21 to 40 inches: fine sandy loam
C - 40 to 79 inches: loamy fine sand

Properties and qualities

Slope: 1 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High

(2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Moderate (about 8.4 inches)

mones)

Interpretive groups

Land capability classification (irrigated): 2e Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: A

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

WATER RESOURCES RECEIVED

JAN 27 2025

KS DEPT OF AGRICULTURE

Minor Components

Hayes

Percent of map unit: 5 percent
Landform: Dunes on paleoterraces
Down-slope shape: Convex
Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Pratt

Percent of map unit: 3 percent Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex

Ecological site: R079XY121KS - Sand Plains

Hydric soil rating: No

Naron

Percent of map unit: 3 percent Landform: Dunes on paleoterraces Down-slope shape: Convex Across-slope shape: Convex

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Shellabarger

Percent of map unit: 2 percent Landform: Paleoterraces Down-slope shape: Linear Across-slope shape: Linear

Ecological site: R079XY122KS - Sandy Loam

Hydric soil rating: No

Carbika

Percent of map unit: 1 percent

Landform: Depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Carway

Percent of map unit: 1 percent

Landform: Depressions on interdunes on paleoterraces

Down-slope shape: Concave Across-slope shape: Concave

Ecological site: R079XY133KS - Wet Subirrigated

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Pawnee County, Kansas Survey Area Data: Version 23, Sep 5, 2024 WATER RESOURCES

IAN 27