Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

(If there is more than one	which is the subject is:  SBE  Applicant: Willer  5425 W 100 <sup>th</sup> T  3)754-6104  If Water Use Correct in the subject is:  Graduette, KS 6746  0)242-3503	Place of Use ect of this application i Groundwater 12/7 / (c) rd 1: Ericson Living Tra Ferr. Overland Park, i Email espondent: Ronald W	Point of Dinaccordance with Surface was Ericson-S 66207	iversion  the condition  ater  Oakleaf	ns described b	Division of Wabelow.	ield Office
under the water right with The source of supply is  2. Name and address of A Shannon Ericson PA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2  3. The presently authorized Owner of Land NA ADDRE (If there is more than one least the source of the sourc	which is the subject is:  SBE  Applicant: Willer  5425 W 100 <sup>th</sup> T  3)754-6104  If Water Use Correct in the subject is:  Graduette, KS 6746  0)242-3503	Place of Use ect of this application i Groundwater 12/7 / (c) rd 1: Ericson Living Tra Ferr. Overland Park, i Email espondent: Ronald W	Point of Dinaccordance with Surface was Ericson-S 66207	iversion  the condition  ater  Oakleaf	ns described b	Stockton F Division of Wa below.	ield Office
under the water right with The source of supply is  2. Name and address of A Shannon Ericson PA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2  3. The presently authorized Owner of Land NA ADDRE (If there is more than one least the source of the sourc	which is the subject is:  SBE  Applicant: Willer  5425 W 100 <sup>th</sup> T  3)754-6104  If Water Use Correct in the subject is:  Graduette, KS 6746  0)242-3503	Place of Use ect of this application i Groundwater 12/7 / (c) rd 1: Ericson Living Tra Ferr. Overland Park, i Email espondent: Ronald W	Point of Dinaccordance with Surface was Ericson-S 66207	iversion  the condition  ater  Oakleaf	ns described b	Division of Wabelow.	
The source of supply is  2. Name and address of A Shannon Ericson FeA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)	which is the subject is:  SBE  Applicant:  Willer  \$3,754-6104  If Water Use Correct  Arquette, KS 6746  0)242-3503	ect of this application in Groundwater  12/7/1/ rd I. Ericson Living Tru  Ferr. Overland Park, in Email espondent: Ronald W	Surface was Ericson- S 66207 address:	h the conditionater	Farms,	LLC	ter Resourc
The source of supply is  2. Name and address of A Shannon Ericson FeA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)  Sec. Twp. Range NE½	A SAPPLICANT: Willer  A SAPPLICANT: Willer	Groundwater  12/7 / (c)  rd 1. Ericson Living Tru  Ferr. Overland Park, I  Email espondent: Ronald W	Surface was Ericson-S 66207 address:	ater Oakleaf	Farms,	ШС	
2. Name and address of A Shannon Ericson PCA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)	A Applicant: Willer 5425 W 100th T 3)754-6104  of Water Use Correct Fraguette, KS 6746  0)242-3503	12/7 / (Control of the Internal Park, Internal Park	S 66207 address:	-Oakleaf			
Shannon Ericson PA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)	of Applicant: Willer  5425 W 100 <sup>th</sup> T  3)754-6104  of Water Use Correct  arquette, KS 6746  0)242-3503	rd I. Ericson Living Tru Ferr. Overland Park, I Email espondent: Ronald W	S 66207 address:				
Shannon Ericson PA Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)	5425 W 100 <sup>th</sup> T 3)754-6104 of Water Use Corre arquette, KS 6746 0)242-3503	Ferr. Overland Park, I Email espondent: Ronald W	S 66207 address:				
Phone Number: (913)7 Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)	3)754-6104 If Water Use Corre larguette, KS 6746 0)242-3503	Email espondent: Ronald W	address:				
Name and address of V 412 S. Bridge St. Marg Phone Number: (620)2 3. The presently authorize Owner of Land NA ADDRE (If there is more than one)  Sec. Twp. Range NE%	of Water Use Corre parquette, KS 6746 0)242-3503	espondent: Ronald W					
A12 S. Bridge St. Marg Phone Number: (620)2  The presently authorize Owner of Land NA ADDRE (If there is more than one)  Sec. Twp. Range NE½	arquette, KS 6746 0)242-3503	64	& Kelly L. Larso.	ก			
Phone Number: (620)2  The presently authorized Owner of Land NA ADDRE (If there is more than one Sec. Twp. Range NE%	0)242-3503						
3. The presently authorize Owner of Land NA ADDRE (If there is more than one) Sec. Twp. Range NE½	ized place of use i	⊢maii.					
Owner of Land NA ADDRE (If there is more than one) Sec. Twp. Range NE½	ized place of lise i		address:				
ADDRE (If there is more than one)  Sec. Twp. Range NE½	IAME NACE	S. SBE 12/7/16	Freen - Cak	sleaf Fai	ms LLC		
(If there is more than one Sec. Twp. Range NE½	TAME: Willard 1. 1	Manager Francisco	100th Tare Out	aland David IV	0.00007		
Sec. Twp. Range NE1/4		Ericson FOA 5425 W		riand Park, K	5 66207	-	
	NE¼	NW1/4		SW¼		E1/4	TOTAL
27 17 5W	4 NW¼ SW¼ SE	1/4 NE1/4 NW1/4 SW1/4	SE¼ NE¼ NW3				000
			39 40	23 38	11 35	38 36	260
				-			
						السلسال	
A If the terror limited to the form			d that the alass	-f bb-			
<ol> <li>If this application is for a Owner of Land NA</li> </ol>	or a change in place	te of use, it is propose	Figure place (	a kleut	Tarms //	(	
ADDE	DESS: Shannon	Ericson FOA 5425 W	100th Torr Ovo	rland Dark K	\$ 66207		
(If there is more than one	-			lianu Faik, N	3 00201		
(II there is more than one							
	NE1/	NW1/4		SW1/4		E¼	TOTAL
	NE¼	14 NE14 NW14 SW14	SE¼ NE¼ NW3				
27 17 5 W		11 1	39 40	23 38	11 35	38 36	260

	Quarter of the	Quarto									
One in the Quarter of the of Section, Township											
in County, Kansas, fe											
Authorized Rate Authorized Quantity											
(DWR use only: Computer ID No GPS_	feet North	feet West)									
☐ This point will not be changed ☐ This point will be		lect west,									
Proposed point of diversion: (Complete only if change is											
One in the Quarter of the		Quarte									
of Section, Township											
in County, Kansas, fe											
Proposed Rate Proposed Quantity											
This point is: Additional Well Geo Center List othe											
The point is. I read to her view I con contain the container of the contai	Trace righte that this dee this point										
Presently authorized point of diversion:											
One in the Quarter of the	Quarter of the	Quarte									
of Section, Township											
in County, Kansas,fe											
Authorized Rate Authorized Quantity											
(DWR use only: Computer ID No. GPS											
☐ This point will not be changed ☐ This point will be											
Proposed point of diversion: (Complete only if change is											
One in the Quarter of the		Quarte									
of Section, Township											
in County, Kansas,fe											
Proposed Rate Proposed Quantity Proposed well depth (feet)											
This point is: Additional Well Geo Center List othe											
Why do you need a new point of diversion? n/a											
vvnv go vou need a new point of diversion? n/a	12a If the proposed point of divorcion will	he releasted within 1									
The second secon	<ol> <li>If the proposed point of diversion will feet of the existing point of diversion</li> </ol>	be relocated within 1, indicate its location									
	feet of the existing point of diversion the diagram below in relation to the existing point of diversion.	, indicate its location of xisting point of diversion									
	feet of the existing point of diversion	<ul> <li>indicate its location of diversions</li> <li>inter of diagram below</li> </ul>									
	feet of the existing point of diversion the diagram below in relation to the ex (PLEASE NOTE: The "X" in cen	<ul> <li>indicate its location xisting point of diversion ter of diagram belo</li> </ul>									
	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing the second represents presently authorized point in the second representation representation representation representation representation representation representation representation representation repr	i, indicate its location of interesting point of diversion belowers of diversion.)  50 100									
	feet of the existing point of diversion the diagram below in relation to the ex (PLEASE NOTE: The "X" in cen represents presently authorized po	i, indicate its location of interesting point of diversion belowers of diversion.)  50 100									
If a well, is the test hole log attached?   Yes   No  When do you propose to complete the new point of	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing the second represents presently authorized point in the second representation representation representation representation representation representation representation representation representation repr	i, indicate its location xisting point of diversion ter of diagram belo int of diversion.)									
If a well, is the test hole log attached?   Yes   No	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point (PLEASE NOTE: The "X" in center represents presently authorized point in the point	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)									
If a well, is the test hole log attached?   Yes   No  When do you propose to complete the new point of	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing the second represents presently authorized point in the second representation representation representation representation representation representation representation representation representation repr	i, indicate its location xisting point of diversion ter of diagram belo int of diversion.)									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  50 100									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point (PLEASE NOTE: The "X" in center represents presently authorized point in the point	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  50 100									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  100 100 100									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existence of d	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  100 100 100 100 100 100 100 100 100 1									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  50 100									
If a well, is the test hole log attached?  Yes No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existence of d	i, indicate its location xisting point of diversion ter of diagram beloint of diversion.)  50 100  100  50 100  1111 50 East									
If a well, is the test hole log attached?  Yes No When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existence of d	i, indicate its location xisting point of diversion ter of diagram below interior diversion.)  50 100  100  50 100  100  100  100  10									
If a well, is the test hole log attached?  Yes No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  n/a	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of the existing po	i, indicate its location existing point of diversion ter of diagram belowint of diversion.)  50 100  100  1111  50  East									
If a well, is the test hole log attached?  Yes No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  n/a  Groundwater Management District recommendation	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of	i, indicate its location existing point of diversion ter of diagram belowint of diversion.)  50 100  100  1111  50 East									
If a well, is the test hole log attached?  Yes No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of diversion to the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of the exis	i, indicate its location existing point of diversion ter of diagram belowint of diversion.)  50 100  100  1111  East  50 100									
If a well, is the test hole log attached?  Yes No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  n/a  Groundwater Management District recommendation	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in relation to the existing point of diversion will be diagram below in the existence of the existing point of diversion will be diagram below in the existence of th	i, indicate its location existing point of diversion ter of diagram belowint of diversion.)  50 100  100  1111 0 East  50 100  100  100  100  100  100  100									
If a well, is the test hole log attached?  Yes  No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  No  Groundwater Management District recommendation attached?  Yes No	feet of the existing point of diversion the diagram below in relation to the existing point of diversion will also feet from diversion, attach a topographic main to the existing point of diversion will also feet from diversion, attach a topographic main to the existing point of diversion will also feet from diversion, attach a topographic main to the existing point of diversion will also feet from diversion, attach a topographic main to the existing point of diversion will also feet from diversion, attach a topographic main to the existing point of diversion will also feet from diversion, attach a topographic main topographi	i, indicate its location existing point of diversion ter of diagram belowint of diversion.)  50 100  100  1111  50 East  100  100  100  100  100  100  100  1									
If a well, is the test hole log attached?  Yes  No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  No  Groundwater Management District recommendation attached?  Yes No	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of diversion, attach a topographic may for groundwater sources, show all were diversion to the existing point of diversion attach a topographic may for groundwater sources, show all were diversion to the existing point of diversion attach a topographic may for groundwater sources, show all were diversion attach a topographic may for groundwater sources, show all were diversion to the existing point of diversion will appear to the existing point of diversion will be existent to the existing point of diversion will be existent to the existence of	indicate its location xisting point of diversion ter of diagram beloint of diversion.)  100 100 100 100 100 100 100 100 100 1									
If a well, is the test hole log attached?  Yes  No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  No  Groundwater Management District recommendation attached?  Yes No	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion will a south scale 1" = 100 feet but within 1320 feet from diversion, attach a topographic may a for groundwater sources, show all we within one-half mile of the proposed p names and mailing addresses of the proposed point of diverses of the proposed p names and mailing addresses of the proposed p names and mai	indicate its location existing point of diversion ter of diagram below inter of diagram below inter of diversion.)  50 100  100  100  100  100  100  100									
If a well, is the test hole log attached?  Yes  No  When do you propose to complete the new point of diversion?  n/a  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done?  No  Groundwater Management District recommendation attached?  Yes No	feet of the existing point of diversion the diagram below in relation to the existing point of diversion the diagram below in relation to the existing point of diversion to the existing point of diversion will a south scale 1" = 100 feet but within 1320 feet from diversion, attach a topographic market for groundwater sources, show all we within one-half mile of the proposed possible for the proposed point of diversion will within one-half mile of the proposed possible for the propo	indicate its location existing point of diversion ter of diagram below inter of diagram below into f diversion.)  50 100  100  100  100  100  100  100									

from existing point of diversion, complete the following:	
thorized place(s) of use identified in this application? elication.)	
orized place(s) of use identified in this application be advers plication.)	ely
ubstantial damage to property, public health or safety?	
a groundwater change in point of diversion greater than 300 rs of the currently authorized place of use, or their duly autho	
mation and under penalty of perjury, that I am of law orized agent of the owner(s) to make this application oplication pertains. I further verify that the statemen	n on
s 30th day of March , 20 18	
(Spouse)	
(Please Print)	
(Spouse)	
(Please Print)	
(Spouse)	
(Please Print)	
my presence and sworn to before me this _3 day	of
S Notary Public	
Notally I ublic	
all of the applicable portions of the application form must be complete appropriate owners' must be affixed to the application and notarized;	d with
DILE	
	et
ment of Agriculture	
eet	
\$200	
RECEIVED	
APR 0 4 2018	
	lication.)  orized place(s) of use identified in this application be adversed place(s) of use identified in this application be adversed place(s) of use identified in this application be adversed place(s) of use identified in this application.)  ubstantial damage to property, public health or safety?  ilication.)  a groundwater change in point of diversion greater than 300 resoft the currently authorized place of use, or their duly authorized agent of the owner(s) to make this application placed agent of the owner(s) to make this application placed agent of the owner(s) to make this application placed agent of the owner(s) to make this application placed agent of the owner(s) to make this application placed agent of the owner(s) to make this application placed agent of the owner(s) to make this application in the statement of the application form must be complete appropriate owners' must be affixed to the application and notarized;  DULE  der this section shall be accompanied by the application fee sement of Agriculture \$100 section \$200 sect

## SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro K.A	s Summary Order is issued under authority of K.S.A. 82a- visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a-</i> A.R. 5-1-1 <i>et.seq.</i> With the exception of those conditions express, conditions and limitations of File No. 29247	701 et. sea and rules and requ	lations promulgated thereunder,
1.	A change application was received on diversion authorized under the above-referenced file number	requesting that the be changed as described in the	he place of use and / or point of application.
2.	On and after the effective date of this summary order, the a on the topographic map accompanying the application to cha	uthorized place(s) of use shall be ange the place of use.	e located substantially as shown licable   Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by tradius of the authorized point(s) of diversion.	his summary order shall be locate	ne source or sources of water as ed within afoot
4.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion.   Applicable   No	be located more thant Applicable	feet from the previously
5.	As required by K.A.R. 5-3-5d, if the works for diversion is a tube or other device suitable for making water level measure with K.A.R. 5-6-13.   Applicable Not Applicable	well with a diversion rate of 10 ements shall be installed, operate	00 gallons per minute or more, a ed and maintained in accordance
6.	The owner of the authorized place(s) of use shall proper December 31, 20, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 th K.A.R. 5-3-5e, the owner shall maintain records and report to diverted annually to the Chief Engineer by March 1 following Applicable Not Applicable	whichever occurs first. The wat prough 5-1-12. As required by K The reading of the water flow met	er flow meter shall be installed, .S.A. 82a-732, as amended, and
7.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the a works for diversion has been completed, on the form provided Applicable Not Applicable	applicant shall notify the Chief E	ingineer that construction of the
8.	The completed well log shall be submitted with the requ	ired notice.	☐ Not Applicable
9.	All diversion works into which any type of chemical or other with an in-line, automatic, quick-closing check valve capable check valve(s) shall be installed, operated and maintained in	e of preventing pollution of the s	source of the water supply. The
10.	Additional Conditions are attached.  Yes No		
11.	In accordance with K.S.A. 82a-708a, as amended, and K.A. water appropriated under the above-referenced file numbe limitations, as amended and/or supplemented by this Sumi Appropriation Law and the Rules and Regulations promuly result in civil penalties pursuant to K.S.A. 82a-737, as ame water or appropriation right or any other enforcement actions	er are responsible for complianc mary Order, and with applicable gated thereunder. Failure to co ended, and/or the suspension or	e with its terms, conditions and provisions of the Kansas Water mply with these provisions may
	Administrative Appeal and Effective Date of Order	FOR OFF	ICE USE ONLY
			APPROVED AND
bef De	u have the right to a hearing in accordance with K.A.R. 5-14-3 fore this Summary Order becomes final action of the Kansas partment of Agriculture. Any request for a hearing must be d with the Chief Engineer, Division of Water Resources,		ORDER ISSUED
Ka	nsas Department of Agriculture, 1320 Research Park	By: Duly Authorized Desi	
Dri sho	ve, Manhattan, Kansas 66502, within 15 days after the date own on the Certificate of Service attached hereto. If a hearing	Duly Authorized Desi	gnee of the Chief Erginaer
is r	not requested in accordance with K.A.R. 5-14-3, this Summary der will become effective on the 15 <sup>th</sup> day after the date shown	(Print Name):	- Kansas Department of Agriculture
	the Certificate of Service.		
	For Use by Register of Deeds	Date of Issuance:	1200
		State of Kansas	) ) SS
		County of	)
		Acknowledged before me orı _	
		by	WEST COO 1110
		Signature:	Notary Public
	IVI 3FI		
		My commission expires:	
		my commission expires	(Notary Seal)
DW	/R 1-121 (Revised 06/16/2014) Pag	ge 4	File No. 29247

#### APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

#### FILE NO. 29247


MAKE ADDITIONAL COPIES AS NECESSARY

#### RECEIVED

APR 04 2018

0	ontinue wner o	f Land	N/	AME:																
			AUUR	ESS:																
				NE	Ξ1/4			NV	V1/4			SV	V1/4			SI	Ε1/4		TOTAL	
Sec.	Twn	Range	NE1/		SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	ACRES	
	1110.	runge	142/4	1444/2	011/4	OL/A	142/4	1444.74	00074	OL/4	1412/4	1444/4	044/4	QL/4	INL/4	1444/4	344/4	JL/4		
_							-				_			-	-					
0	wner o	f Land -		AME: ESS:																
_			AUUK					A.II.	NH.			01	M/			-	-47			
	_		-		=1/4				V1/4				V1/4				=1/4		ACRES	
ec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	TOTAL	
^	WDC"	61000	Ali	A B A C																
U	wrier o	f Land -		ESS:																
				NE	=1/4			NV	V1/4			SV	V1/4			SE	1/4		TOTA	
ec.	Tues	Range	NE1/4		SW1/4	SE1/4	NE1/4			SE1/4	NEW		SW1/4	051/	NE1/4	NW1/4		OF1/	ACRE	
ec.	TWD.	Range	NE74	INVV74	SVV 74	SE74	NE/4	INVV74	SVV 74	SE/4	NE1/4	NVV 74	SVV 74	SE1/4	NE/4	NVV74	SW1/4	SE1/4		
		ed: If th											the pla	ice of	use be	chang	ged to:			
		f Land -	NA		The Te	erry Oa	akleaf	Revoc	able T	rust A	reeme	ent	the pla	ice of	use be	chang	ged to:			
		f Land -	NA	AME:	The Te	erry Oa	akleaf	Revoc Overla	able T	rust A	reeme	ent 7	the pla	ice of	use be		ged to:			
		f Land -	NA	AME:	The Te 10030	Delma	akleaf	Revoc Overla	able T and Pa	rust Ag	reeme	ent 7	V1/4	se¼	use be		1/4	SE¼		
0	wner o	f Land -	ADDRI	AME:	The Te 10030	Delma	akleaf ar Ln.	Revoc Overla	able T and Pa	rust Ag	6620	ent 7	V1/4			SE	1/4		TOTAL ACRES	
O ec.	wner o	f Land -	ADDRI NE1/4	AME: ESS: NE	The Te 10030 E¼ SW¼	Delma	akleaf ar Ln.	Revoc Overla	able T and Pa	rust Ac rk, KS	6620	ent 7	V1/4			SE	1/4		ACRES	
O ec.	wner o	f Land -	ADDRI NE1/4	AME: ESS: NE	The Te 10030 E¼ SW¼	Delma	akleaf ar Ln.	Revoc Overla	able T and Pa	rust Ac rk, KS	6620	ent 7	V1/4			SE	1/4		ACRES	
ec.	Twp.	Range 5 W	NE% 10	NW1/4	The To 10030 5% SW% 39	SE% 18	akleaf ar Ln.	NW%	able T and Pa	rust Ac rk, KS	6620	ent 7	V1/4			SE	1/4		ACRE	
ec.	Twp.	Range 5 W	NE% 10	NW1/4 10 AME:	The To 10030	SE% 18	akleaf ar Ln.	NV/A	able T and Pa v/4 sw/4	rust Ac rk, KS	6620	sv NW1/4	V1/4 SW1/4			SB NW¼	SW1/4		109	
O ecc.	Twp. 17	Range 5 W	NE1/4 10	NESS:	The To 10030  5%  SW%  39	SE%	akleaf ar Ln.	NW1/4	able Tand Pand Pa	se¼	NE½	sv	V% SW%	SE¼	NE%	SIE NW1/4	SW1/4	SE¼	109	
O eec.	Twp. 17	Range 5 W	NE1/4 10	NESS:	The To 10030  5%  SW%  39	SE%	akleaf ar Ln.	NV/A	able Tand Pand Pa	se¼	NE½	sv NW1/4	V% SW%	SE¼		SIE NW1/4	SW1/4	SE¼	109	
O eec.	Twp. 17	Range 5 W	NE1/4 10	NESS:	The To 10030  5%  SW%  39	SE%	akleaf ar Ln.	NW1/4	able Tand Pand Pa	se¼	NE½	sv	V% SW%	SE¼	NE%	SIE NW1/4	SW1/4	SE¼	ACRE 109	
O eec.	Twp. 17	Range 5 W	NE1/4 10	NESS:	The To 10030  5%  SW%  39	SE%	akleaf ar Ln.	NW1/4	able Tand Pand Pa	se¼	NE½	sv	V% SW%	SE¼	NE%	SIE NW1/4	SW1/4	SE¼	109	
O ecc.	Twp. 17	Range 5 W	NE1/4 10	NESS:	The To 10030  5%  SW%  39	SE%	akleaf ar Ln.	NW1/4	able Tand Pand Pa	se¼	NE½	sv	V% SW%	SE¼	NE%	SIE NW1/4	SW1/4	SE¼	109	
O ec.	Twp. 17 wner o	Range 5 W  F Land -	NE1/4 10 NAADDRI	NE: NW1/4  10  AME: ESS: NE NW1/4	The To 10030  E%  SW%  39	SE% 18	NE%	NW1/4	able Tand Pand Pa	se¼	NE½	sv	V% SW%	SE¼	NE%	SIE NW1/4	SW1/4	SE¼	109	
O ec.	Twp. 17 wner o	Range 5 W  F Land -	NE1/4 10 NAADDRI	NE NW1/4 10 AME: ESS: NE NW1/4 AME: ESS:	The To 10030  E%  SW%  39	SE% 18	NE%	NW1/4	able Tand Part Sw/4 Sw/4 Sw/4	se¼	NE½	SV NW1/4	V1/4 SW1/4 V1/4 SW1/4	SE¼	NE%	SE NW%	SW1/4 SW1/4 SW1/4	SE¼	TOTAL ACRES	
O ec.	Twp. 17 wner o	Range 5 W  F Land -	NE%  10  NE%  ADDRI  NE%  NE%  NE%	NE NW1/4  10  AME: ESS: NE NW1/4  AME: ESS: NE	The To 10030  5%  SW%  39	SE¼ 18	NE1/4	NV NW1/4	able Tand Part Sw/4 Sw/4 Sw/4 Sw/4	SE¼ 32	NE%	SV NW1/4	V/4 SW/4 V/4 SW/4	SE1/4	NE1/4	SE NW¼	SW1/4 SW1/4 SW1/4	SE¼	TOTAL TOTAL	
O ec.	Twp. 17 wner o	Range 5 W  F Land -	NE%  10  NE%  ADDRI  NE%  NE%  NE%	NE NW1/4  10  AME: ESS: NE NW1/4  AME: ESS: NE	The To 10030  5%  SW%  39	SE¼ 18	NE1/4	NV NW1/4	able Tand Part Sw/4 Sw/4 Sw/4 Sw/4	SE¼ 32	NE%	SV NW1/4	V/4 SW/4 V/4 SW/4	SE1/4	NE1/4	SE NW%	SW1/4 SW1/4 SW1/4	SE¼	TOTAL ACRES	
O ecc.	Twp. 17 wner o	Range 5 W  F Land -	NE%  10  NE%  ADDRI  NE%  NE%  NE%	NE NW1/4  10  AME: ESS: NE NW1/4  AME: ESS: NE	The To 10030  5%  SW%  39	SE¼ 18	NE1/4	NV NW1/4	able Tand Part Sw/4 Sw/4 Sw/4 Sw/4	SE¼ 32	NE%	SV NW1/4	V/4 SW/4 V/4 SW/4	SE1/4	NE1/4	SE NW¼	SW1/4 SW1/4 SW1/4	SE¼	TOTAL	
O ecc.	Twp. 17 wner o	Range 5 W  F Land -	NE%  10  NE%  ADDRI  NE%  NE%  NE%	NE NW1/4  10  AME: ESS: NE NW1/4  AME: ESS: NE	The To 10030  5%  SW%  39	SE¼ 18	NE1/4	NV NW1/4	able Tand Part Sw/4 Sw/4 Sw/4 Sw/4	SE¼ 32	NE%	SV NW1/4	V1/4 SW1/4 SW1/4	SE1/4	NE1/4	SE NW¼	SW1/4 SW1/4 SW1/4	SE¼	TOTA ACRE	
O	Twp. 17 wner o	Range 5 W  F Land -	NE%  10  NE%  ADDRI  NE%  NE%  NE%	NE NW1/4  10  AME: ESS: NE NW1/4  AME: ESS: NE	The To 10030  5%  SW%  39	SE¼ 18	NE1/4	NV NW1/4	able Tand Part Sw/4 Sw/4 Sw/4 Sw/4	SE¼ 32	NE%	SV NW1/4	V1/4 SW1/4 SW1/4	SE1/4	NE1/4	SE NW¼	SW1/4 SW1/4 SW1/4	SE¼	TOTA ACRE	

# Application to Change the Place of Use For Water Right File No. 29247





Authorized Place of Use

Proposed Place of Use

RECEIVED

APR 04 2018

Stockton Field Office Division of Water Resources 1:24,000



DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JAMES D CLOUATRE 426 SIOUX RD MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

PEGGY WICKSTROM 1827 5<sup>TH</sup> AVE MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JENNIFER JOHNSON KINZEL PO BOX 866 MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

#### Dear Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

GREGORY T KEENAN 649 NAVAJO RD MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JOSHUA D & CASIE A NELSON 2596 4<sup>TH</sup> AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Nelson:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

Bellinger

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

DEAN L ELVIN 520 N CHESTNUT ST LINDSBORG, KS 67456

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ROBERT A & WILLA M LODER 2884 4TH AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Loder:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ENGEL E & REBECCA YODER S 2584 3RD AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Yoder:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



Phone: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

## GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ELVIN, DONNA F TRUST TTEE 320 WELLS FARGO RD MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir or Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at <a href="www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices">www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices</a> Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

## NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

### Kansas Department of Agriculture / Division of Water Resources <u>Stockton</u> Field Office

10: <u>HEADQUARTERS</u>	
RE	priation of Water;
File No(s). MPZ1, 613, 4835-02, 7901, 20	275 County <u>wP</u>
Enclosed are the following checked items:	
AFIR	I Inspection Return to Field Office Init Meter Order: GMD#4
☐ A Compliance Check Inspection on ☐ Meter Install ☐ New App ☐ Chg App ☐ In Compliance ☐ Not in Compliance, why _ Modify Point of Diversion ☐ No ☐ Yes, document of the compliance of the compl	Other ment attached
An application and judgment sheet with recommen A memorandum dated A request for an extension of time to perfect or con A verified report. A closure request. A field investigation report.  Notice of Non-Compliance	nplete.
Violation  An ownership change (name(s) and address(es) be A water use report for  A letter dated	Date
☐ A copy of an <u>Approval</u> to Change the ☐ place of u ☐ Filing Fee attached.	se and/or  point of diversion,
An Advanced copy of a change application and office. # 2374	the filing fee, to be processed at the field
An original field office change <u>application</u> and review and further processing.	the filing fee needing headquarters office
Other:	
May BIL	4-6-18
Assistant Water Commissioner	Date