Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

																			ion is greate and propose
	(s) of div																		EIVED
			*			ſ	File No	. <u>9221</u>									A	PR 0	4 2018
1.	Application is hereby made for approval of the Chief Engineer to change the (check one or both): 4:17 p.m. Stockton Field Offi															P.M.			
						⊠ P	lace o	f Use			Point	of Dive	ersion				Division	oi Wa	ter Resource
1	under th	e water	right v	vhich is	s the s	ubiect	of this	applio	ation i	n acco	ordanc	e with	the co	ndition	s desc				
	The sou		-			_		water			Surfa								
2.	Name ar	nd addr	ess of	Applic	ant: 🗜	FICS	onal	Dakl	eaf.	Farn	ns, Ll	-C							
	Shannor		*			Oth Ter	r. Ove	erland											
	Phone N																		
	Name ar						onder	nt: Ror	nald W	. & Ke	lly L. L	arson							
	412 S. B					7464			E 1	- 44									
	Phone N								Email	addre	ss:					-			
	The pres Owner o						-634	. Later	CE	n A make -	- (1	1							
	Owner o												and Pa	ek VC	6600	7			
	(If there is											Ovena	and Pa	Irk, No	0020	/			
	(II tilolo i	o more ti	I One			Lacii se	ppicine			110000	Jary./	-							
Coo	Trum	Danas	NE1/4		5W1/4	SE1/4	NE1/4		N1/4 SW1/4	SE1/4	NE1/4	NW1/4	N1/4 SW1/4	SE1/4	NE1/4	NW1/4	5W1/4	CE1/	TOTAL ACRES
Sec 27		Range 5 W	NE74	144474	SVV/4	SE/4	NE/4	NVV /4	SVV /4	SE/4	39	40	23	38	11	35	38	SE1/4 36	260
21	- 17	344									- 55	40	20	- 50		00	30	50	200
-																			
4.	f this ap	plication	n is for	a cha	nge in	place	of use	, it is p	ropose	ed that	the pl	ace of	use be	e chan	ged to	:	-		
	Owner o	f Land -	N/	AME:	Willard	H. Eric	son L	iving I	rust	Er	icson	- () akke	ent t	coms	, ZL	٢		
			ADDR	ESS:	Shann	on Eri	cson F	OA 5	425 W	100th	Terr.	Overla	and Pa	rk, KS	6620	7			
	(If there is	s more th	an one	landov	wner, at	tach su	ppleme	ental sh	eets as	neces	sary.)								
			NE¼				NW1/4				SW1/4			SE1/4				TOTAL	
Sec	. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
27	17	5 W									39	40	23	38	11	35	38	36	260
	F 055	11- :	0-1	0-1		-	- 6		TO	4		-	naain t	Data			Char	L #	
	For Offi	ce use	Offity:	Code			9		//	TF		~	ceipt	Date_			CileC	Α #	

If the point of diversion is a well:	ection, Township County, Kansas, forized Rate Authorized Quantity		
of Section	ection, Township County, Kansas, forized Rate Authorized Quantity	Quarter of the	Quarte
InCounty, Kansas,feet Northfeet West of Southeast corner of Authorized Rate Authorized Quantity	county, Kansas, torized Rate Authorized Quantity		
Authorized Rate	orized Rate Authorized Quantity		
County C			
This point will not be changed □ This point will be changed as follows: Proposed point of diversion: (Complete only if change is requested)	R use only: Computer ID No. GPS		
Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the Get West of Southeast corner of Proposed Rate Proposed Quantity Proposed Well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point Presently authorized point of diversion: One in the Quarter of the Quarter of the Get West of Southeast corner of Section Township South, Range in County, Kansas, feet North feet West of Southeast corner of Authorized Rate Authorized Quantity Depth of well (feet) This point will not be changed This point will be changed as follows: Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the Quarter of the Get West of Southeast corner of Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the Get West of Southeast corner of Proposed Rate Proposed Quantity Proposed Well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point of diversion, indicate its the diagram below in relation to the existing point of point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion			,
One in the			
of Section, Township			Quarte
In			
Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point Presently authorized point of diversion: One in the Quarter of the Quarter of the Geet North Feet West of Southeast corner of Authorized Rate Authorized Quantity Depth of well (feet) OWR use only: Computer ID No. GPS Feet North Feet West of Southeast corner of Authorized Rate Authorized Outer of the Get West) This point will not be changed This point will be changed as follows:			
This point is: Additional Well Geo Center List other water rights that will use this point Presently authorized point of diversion: One in the Quarter of the Quarter of the Geet West of Section Get West of South, Range Get North Get West of Southeast corner of Authorized Rate Authorized Quantity Depth of well Get West) Depth of well Get West of Southeast corner of Authorized Rate Authorized Quantity Depth of well Get West) This point will not be changed This point will be changed as follows: Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the Get West of Southeast corner of Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point of diversion will be relocated feet of the existing point of diversion will be relocated feet of the existing point of diversion, indicate its the diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagrepresents presently authorized point of diversion? When do you propose to complete the new point of diversion? North			
Presently authorized point of diversion: One in the			
One in the	/HUZO	or tracer rights that this doe this point	
One in the	ently authorized point of diversion:		
of Section, Township		Quarter of the	Quarte
County, Kansas,			
Authorized Rate			
This point will not be changed	orized Rate Authorized Quantity	Depth of well	(feet)
This point will not be changed	Ruse only: Computer ID No. GPS	feet North fee	(leet)
Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the of Section, Township South, Range in County, Kansas, feet North feet West of Southeast corner of Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point			t west,
One in the		_	
of Section, Township			Overd
in County, Kansas, feet North feet West of Southeast corner of Proposed Rate Proposed Quantity Proposed well depth (feet) This point is:			
Proposed Rate Proposed Quantity Proposed well depth (feet) This point is:			
This point is: Additional Well Geo Center List other water rights that will use this point Why do you need a new point of diversion? n/a 13a. If the proposed point of diversion will be relocated feet of the existing point of diversion, indicate its the diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of (PLEASE NOTE: The "X" in center of diagram below in relation to the existing point of diagram below in rel			
When do you propose to complete the new point of diversion? If the point of diversion is a well:	do you need a new point of diversion: 1112	feet of the existing point of diversion, indi	icate its location
When do you propose to complete the new point of diversion? If the point of diversion is a well:		(PLEASE NOTE: The "X" in center	of diagram belo
When do you propose to complete the new point of diversion? If the point of diversion is a well:			f diversion.)
When do you propose to complete the new point of diversion? 150 + - 50			
When do you propose to complete the new point of diversion? 150 + + 50	rell, is the test hole log attached? LYes No		100
diversion? n/a If the point of diversion is a well:	n do you propose to complete the new point of		' \
If the point of diversion is a well:			
If the point of diversion is a well:		50 - + - +	- 50
If the point of diversion is a well:		F =	=
VUoct	point of diversion is a well:		. =
(a) What are you going to do with the old well?	What are you going to do with the old well?	West 0	☐ East
(a) What are you going to do with the old well:	what are you going to do with the old wen:	=	\exists
<u>n/a</u> 50 = + = + = 50		50 = . =	∃50
∞F + = + ¬1°		30 F + - +	730
(b) When will this be done? n/a			
	When will this be done? n/a		1 -
Groundwater Management District recommendation 100 50 0 50 100	When will this be done? n/a		
attached? Tyes Min		1 100 50 0 50	100
	ndwater Management District recommendation	South	100
	ndwater Management District recommendation	South Scale: 1" = 100'	
Assisted by DLM 13b. If the proposed point of diversion will be relocated	ndwater Management District recommendation hed? Yes No	South Scale 1" = 100' 13b. If the proposed point of diversion will be r	relocated more th
Assisted by <u>DLM</u> 13b. If the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial of the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial of the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial of the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion.	ndwater Management District recommendation hed? Yes No	South Scale 1" = 100' 13b. If the proposed point of diversion will be r 100 feet but within 1320 feet from the diversion, attach a topographic map or	elocated more the existing point
Assisted by <u>DLM</u> 13b. If the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion will be relocated 100 feet but within 1320 feet from the existing diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but within 1320 feet from the proposed point of diversion will be relocated 100 feet but will be relocated 100 feet but will be relocated 100 feet but will be relocated 100 feet	ndwater Management District recommendation hed? Yes No	South Scale 1" = 100' 13b. If the proposed point of diversion will be r 100 feet but within 1320 feet from the diversion, attach a topographic map or For groundwater sources, show all wells (elocated more the existing point aerial photogra
Assisted by <u>DLM</u> 13b. If the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion, attach a topographic map or aerial proposed point of diversion, attach a topographic map or aerial proposed point of diversion, attach a topographic map or aerial proposed point of diversion and proposed point of diversion will be relocated to 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated to 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated to 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated to 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion at 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion at 100 feet but within 1320 feet from the existing diversion at 100 feet but within 1320 feet from the existing diversion at 100 feet but within 1320 feet from the existing diversion at 100 feet but within 1320 feet from the existing diversion at 100 feet but within 1320 feet from the existing diversion at 100 feet but within 1320 feet from the 100 feet but within 1320 feet from 100 feet but withi	ndwater Management District recommendation hed? Yes No	South Scale 1" = 100' 13b. If the proposed point of diversion will be r 100 feet but within 1320 feet from the diversion, attach a topographic map or For groundwater sources, show all wells (within one-half mile of the proposed point names and mailing addresses of the ow	elocated more the existing point aerial photogra (including domes of diversion and the control of the control o
Assisted by <u>DLM</u> 13b. If the proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion, attach a topographic map or aerial proposed point of diversion will be relocated 100 feet but within 1320 feet from the existing diversion will be relocated 100 feet but within 1320 feet from the existing diversion will be relocated 100 feet but within 1320 feet from the existing 100 feet but within 1320 feet from the existing 100 feet but within 1320 feet from the existing 100 feet but within 1320 feet from 100 feet but within 1320 feet from 100 feet but within 100 feet but within 1320 feet from 100 feet but within 100 feet	ndwater Management District recommendation hed? Yes No	South Scale 1" = 100' 13b. If the proposed point of diversion will be r 100 feet but within 1320 feet from the diversion, attach a topographic map or For groundwater sources, show all wells (within one-half mile of the proposed point names and mailing addresses of the ow water sources, show the names and	relocated more the existing point aerial photographic including domes of diversion and the addresses of fi

14.	If th	ne proposed groundwater point of diversion is 300 or fewer fe	et fron	n existing point of di	version, complete the	following:	
	(a)	Does the undersigned represent all owners of the currently a Yes No (If no, all owners must sign this a			identified in this appli	cation?	
	(b)	Will the ownership interest of any owner of the currently at affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this			identified in this appli	cation be a	dversely
	(c)	If this application is not approved expeditiously, will there be Yes No (If no, all owners must sign this a			operty, public health o	or safety?	
or a	cha	oplication proposes a surface water change in point of diversion ange in place of use, the application must be signed by all ow attach notarized statement authorizing representation).					
age	an ir b	by verify, being first duly sworn upon my oath or aft d the owner, the spouse of the owner, or a duly aut ehalf, in regard to the water right(s) to which this ned in this application are true, correct and complet	horiz appli	ed agent of the o	wner(s) to make the	his applica	ation on
Date	ed a	t Overland Park , Kansas,	this _	30th day of	March	, 20	18
	6	Face B. Finan					
	1	(Owner)	_		(Spouse)		
	Si	rannon B. Ericson			·		
		(Please Print)			(Please Print)		
	/	(Owner)			(Spouse)		
	-	Term R Dekkert					
		(Please Print)	_		(Please Print)		
		(Owner)	_		(Spouse)		
		(Please Print)			(Please Print)		
Stat	e of	Kansas)					
Cou	nty	of Johnson SS					
I	her	eby certify that the foregoing application was signed in	my	presence and sw	orn to before me the	his	day of
		DWIGHT E BUTT	rs		Man		
		Notary Public - State of	f Kans	2020	Notary Public		
My	Com	nmission Expires \(\sigma \sigma \sig					
accu	rate	OMPLETE APPLICATIONS WILL BE PROCESSED. To be complete information; maps, if necessary, must be included; signatures of all topriate fee must be paid.	e, all of he app	the applicable portion tropriate owners' must	s of the application form be affixed to the applicat	must be com tion and nota	pleted with rized; and
		FEE SCH	EDUL	E			
		oplication to change the place of use or the point of diversion	under	this section shall be	accompanied by the	application	fee set
forth		the schedule below: Make checks payable to: Kansas Depa (1) Application to change a point of diversion 300 feet or les				\$	100
		(2) Application to change a point of diversion more than 300(3) Application to change the place of use	feet .			\$	200 200
				RECEI	VED		
				400 A	2018		
				APR 0 4	1010		

Stockton Field Office Division of Water Resources

File No. 9221

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

prov K.A	visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a</i> "R. 5-1-1 <i>et.seq.</i> With the exception of those conditions exp ns, conditions and limitations of File No. 9221	-701 et. seg., and rules and regi	ulations promulgated thereunder,
	A change application was received on diversion authorized under the above-referenced file number	requesting that	the place of use and / or point of
2.	On and after the effective date of this summary order, the a on the topographic map accompanying the application to ch	authorized place(s) of use shall b	pe located substantially as shown
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	this summary order shall be local	me source or sources of water as ted within afoot
4.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable No.	be located more than of Applicable	feet from the previously
5.	As required by K.A.R. 5-3-5d, if the works for diversion is a tube or other device suitable for making water level measur with K.A.R. 5-6-13. Applicable Not Applicable	a well with a diversion rate of 10 ements shall be installed, operate	00 gallons per minute or more, a ed and maintained in accordance
6.	The owner of the authorized place(s) of use shall pr December 31, 20, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 t K.A.R. 5-3-5e, the owner shall maintain records and report diverted annually to the Chief Engineer by March 1 following Applicable Not Applicable	whichever occurs first. The wa hrough 5-1-12. As required by K the reading of the water flow me	ter flow meter shall be installed, C.S.A. 82a-732, as amended, and
7.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the works for diversion has been completed, on the form provided Applicable Not Applicable	completed on or before Dece applicant shall notify the Chief E ed by the Chief Engineer, as requ	mber 31, 20, or within any Engineer that construction of the uired by K.A.R. 5-8-4e.
8.	The completed well log shall be submitted with the requ	ired notice.	☐ Not Applicable
9.	All diversion works into which any type of chemical or other with an in-line, automatic, quick-closing check valve capab check valve(s) shall be installed, operated and maintained in	foreign substance will be injected ble of preventing pollution of the n accordance with K.A.R. 5-3-5c.	d into the water shall be equipped source of the water supply. The ☐ Applicable ☐ Not Applicable
10.	Additional Conditions are attached. Yes No		
11.	In accordance with K.S.A. 82a-708a, as amended, and K./water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promul result in civil penalties pursuant to K.S.A. 82a-737, as amwater or appropriation right or any other enforcement action	er are responsible for compliand mary Order, and with applicable lgated thereunder. Failure to co ended, and/or the suspension of	ce with its terms, conditions and provisions of the Kansas Water omply with these provisions may
1	Administrative Appeal and Effective Date of Order		FICE USE ONLY
before Dep filed Kar Driv showis no Ord	have the right to a hearing in accordance with K.A.R. 5-14-3 ore this Summary Order becomes final action of the Kansas partment of Agriculture. Any request for a hearing must be at with the Chief Engineer, Division of Water Resources, mass Department of Agriculture, 1320 Research Park ye, Manhattan, Kansas 66502, within 15 days after the date with which are the control of Service attached hereto. If a hearing of requested in accordance with K.A.R. 5-14-3, this Summary er will become effective on the 15th day after the date shown the Certificate of Service.	By:	ORDER ISSUED signee of the Chief Engineer - Kansas Department of Agriculture
	For Use by Register of Deeds	Date of Issuance:	
		State of Kansas)) SS
		County of)
		Acknowledged before me on	
		by	
		Signature:	
		Signature:	Notary Public
		My complesion	
		My commission expires:	(Notary Seal)
DWI	R 1-121 (Revised 06/16/2014)	ge 4	File No. <u>9221</u>

RECEIVED

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. 9221


MAKE ADDITIONAL COPIES AS NECESSARY

APR 04 2018

Stockton Field Office

	wner o	,	ADDR	ESS:																
	-			NE	Ξ1/4			N	N1/4			SV	V1/4			SI	E1/4		TOTAL	
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES	
_		f Land -	NI.	A B A C			<u> </u>				1									
U	wilei o			ESS:																
-							1													
	T	Deves	NEW	1	E1/4	OFW	NEW	T	V1/4	051/	NEW		V1/4	0544			=1/4	0.544	TOTAL	
ec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE1/4		
																	-			
_																				
0	wner o	f Land -																		
		-	ADDRI	ESS:																
				NE	1/4			NV	V1/4			SV	V1/4			SE	Ξ1/4		TOTAL	
ec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES	
										-	-									
		d: If th											the pla	ice of	use be	chang	ged to:			
		Land -	NA	AME: ESS:	The Te 10030	erry Oa	akleaf	Revoc Overla	able T	rust A	reeme	ent 7		ice of	use be				TOTAL	
		Land -	ADDRI	AME: ESS:	The To 10030	Delma	akleaf ar Ln.	Overla NV	able Tand Pa	rust Ac	6620	ent 7 sv	V1/4		use be	SE	Ξ1/4	SE¼	TOTAL	
ec.	Twp.	Range	ADDRI	AME: ESS: NE	The To 10030 51/4 SW1/4	Delma	akleaf ar Ln.	Revoc Overla	able Tand Pa	rust Acrk, KS	reeme	ent 7	V1/4	se%		SE			ACRES	
ec.	wner o	f Land -	ADDRI	AME: ESS:	The To 10030	Delma	akleaf ar Ln.	Overla NV	able Tand Pa	rust Ac	6620	ent 7 sv	V1/4			SE	Ξ1/4			
O ec.	Twp.	Range	ADDRI	AME: ESS: NE	The To 10030 51/4 SW1/4	Delma	akleaf ar Ln.	Overla NV	able Tand Pa	rust Acrk, KS	6620	ent 7 sv	V1/4			SE	Ξ1/4		ACRES	
O ec.	Twp.	Range 5 W	NE%	NW1/4	The To 10030 SW 39	Delma SE% 18	NE1/4	NW1/4	able T and Pa v/ ₄ sw/ ₄	rust Acrk, KS	6620	ent 7 sv	V1/4			SE	Ξ1/4		ACRES	
O ec.	Twp.	Range 5 W	NE% 10	NESS: NE NW/4 10	The To 10030 54/ 8W/4 39	SE%	NE%	NW/4	able T and Pa v/ ₄ sw/ ₄	rust Acrk, KS	6620	ent 7 sv	V1/4			SE	Ξ1/4		ACRES	
O ec.	Twp.	Range 5 W	NE% 10	NW1/4	The To 10030 54/ 8W/4 39	SE%	NE%	NW/4	able T and Pa v/ ₄ sw/ ₄	rust Acrk, KS	6620	ent 7 sv	V1/4			SE	Ξ1/4		ACRES	
O' ecc.	Twp. 17	Range 5 W	NE% 10 NAADDRI	NE NW% 10 AME: ESS:	The To 10030	SE¼	akleaf ar Ln.	NW%	able Tand Pand Pa	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SIS NW1/4	Ξ1/4		109	
O'	Twp. 17	Range 5 W	NE% 10 NAADDRI	NE NW% 10 AME: ESS:	The To 10030	SE¼	akleaf ar Ln.	NW%	able Tand Pand Pa	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SIS NW1/4	SW1/4	SE½	109	
O' eec.	Twp. 17	Range 5 W	NE% 10 NAADDRI	NE NW% 10 AME: ESS:	The To 10030	SE¼	akleaf ar Ln.	NW%	able Tand Pand Pa	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SE NW%	SW1/4	SE½	109	
O' eec.	Twp. 17	Range 5 W	NE% 10 NAADDRI	NE NW/4 10 AME: ESS:	The To 10030	SE¼	akleaf ar Ln.	NW%	able Tand Pand Pa	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SE NW%	SW1/4	SE½	109	
O' eec.	Twp. 17	Range 5 W	NE% 10 NAADDRI	NE NW/4 10 AME: ESS:	The To 10030	SE¼	akleaf ar Ln.	NW%	able Tand Pand Pa	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SE NW%	SW1/4	SE½	109	
O' ecc.	Twp. 17 wner o	Range 5 W	NE% 10 NE% NE%	NEESS: NEESS: NEESS: NEESS: NEESS: NEESS: NEESS:	The To 10030 51/4 SW1/4 39	SE¼ 18	NE%	NW/A NW/A	able Tand Pand Pand Pand Pand Pand Pand Pand P	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SE NW%	SW1/4	SE½	109	
O'eec.	Twp. 17 wner o	Range 5 W Range	NE% 10 NE% NE% NE%	NE: NW1/4 10 AME: ESS: NE NW1/4	The To 10030 51/4 SW1/4 39	SE¼ SE¼	NE%	NW/A NW/A	able Tand Pand Pand Pand Pand Pand Pand Pand P	se%	NE1/4	sv	V% SW%	SE¼	NE¼	SE NW%	SW1/4	SE½	109	
O' ec.	Twp. 17 wner o	Range 5 W Range	NE% 10 NE% NE% NE%	NE NW/4 AME: ESS: NE NW/4 AME: ESS:	The To 10030 51/4 SW1/4 39	SE¼ SE¼	NE%	NW1/4 NW1/4 NW1/4	able Tand Pand Pa	se%	NE1/4	SV NW1/4	V/4 SW/4 V/4 SW/4	SE¼	NE¼	SE NW1/4	SW1/4 SW1/4 SW1/4	SE½	TOTAL ACRES	
O'	Twp. 17 wner of	Range 5 W Range	NE% 10 NE% NE% NE%	NE NW/4 AME: ESS: NE NW/4 AME: ESS: NE NW/4	The To 10030 5/4 SW/4 39	SE¼ 18	NE1/4	NW/A NW/A NW/A	able Tand Pand Pand Pand Pand Pand Pand Pand P	SE%	NE%	SV	V% SW% V% SW%	SE¼	NE¼	SE NW1/4	SW1/4 SW1/4 SW1/4	SE1/4	TOTAL ACRES	
O'	Twp. 17 wner of	Range 5 W Range	NE% 10 NE% NE% NE%	NE NW/4 AME: ESS: NE NW/4 AME: ESS: NE NW/4	The To 10030 5/4 SW/4 39	SE¼ 18	NE1/4	NW/A NW/A NW/A	able Tand Pand Pand Pand Pand Pand Pand Pand P	SE%	NE%	SV	V% SW% V% SW%	SE¼	NE¼	SE NW1/4	SW1/4 SW1/4 SW1/4	SE1/4	TOTAL ACRES	
O' eec.	Twp. 17 wner of	Range 5 W Range	NE% 10 NE% NE% NE%	NE NW/4 AME: ESS: NE NW/4 AME: ESS: NE NW/4	The To 10030 5/4 SW/4 39	SE¼ 18	NE1/4	NW/A NW/A NW/A	able Tand Pand Pand Pand Pand Pand Pand Pand P	SE%	NE%	SV	V% SW% V% SW%	SE¼	NE¼	SE NW1/4	SW1/4 SW1/4 SW1/4	SE1/4	TOTAL ACRES	

Application to Change the Place of Use For Water Right File No. 9221





Authorized Place of Use

Proposed Place of Use

RECEIVED

APR 04 2018

Stockton Field Office
Division of Water Resources

1:24,000



DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JAMES D CLOUATRE 426 SIOUX RD MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

PEGGY WICKSTROM 1827 5TH AVE MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 FAX: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JENNIFER JOHNSON KINZEL PO BOX 866 MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

GREGORY T KEENAN 649 NAVAJO RD MCPHERSON, KS 67460

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STOCKTON FIELD OFFICE
820 S. WALNUT
STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

JOSHUA D & CASIE A NELSON 2596 4TH AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Nelson:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

Bellinger

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 FAX: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

DEAN L ELVIN 520 N CHESTNUT ST LINDSBORG, KS 67456

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 FAX: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ROBERT A & WILLA M LODER 2884 4TH AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Loder:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the *place of use & point of diversion* under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



PHONE: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ENGEL E & REBECCA YODER S 2584 3RD AVE MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Mr. & Mrs. Yoder:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES STOCKTON FIELD OFFICE 820 S. WALNUT STOCKTON, KS 67669-0192



Phone: (785) 425-6787 Fax: (785) 425-6842 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture

April 9, 2018

ELVIN, DONNA F TRUST TTEE 320 WELLS FARGO RD MARQUETTE, KS 67464

Re: Water Right, File No. MP21, 613, 4835-D2, 7901, 26275, 9221, 29247, 36308

Dear Sir or Madam:

This is to advise you that the Terry Oakleaf Revocable Trust has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the <u>place of use & point of diversion</u> under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Mark Billinger

Assistant Water Commissioner

NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Kansas Department of Agriculture / Division of Water Resources <u>Stockton</u> Field Office

10: <u>HEADQUARTERS</u>	
RE	priation of Water;
File No(s). MPZ1, 613, 4835-02, 7901, 20	275 County <u>wP</u>
Enclosed are the following checked items:	
AFIR	I Inspection Return to Field Office Init Meter Order: GMD#4
☐ A Compliance Check Inspection on ☐ Meter Install ☐ New App ☐ Chg App ☐ In Compliance ☐ Not in Compliance, why _ Modify Point of Diversion ☐ No ☐ Yes, document of the compliance of the compl	Other ment attached
An application and judgment sheet with recommen A memorandum dated A request for an extension of time to perfect or con A verified report. A closure request. A field investigation report. Notice of Non-Compliance	nplete.
Violation An ownership change (name(s) and address(es) be A water use report for A letter dated	Date
☐ A copy of an <u>Approval</u> to Change the ☐ place of u ☐ Filing Fee attached.	se and/or point of diversion,
An Advanced copy of a change application and office. # 2374	the filing fee, to be processed at the field
An original field office change <u>application</u> and review and further processing.	the filing fee needing headquarters office
Other:	
May BIL	4-6-18
Assistant Water Commissioner	Date