

NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

1320 Research Park Drive
Manhattan, KS 66502
785-564-6700
www. agriculture.ks.gov



900 SW Jackson, Room 456
Topeka, KS 66612
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

50873

File Number _____
This item to be completed by the Division of Water Resources.

9/30/2022, 4:06 PM

**APPLICATION FOR PERMIT TO
APPROPRIATE WATER FOR BENEFICIAL USE**

Filing Fee Must Accompany the Application
(Please refer to Fee Schedule attached to this application form.)

Water Resources
Received

KS Dept Of Agriculture

*To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
1320 Research Park Drive, Manhattan, Kansas 66502:*

1. Name of Applicant (Please Print): BESTIFOR FARMS LP
Address: PO BOX 220
City: BELLEVILLE State KS Zip Code 66935
Telephone Number: (____) _____

2. The source of water is: surface water in _____ (stream)
OR groundwater in REPUBLICAN (drainage basin)

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.

3. The maximum quantity of water desired is _____ acre-feet OR 50.83 MG gallons per calendar year, to be diverted at a maximum rate of 300 gallons per minute OR _____ cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can **NOT** be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4. The water is intended to be appropriated for (Check use intended):
(a) Artificial Recharge (b) Irrigation (c) Recreational (d) Water Power
(e) Industrial (f) Municipal (g) Stockwatering (h) Sediment Control
(i) Domestic (j) Dewatering (k) Hydraulic Dredging (l) Fire Protection
(m) Thermal Exchange (n) Contamination Remediation

YOU **MUST** COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:	
F.O. <u>3</u> GMD _____ Meets K.A.R. 5-3-1 (YES/NO) Use <u>IRR</u> Source <u>G/S</u> County <u>RB</u> By <u>ALB</u> Date <u>9/30/22</u>	
Code <u>RE2</u> Fee \$ <u>300</u> TR # <u>PY00045606</u> Receipt Date <u>9/30/22</u> Check # _____	

10/11/2022
LMoody

Water Resources
Received

File No. _____

KS Dept Of Agriculture

5. The location of the proposed wells, pump sites or other works for diversion of water is:

Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.

(A) One in the NW quarter of the NW quarter of the NW quarter of Section 18, more particularly described as being near a point 5169 feet North and 4860 feet West of the Southeast corner of said section, in Township 06 South, Range 18 WEST, CLOUD County, Kansas.

10/11/2022
BMM

(B) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

(C) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

(D) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):


(name, address and telephone number)

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, 20____.



Applicant's Signature

The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.

7. The proposed project for diversion of water will consist of BATTERY OF 4 WELLS
(number of wells, pumps or dams, etc.)
and WILL completed (by) 12/31/23
(Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be 2024
(Mo/Day/Year)

Water Resources
Received

File No. _____

KS Dept Of Agriculture

- 9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
 Yes No If "yes", a check valve shall be required.

All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

- 10. If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? Yes No

- If yes, show the Water Structures permit number here N/A
- If no, explain here why a Water Structures permit is not required N/A

- 11. The application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:

- (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
- (b) If the application is for groundwater, please show the location of any existing water wells of any kind within 1/2 mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within 1/2 mile, please advise us.
- (c) If the application is for surface water, the names and addresses of the landowner(s) 1/2 mile downstream and 1/2 mile upstream from your property lines must be shown.
- (d) The location of the proposed place of use should be shown by cross hatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

- 12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

APPLICANT MAY CHOOSE TO FILE A VOLUNTARY DISMISSAL OF FILE 47,840 CONTINGENT UPON APPROVAL OF THIS APPLICATION. THIS APPLICATION IS TO REPLACE FILE 47,840

Water Resources
Received

File No. _____

KS Dept Of Agriculture

13. Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: Test holes Well as completed Drillers log attached

Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	_____	_____	_____	_____
Total depth of well	_____	_____	_____	_____
Depth to water bearing formation	_____	_____	_____	_____
Depth to static water level	_____	_____	_____	_____
Depth to bottom of pump intake pipe	_____	_____	_____	_____

14. The relationship of the applicant to the proposed place where the water will be used is that of OWNER
(owner, tenant, agent or otherwise)

15. The owner(s) of the property where the water is used, if other than the applicant, is (please print):

(name, address and telephone number)

(name, address and telephone number)

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at _____, Kansas, this ____ day of _____, _____
(month) (year)



(Applicant Signature)

By _____
(Agent or Officer Signature)

(Agent or Officer - Please Print)

Assisted by MB _____ ASST WC _____ Date: 9/29/22
(office/title)

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE**ATTENTION**

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

**INDUSTRIAL USE
SUPPLEMENTAL SHEET**

File No. _____

Name of Applicant (Please Print): BESTIFOR FARMS LP

1. Please describe type of industry or product produced: ETHANOL, FUEL GRADE
 _____ Standard Industrial Classification Code Number: 2869

2. Please complete the following table to show your past and present water requirements:

PAST PRODUCT PRODUCTION AND WATER DIVERTED, IF APPLICABLE

LAST 5 YEARS	AMOUNT OF PRODUCT	WATER DIVERTED (GALLONS)	GALLONS PER PRODUCT PER DAY
5 years ago			
Last year			
Present year			

3. Please complete the following table to show your future water requirements:

ESTIMATED FUTURE PRODUCT PRODUCTION AND WATER DIVERTED

NEXT 5 YEARS	AMOUNT OF PRODUCT	WATER TO BE DIVERTED (GALLONS)	GALLONS PER PRODUCT PER DAY
Year 1	65 MG	50.85 MG	5.57
Year 2	65 MG	50.85 MG	5.57
Year 3	65 MG	50.85 MG	5.57
Year 4	65 MG	50.85 MG	5.57
Year 5	65 MG	50.85 MG	5.57

Number of days of operation of the industry per year is 365 days.

Please attach any tables, curves or additional information showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used. Show in the space provided below the Section (S), Township (T), and Range (R), and the number of acres in each forty acre tract or fractional portion thereof.


S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
36	5S	3W									35	35	40	40	35	35	40	40	300

You may attach any additional information you believe will assist in informing the Division of the need for your request.

New Application - Groundwater

Water Resources
Received

KS Dept Of Agriculture



Proposed Place of Use

▲ Surface Water Point of Diversion

● Groundwater Point of Diversion

1:24,000



Proposed Point of Diversion

Signature Required

Thomas Lane

By signing this I am stating that to the best of my knowledge that all wells within 1/2 mile of proposed well location are identified on this map.

9/30/2022

Water Resources
Received

KS Dept Of Agriculture

(Date)

Kansas Department of Agriculture
Division of Water Resources
Earl D. Lewis, Jr., Chief Engineer
1320 Research Park Drive
Manhattan, Kansas 66502

Re: Application
File No. _____

Minimum Desirable Streamflow

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.


I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.



Signature of Applicant

State of Kansas)
County of Republic) ss


(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 30th day of September, 2022.




Notary Public

My Commission Expires: 5/21/23

9/30/2022

Water Resources
Received


KS Dept Of Agriculture **MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN
APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT
TO APPROPRIATE WATER FOR BENEFICIAL USE**

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

12 June 2007



***PER MARK BILLINGER - There is a complete hydrologic analysis done by Bob Vincent that is on file at the Stockton Field Office is more information is needed. -ALB 9/30/22**

9/30/2022

Water Resources Received

KS Dept Of Agriculture

Figure 2

Everton Energy-Concordia
Test Hole LocationsRevised KS Dept Of Agriculture
9 Jun 2007

Test Hole/ Test Well	Location
TH 1-06	18' N & 950' E of SW cor. Section 11, T6S, R3W GPS N 39° 32.346' W 97° 37.557'
TH 2-06	22' N & 124' W of SE cor. of SW ¼ Section 11, T6S R3W GPS N 39° 32.349' W 97° 37.209'
TH 3-06	29' S & 81' W of NE cor. of NW ¼ Section 13, T6S, R3W GPS N 39° 32.343' W 97° 36.077'
TH 4-06	26' S & 113' W of NE cor. of NW ¼ Section 13, T6S, R3W GPS N 39° 32.343' W 97° 36.084'
TH 5-06	53' N & 588' W of SE cor. Section 11, T6S, R3W GPS N 39° 32.356' W 97° 36.747'
TH 6-06	25' S & 103' W of NE cor. Section 13, T6S, R3W GPS N 39° 32.340' W 97° 35.517'
TH 7-06	20' S & 62' W of NE cor. of NW ¼ Section 18, T6S, R2W GPS N 39° 32.345' W 97° 34.996'
TH 8-06	20' S & 50' W of NE cor. of NW ¼ Section 18, T6S, R2W GPS N 39° 32.345' W 97° 34.994'
TH 9-06	25' S & 120' W of NE Cor Section 18, T6S, R2W GPS N 39° 32.349' W 97° 34.441'
TH 10-06	25' N & 1759' W of SE Cor. Section 8, T6S, R2W N 39° 32.367' W 97° 33.669'
TH 11-06	27' S & 43' W of SE Cor. Section 8, T6S, R2W N 39° 32.370' W 97° 33.291'
TH 12-06	23' S & 59' E of NW Cor of NE ¼ of Section 16, T6S, R2W N 39° 32.367' W 97° 32.699'
TH 1-07	17' S & 71' W of NE Cor. Section 15, T6S, R2W N 39° 32.368' W 97° 31.028'
TH 2-07	23' S & 193' W of NE Cor. Section 16, T6S, R2W N 39° 32.368' W 97° 32.189'

9/30/2022

Water Resources
Received

KS Dept Of Agriculture

TH 3-07	22' S & 81' W of NE Cor. Section 15, T6S, R2W N 39° 32.361' W 97° 31.599'
TH 4-07	90' N & 90' W of SE Cor. of NW ¼ Section 18, T6S, R2W N 39° 31.924' W 97° 34.996'
TH 5-07	37'S & 1150' E of NW Cor. Section 18, T6S, R2W N 39° 32.341' W 97° 35.256'
TH 6-07	134' S & 1467' W of NE Cor. Section 15, T6S, R2W N 39° 32.349' W 97° 31.319'
TH 7-07	1738' S & 512' E of NW cor. of NE ¼ Section 13, T6S, R3W GPS N 39° 32.060' W 97° 35.955'
TW 8-07	130' S & 90' W of NE cor. of NW ¼ Section 18, T6S, R2W GPS N 39° 32.329' W 97° 35.000'
TW 9-07	136' S & 26' E of NW cor. of NE ¼ Section 13, T6S, R3W GPS N 39° 32.324' W 97° 36.052'
TW 10 -07	120' S & 135' E of SW cor. of SW ¼ Section 11, T6S, R2W GPS N 39° 32.389' W 97° 30.986'
TW 11 -07	550' N & 1200' E of SW Cor. of NE ¼ Section 15, T6S, R2W GPS N 39° 32.021' W 97° 31.316'
TH 12-07	520' N & 1200' E of SW Cor. of NE ¼ Section 15, T6S, R2W GPS N 39° 32.016' W 97° 31.316'
TH 13-07	45'S & 593' E of NW cor of NE ¼ Section 14, T6S, R2W GPS N 39° 32.358' W 97° 30.320'
TH 14-07	1840' S & 68' W of NE cor of Section 14, T6S, R2W GPS N 39° 32.071' W 97° 29.890'
TW 15-07	95' S & 593' E of NW cor of NE ¼ Section 14, T6S, R2W GPS N 39° 32.350' W 97° 30.320'
TW 16-07	95' N & 1060' W of SE Cor. of NW ¼ Section 18, T6S, R2W GPS N 39° 31.924' W 97° 35.203'

Locations established by GPS (datum: conus NAD1927)

Table 1 (cont)



Ground Water Associates, Inc.

9/30/2022

Water Resources
Received

Subject Summary of Test Wells - Everton Date 5 Jan 13
KS Dept Of Agriculture

Test Well or Well Site	SUR. Elev. & Bm.	SS. Thick. & Quality	Screen & Setting	SWL & Elev.	TH	Cl	SO ₄	N	Fe	Mn	Radium
TW 8-07	1439' 1252	129' V. Good	105'-185'	54.89' 1387.11	280	5.6	33	0.58	<0.01	0.016	2.7
TW 16-07	1470 1227	105 V. Good	85-115 135-175	74.95 1395.05	430	34	94	7.5	0.015	0.010	2.6
TW 9-07	1434 1168	127 Good	88-108 178-258	53.98 1380.02	300	15	45	0.44	0.15	0.021	5.5
TW 10-07	1430 1217	84 Good	123-203	86.87 1343.13	320	130	64	<0.10	1.10	.18	5.2
TW 11-07	1376 1214	112 V. Good	98-168	26.05 1349.95	260	28	29	<0.10	0.33	.68	8.9
TW 15-07	1399 1233	62 V. Good	106-166	65.81 1333.19	340	67	32	0.23	0.49	.21	7.5
City of Concordia											
TW 2-89 SW 4, Sec 10 TGS, R3W	1478 1233	115 V. Good	175-235	77.40 1400.60							7.4
Well 19 NE 4, Sec 5 TGS, R3W	1465 1201	128 V. Good	172-252	104.60 1360.40	319	16.2	ND	0.20	0.05		2.0

Gross Alpha

Surface Elevations estimated from topographic map

All analyses shown in Mg/L except for Radium and Gross Alpha in pCi/L

Table 2



Ground Water Associates, Inc.

Subject Everton Area - Aquifer Characteristics Date Updated 9 Jan 13

Test Well or Well	Transmissivity g/d/ft (avg)	Storage Coefficient
-------------------------	--------------------------------	---------------------

TW 8-07	16,200	9/30/2022 0.00016
---------	--------	----------------------

TW 9-07	6,700	Water Resources Received 0.00004 KS Dept Of Agriculture
---------	-------	--

TW 16-07	33,000	No Obs. Well Results
----------	--------	-------------------------

TW 10-07	10,700	0.00013
----------	--------	---------

TW 11-07	21,700	0.00051
----------	--------	---------

TW 15-07	10,600	0.00015
----------	--------	---------

City of Concordia

Well 19 NE 1/4, Sec 5 T6S, R3W	17,400	0.00421
--------------------------------------	--------	---------

TW 2-89 SW 1/4, Sec 10, T6S, R3W	20,700	0.00008
--	--------	---------

Water Resources
Received

KS Dept Of Agriculture

Revised
18 Jun 2007

Everton Energy Test Holes & Test Wells

Test Hole/	Surface Elevation	Depth Hole	Bottom Elevation	Bottom S Stone Elevation	S Stone Thickness	Static Water Level & Elevation	Quality of Sandstone	Test Hole, Test Well or Well
TH 1-06	1465'	240'	1245'	144' 1321	47'		poor	TH 1-06
TH 2-06	1400	160	1240	75 1325	28		poor	TH 2-06
TH 3-06	1426	260	1166	245 1181	74.5	74.16 1351.84	good	TH 3-06
TH 4-06 (Same site as TH 3-06)	1426	95	1331	95 1331	28.5	43.50 1382.50	good	TH 4-06 (same as 3-06)
TH 5-06	1400	200	1200	152 1248	33.5		poor	TH 5-06
TH 6-06	1452	250	1202	188 1264	42		poor	TH 6-06
TH 7-06	1432	210	1222	182 1250	130	48.47 1383.53	V. good	TH 7-06
TH 8-06 (Same site as TH 7-06)	1432	108	1324	108 1324	56	48.41 1383.59	V. good	TH 8-06 (same as 7-06)
TH 9-06	1401	190	1211	70 1331	21		poor	TH 9-06
TH 10-06	1392	210	1182	197 1195	35	52.45 1339.55	fair/ poor	TH 10-06
TH 11-06	1388	220	1168	178 1210	15		poor	TH 11-06
TH 12-06	1402	204	1198	191 1211	37		poor	TH 12-06
TH 1-07	1433	250	1183	240 1193	87	91.07 1341.93	good	TH 1-07
TH 2-07	1407	210	1197	86 1321	23		poor	TH 2-07
TH 3-07	1380	200	1180	-	0		poor	TH 3-07

Water Resources
Received

KS Dept Of Agriculture

Test Hole/ Well	Surface Elevation	Depth Hole	Bottom Elevation	Bottom S Stone Elevation	S Stone Thickness	Static Water Level & Elevation	Quality of Sandstone
TH4-07	1442	200	1242	193 1249	100	47.29 1394.71	good TH 4-07
TH 5-07	1482	210	1272	173 1309	61	98 est 1384	good TH 5-07
TH 6-07	1392	200	1292	165 1227	64	50 est 1342	fair/good TH 6-07
TH7-07	1420	220	1200	191 1229	34.5	29 est 1391	poor TH 7-07
TW 8-07 (Same site as TH 7-06)	1439	185	1252	185 1252	129	55.40 1383.60	V. good TW 8-07 (same as 7-06)
TW 9-07 (Same site as TH 3-06)	1434	270	1164	266 1168	127	53.98 1380.02	good TW 9-07 (same as 3-06)
TW 10-07	1430	240	1190	213 1217	84	86.87 1343.13	good TW 10-07
TW 11-07	1376	180	1196	162 1214	112	26.05 1349.95	V. good TW 11-07
TH 12-07 (Same site as TW 11-07)	1376	160	1216	160 1216	111	22.80 1353.20	V. good TH 12-07 (same as 11-07)
TH 13-07	1400	180	1220	174 1226	68	65.62 1334.38	V. good TH 13-07
TH 14-07	1373	135	1238	-	0	39 est 1334	V. poor TH 14-07
TW 15-07 (Same site as TH 13-07)	1399	172	1227	166 1233	62	64.65 1334.35	V. good TW 15-07 (same as 13-07)
TW 16-07	1470	189	1281	183 1287	105	74.30 1395.7	V. good TW 16-07
Concordia							Concordia
TW 2-89	1478	245	1233	245 1233	115	83.77 1394.23	V. good TW 2-89
Well 19	1465	264	1201	264 1201	128	105 1360	V. good Well 19

Table 4 (cont.)

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER 50873

APPLICANT PERSON ID & SEQ #	PDIV ID	BATTERY ID
<u>1235</u>	<u>89827</u>	

LANDOWNER PERSON ID & SEQ #	PUSE ID
<u>1235</u>	

WATER USE CORRESPONDENT PERSON ID & SEQ #
<u>1235</u>