Submit To: CHIEF ENGINEER Division of Water Resources Kansas Department of Agriculture 1320 Research Park Drive Manhattan, KS 66502-5000 http://agriculture.ks.gov/dwr

## **APPLICATION FOR PERMIT TO** APPROPRIATE WATER FOR FEB 1 0 2025 **BENEFICIAL USE**

WATER RESOURCES RECEIVED

KS Dept. of Agriculturstate of Kansas

STATUTORY FILING FEE MUST ACCOMPANY THIS APPLICATION Please refer to the Fee Schedule attached to this application form.

	Name of Assissant HISTIN S	CHMIDT PID 62804		
1.	Name of Applicant: JUSTIN S Address: 424 N 90TH RD	OTHIVID I		
			State: KS Zip	Code: 67445
	Phone: 785 - 275	- 1540 E	mail: djschmidt 2	D twinvalley - net
2.	The source of water is:	surface water in		
			(stream	m)
		groundwater in SOLON	(drainage	basin)
3.	The maximum annual quantit			acre-feet  gallons
	to be diverted at a maximum	rate of 800	gpm	tural flows    natural evaporation
	rediverted is	Convers	sion Factors	gpm
		acre-feet  Convers  1 acre-foot (AF)  1 million gallons (m		
dive cert	1 cub PORTANT: Once your applicatersion and maximum requested	Convers  1 acre-feet  1 million gallons (moder foot per second (c.f.s.)  2 ition has been assigned a diannual quantity of wate	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (gapriority date and file number runder that priority number cap	
dive cert for	1 cub PORTANT: Once your applicate ersion and maximum requested ain your requested maximum i	acre-feet  Convers 1 acre-foot (AF 1 million gallons (moder foot per second (c.f.s.)  cition has been assigned a diannual quantity of waterate of diversion and max	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number calcimum annual quantity of water	gpm) r, the requested maximum rate c an <b>NOT</b> be increased. Please b
dive cert for	1 cub PORTANT: Once your applicate ersion and maximum requested ain your requested maximum of your proposed project.	Convers  1 acre-feet  1 acre-foot (AF  1 million gallons (moder foot per second (c.f.s.)  tion has been assigned and annual quantity of wate rate of diversion and max appropriated for the follow	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number calcimum annual quantity of water	gpm)  The requested maximum rate of an NOT be increased. Please between are appropriate and reasonable.  Water Power*
dive cert for	1 cub  CORTANT: Once your applicate ersion and maximum requested ain your requested maximum reproposed project.  The water is intended to be a Artificial Recharge*  Industrial*	acre-feet  Convers 1 acre-foot (AF 1 million gallons (moder foot per second (c.f.s.)  add annual quantity of wate rate of diversion and max  appropriated for the follow  Irrigation*  Municipal*	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number calcimum annual quantity of water priority states and gallons per minute (gallons).  If the priority date and file number or under that priority number or under the priority number of the priority number	gpm)  r, the requested maximum rate of an <b>NOT</b> be increased. Please beer are appropriate and reasonable.  Use Water Power*  Sediment Control
dive cert for	1 cub PORTANT: Once your applicate ersion and maximum requested rain your requested maximum reproposed project.  The water is intended to be a Artificial Recharge*  Industrial*  Domestic	acre-feet  Convers 1 acre-foot (AF 1 million gallons (moder foot per second (c.f.s.)  Ition has been assigned and annual quantity of water attention and max  appropriated for the follow  Irrigation*  Municipal*  Dewatering	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number calcimum annual quantity of water priority of water priority seems annual quantity seems annu	gpm)  The requested maximum rate of an NOT be increased. Please between are appropriate and reasonable.  Water Power*
dive cert for	1 cub  CORTANT: Once your applicate ersion and maximum requested ain your requested maximum reproposed project.  The water is intended to be a Artificial Recharge*  Industrial*	acre-feet  Convers 1 acre-foot (AF 1 million gallons (moder foot per second (c.f.s.)  add annual quantity of wate rate of diversion and max  appropriated for the follow  Irrigation*  Municipal*	sion Factors ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number calcimum annual quantity of water priority of water priority seems annual quantity seems annu	gpm)  r, the requested maximum rate of an <b>NOT</b> be increased. Please beer are appropriate and reasonable.  Use Water Power*  Sediment Control
dive cert	1 cub PORTANT: Once your applicate ersion and maximum requested ain your requested maximum reproposed project.  The water is intended to be a Artificial Recharge*  Industrial*  Domestic  Thermal Exchange		sion Factors  ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number cannot an annual quantity of water and growth annual quantity of water	gpm)  The requested maximum rate of an NOT be increased. Please been are appropriate and reasonable with the second secon
dive cert for	1 cub PORTANT: Once your applicate ersion and maximum requested ain your requested maximum reproposed project.  The water is intended to be a Artificial Recharge*  Industrial*  Domestic  Thermal Exchange  *IMPORTANT: You must s		sion Factors  ) = 325,851 gallons g) = 3.07 acre-feet (AF) ) = 448.8 gallons per minute (ga priority date and file number or under that priority number cannot an annual quantity of water and growth annual quantity of water	gpm) r, the requested maximum rate of an NOT be increased. Please ber are appropriate and reasonabl  Water Power* Sediment Control Fire Protection

#### WATER RESOURCES RECEIVED

### FEB 1 0 2025

File No.	

KS Dept. of Agriculture

5. The location(s) of the proposed diversion work(s) (well, pumpsite, etc.) are described below. Note that for the application to be accepted, the point of diversion location(s) <u>must</u> be described to at least a 10-acre tract, unless you specifically request a 60-day period of time in which to locate the site within a specifically described, minimal legal quarter section of land. You can specify a nickname for the point of diversion via the A.K.A. line to help you identify it.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300-foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800gpm and which supply water to a common distribution system.

P/D 91552	(A) One in the SE quarter of the SW quarter of the SE quarter of Section 20 , more particularly described as being near a point 64 feet North and 1597 feet West of the Southeast corner of said section, in Township 8 South, Range 4 DE W, CLOUD County, KS. A.K. A: GEO-CTR BATT4
	(B) One in the quarter of the quarter of the quarter of Section, more particularly described
	as being near a point feet North and feet West of the Southeast corner of said section, in Township South, Range DE DW, County, KS. A.K.A:
	(C) One in the quarter of the quarter of the quarter of Section, more particularly described as being near a point feet North and feet West of the Southeast corner of said section, in Township South, Range DE DW, County, KS. A.K.A:
	(D) One in the quarter of the quarter of the quarter of Section, more particularly described as being near a point feet North and feet West of the Southeast corner of said section, in Township South, Range DE DW, County, KS. A.K.A:
	(E) One in the quarter of the quarter of the quarter of Section, more particularly described as being near a point feet North and feet West of the Southeast corner of said section, in Township South, Range DE DW, County, KS. A.K.A:
6.	The proposed project for diversion of water will consist of BATTERY OF 4 WELLS  (number of wells, pumps, dams, etc.)  and was/will be completed on or by the following date: 12/31/26
	(date each was or will be completed)
7.	The first actual application of water for the proposed beneficial use was or is estimated to be ODate)
8.	List any application, appropriation of water, water right, or vested right file number that covers the same point(s) of diversion or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

# WATER RESOURCES

		RECEIVED		
	35K (1) 835	FEB 1 0 2025	File No	
Will posticide fortilizer or other t	KS	Dept. of Agricult	ture	araian warka?
	그는 이 얼룩하는 것이 없어 있다.			
a cher	migation permit and reporting	requirements.	ty requirements must be me	t including
				se attach a reservoir
Have you made an application for	or a permit for constructi	on of this dam and	reservoir with DWR?	☐ Yes ■ No
If yes, write the Water Struct	ures permit number her	e: N/A		
Furnish a detailed topographic o	r aerial map that depicts	the following inform	mation:	
		ohic map, aerial ph	notograph or a detaile	d plat showing the
			d labels showing the a	appropriate section,
described in Item No. 5 of th	ne application, showing			
(C) The location of the proposed	place of use identified	by crosshatching,		
wells and indicate for each w	ell its type of use and th	e name and mailing		
		of the landowner(s)	½ mile downstream a	nd ½ mile upstream
			, pipelines, power hou	ses, and any other
Well location as shown in Iter	m No. 5 (A)	(B)	(C) (D)	(E)
Date	10.01.05			and the second
	115		tandamanay -	
. otal dopti				- (
Depth to static wat	er level 21			
	If you are planning to impound wa area capacity table and inform us. Have you made an application for lif yes, write the Water Struct. Furnish a detailed topographic of The application must be supple information described in A-D below.  (A) The center of the section, the township and range numbers.  (B) The location of the proposed described in Item No. 5 of the section line or southeast confused in Item No. 5 of the s	Will pesticide, fertilizer, or other foreign substance be inj  Yes No If yes, a check valve shall be require a chemigation permit and reporting. If you are planning to impound water, please contact DWI area capacity table and inform us of the total acres of sure Have you made an application for a permit for construction of yes, write the Water Structures permit number here. Furnish a detailed topographic or aerial map that depicts. The application must be supplemented by a topographin information described in A-D below.  (A) The center of the section, the section lines or the stownship and range numbers, as well as a north arrow described in Item No. 5 of the application, showing section line or southeast corner of section,  (C) The location of the proposed place of use identified to the Item of the proposed place of use identified to the Item of the proposed of the please indicate to the Item of the proposed or existing wells and indicate for each well its type of use and the (If there are no wells within ½ mile, please indicate to the Item of the purpose of storing, conveying, or use the Item of the purpose of storing, conveying, or use Item of the purpose of storing, conveying, or use Item of the purpose of storing, conveying, or use Item of the purpose of storing, conveying, or use Item of the purpose of storing, conveying, or use Item of the purpose of the driller's logs driller's logs provide depth to the static water level. If drift following information:  Well location as shown in Item No. 5 (A)	Will pesticide, fertilizer, or other foreign substance be injected into the wate     Yes   No	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversity of the diversity of the pumped from the diversity of the pumped from the diversity of the diversity of the diversity of the pumped from the diversity of the divers

13. The owner(s) of the point of diversion, if other than the applicant is:

(name, address, and phone)

(name, address, and phone)

# WATER RESOURCES RECEIVED

# 2505 U 84 FEB 1 0 2025

File No.	

			(name address and phana)			
			(name, address, and phone)			
	1		(name, address, and phone)			<u> </u>
<b>15.</b> The relationsh	nip of the app	olicant to the pr	oposed place where the water	will be used is	that of:	
<b>■</b> Owner	□Agent	□Tenant	Other:			
must be filed the owner(s) t	with the Divis to a civil fine verify that th	sion by March of up to \$1,000 se owner(s) of	be designated. The WUC will 1 of each year. Failure to timel 2 and potential suspension of the 3 the water right or permit have	y file an accur ne water appro	rate water use re opriation or right	eport will subject  By signing this
JUSTIN SC	HMIDT 4	124 N 90T	H RD GLASCO, KS	67445		
		- Isl	(name, address, and phone)			
are not met, v a Water Rese necessary to I declare, und	vhen Assurar rvation Right prevent impa ler penalty of	nce District or V upstream of a dirment.	may include times when minim Water Marketing releases are refederal reservoir is administered have legal access to or controdowner's authorized representations.	made from sto d, or when wat of of, the point	orage in federal er rights adminis	reservoirs, wher stration becomes
			nation set forth above is true to plication is submitted in good fa		my knowledge,	I agree with al
(Applicant	Signature)	M			Fib 4, 2	2025
Ju	stin.	Schmid	+			
(Applicant	Name – please	e print)				
			nt)			
<b>多心れ</b> (Applicant	Title, if applica	ible – please prir	ity			
<b>グルn</b> (Applicant	Title, if applica	ible – please prir				

FEB 1 0 2025

#### **FEE SCHEDULE**

Make checks payable to the Kansas Department of Agriculture.

KS Dept. of Agriculture

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic, waterpower, dewatering, or sediment control use, shall be (see No. 2 below if requesting storage):

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 32.585	≤ 100	\$200.00
32.586 - 104.272	100.1 - 320.0	\$300.00
> 104.272	> 320	\$300.00 plus \$20 for each additional 100AF (32.586mg) or any part thereof

2. The fee for an application in which storage of water is requested, except for domestic use, shall be:

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 81.462	≤ 249.9	\$200.00
≥ 81.463	≥ 250	\$200.00 plus \$20 for each additional 100AF (32.586mg) or any part thereof

**Note:** If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for waterpower or dewatering use shall be \$100.00 plus \$200.00 for each 44,880 gallons per minute (100 c.f.s.), or part thereof, of the diversion rate requested.

#### IMPORTANT NOTICE

If this application is approved, the applicant shall notify the Chief Engineer when the diversion works (well, pump, reservoir, pit, etc.) has/have been completed via the *Notice of Completion of Diversion Works* form (DWR 1-203.11) and along with the statutorily required field inspection fee of:

- \$200.00 for sediment control use or groundwater pits for industrial use, or
- · \$400.00 for all other uses made of water

Failure to complete the diversion works by the deadline specified in the *Approval of Application and Permit to Proceed* (or any subsequent extension of time of said deadline) and/or failure to submit the proper notice and field inspection fee will result in the dismissal of the appropriation and forfeiture of any priority associated with it.

#### For assistance with this application, please contact the Division of Water Resources (DWR).

Manhattan HQ 1320 Research Park Dr. Manhattan, KS 66502 785-564-6638

Topeka Field Office 1131 SW Winding Rd, Ste 400 Topeka, KS 66615 785-296-5733 Stafford Field Office 300 S. Main St Stafford, KS 67578 620-234-5311 Stockton Field Office 820 S. Walnut Stockton, KS 67669 785-425-6787 Garden City Field Office 4532 W. Jones Ave, Ste B Garden City, KS 67846 620-276-2901

#### **Helpful Sources of Information**

DWR Water Appropriation Program DWR Water Appropriation Forms KGS Water Well Completion Records DWR Structures Program https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation

https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-appropriation-forms

https://www.kgs.ku.edu/Magellan/WaterWell/index.html

https://agriculture.ks.gov/divisions-programs/dwr/dam-safety/permit-requirements

WATER RESOURCES RECEIVED

# IRRIGATION USE

FEB 1 0 2025

									SCH O <sup>TH</sup> R	To the			S 674			Jan.,	i ja	11	p =	
	1981	- 400			NI					V1/4				V1/4	-	MAR	SE	E1/4		34-n
	S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
2132	20	8S	4W													32.5	32.5	32.5	32.5	130
									-											
	4																1100			
		11-6			_				_					-	-	-	100	_	-	
	Land	owne	er of l	Recor														3 T		2(g) (g)
	Land	owne	er of l	Recor														- 71		201 201
	Land	owne	er of l		ADI	ORES	SS:		NV	V¹⁄4			SV	V¹⁄4		27	SE	E1/4		TOTAL
				Recor	ADI	ORES													SE	TOTAL
					ADI	ORES	SS:		NV	V¹⁄4			SV	V¹⁄4		27	SE	E1/4		TOTAL
					ADI	ORES	SS:		NV	V¹⁄4			SV	V¹⁄4		27	SE	E1/4		TOTAL
					ADI	ORES	SS:		NV	V¹⁄4			SV	V¹⁄4		27	SE	E1/4		TOTAL

RECEIVED

FEB 1 0 2025


. Ir	ndicate the soils in the field(s) and	their intake rates:		
	Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
	, , , (1)			
-		7.1		
- 7		9.4(r <sup>a</sup> )		
-	Total:	100 %		
. E	Estimate the average land slope in	the field(s):	%	French 1
Е	Estimate the maximum land slope	in the field(s):	%	
. T	Type of irrigation system you prop	ose to use (check one):		
<u>X</u>	Center pivot	Center pive	ot - LEPA	"Big gun" sprinkler
-	Gravity system (furrows)	Gravity sys	stem (borders)	Sideroll sprinkler
C	Other, please describe:			
l. S	ystem design features:			
i.	Describe how you will control	ol tailwater: IRRIGATI	ON SCHEDULING	
		ol tailwater: IRRIGATI	ON SCHEDULING	
i. ii.	. For sprinkler systems:			
	. For sprinkler systems:	ol tailwater: IRRIGATI		psi
	For sprinkler systems:  (1) Estimate the operating		ution system: 35	psi
	<ul><li>For sprinkler systems:</li><li>(1) Estimate the operation</li><li>(2) What is the sprinkler</li></ul>	g pressure at the distribution package design rate? 80	ution system: 35	psi s water) of a sprinkler on
	Estimate the operating  (1) Estimate the operating  (2) What is the sprinkler  (3) What is the wetted discovered by the sprinkler	g pressure at the distribution package design rate? 80 ameter (twice the distan	ution system: 35	
	Estimate the operatin  (2) What is the sprinkler  (3) What is the wetted di  the outer 100 feet of the	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?	ution system: 35  00 gpm  ce the sprinkler throw  feet	
iil	<ul> <li>For sprinkler systems:</li> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkler</li> <li>(3) What is the wetted dithe outer 100 feet of the outer 100 fee</li></ul>	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?	ontion system: 35  one gpm  ce the sprinkler throw  feet  de design information.	s water) of a sprinkler on
iil	Estimate the operatin  (2) What is the sprinkler  (3) What is the wetted di  the outer 100 feet of the	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?	ontion system: 35  one gpm  ce the sprinkler throw  feet  de design information.	s water) of a sprinkler on
iil	<ul> <li>For sprinkler systems:</li> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkler</li> <li>(3) What is the wetted dithe outer 100 feet of the outer 100 fee</li></ul>	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?	ontion system: 35  one gpm  ce the sprinkler throw  feet  de design information.	s water) of a sprinkler on
iil	<ul> <li>For sprinkler systems:</li> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkler</li> <li>(3) What is the wetted dithe outer 100 feet of the outer 100 fee</li></ul>	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?	ontion system: 35  one gpm  ce the sprinkler throw  feet  de design information.	s water) of a sprinkler on
ii.	<ul> <li>For sprinkler systems:</li> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkler</li> <li>(3) What is the wetted dithe outer 100 feet of the outer 100 fee</li></ul>	g pressure at the distribution package design rate? 80 ameter (twice the distanthe system?  To of the sprinkler package ase note any planned crosses when to irrigate are specified to the system?	gpm  ce the sprinkler throw  feet  de design information.  pp rotations: CORN,	s water) of a sprinkler on

You may attach any additional information you believe will assist in informing the Division of the need for your request.

### New Application Groundwater

FEB 1 0 2025







Surface Water Point of Diversion

Groundwater Point of Diversion

1:24,000

Proposed Geo-Center

Signature Required

By signing this I am stating that to the best of my knowledge that all wells within 1/2 mile of proposed well location are identified on this map.



The X spot marked on the map on front side of this page is the only well located within 1/2 mile of the proposed diversion point.

The well is located at an old farmstead site where no one lives. It is owned by Kody Pounds. Who house a site)
He's a good friend of mine, I I can get you his contact into it you want it. He has a freezeless water hydrant coming from a small well with a submersible pump that he uses to water a garden plot.

Kody Pounds

1113 N 2nd Ave

Norton, KS 67654

WATER RESOURCES RECEIVED

FEB 1 0 2025

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

February 14, 2025

JUSTIN SCHMIDT 424 N 90TH RD GLASCO KS 67445

RE: Application, File No(s). 51420

#### Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Stockton Field Office at 785-425-6787. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kris Neuhauser New Applications Lead Water Appropriation Program