

Kansas Department of Agriculture
Division of Water Resources
PERMIT OF NEW APPLICATION WORKSHEET

1. File Number: <p style="text-align: center; font-size: 1.2em;">49,750</p>	2. Status Change Date: <p style="text-align: center; font-size: 1.2em;"><i>5/2/2017</i></p>	3. Field Office: <p style="text-align: center; font-size: 1.2em;">01</p>	4. GMD: <p style="text-align: center; font-size: 1.2em;">0</p>
5. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return			
6. Enclosures: <input checked="" type="checkbox"/> Check Valve <input checked="" type="checkbox"/> N of C Form <input type="checkbox"/> Water Tube <input type="checkbox"/> Driller Copy <input checked="" type="checkbox"/> Meter			
<p>7a. Applicant(s) New to system <input type="checkbox"/></p> <p style="text-align: right;">Person ID 65355 Add Seq# _____</p> <p>STEVE GUETTERMAN FARMS LLC 22666 ANTIOCH RD BUCYRUS KS 66013</p>	<p>7c. Landowner(s) New to system <input type="checkbox"/></p> <p style="text-align: right;">Person ID _____ Add Seq# _____</p>		
<p>7b. Landowner(s) New to system <input type="checkbox"/></p> <p style="text-align: right;">Person ID _____ Add Seq# _____</p> <p>7a.</p>	<p>7d. Landowner New to system <input type="checkbox"/></p> <p style="text-align: right;">Person ID _____ Add Seq# _____</p>		
<p>8. WUR Correspondent New to system <input type="checkbox"/></p> <p>Overlap File (s) WUC Agree <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p style="text-align: right;">Person ID _____ Add Seq# _____ Notarized WUC Form <input type="checkbox"/></p> <p>7a.</p>	<p>9. Use of Water: Changing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p style="padding-left: 40px;"><input type="checkbox"/> Groundwater <input checked="" type="checkbox"/> Surface Water</p> <p><input checked="" type="checkbox"/> IRR <input type="checkbox"/> REC <input type="checkbox"/> DEW <input type="checkbox"/> MUN</p> <p><input type="checkbox"/> STK <input type="checkbox"/> SED <input type="checkbox"/> DOM <input type="checkbox"/> CON</p> <p><input type="checkbox"/> HYD DRG <input type="checkbox"/> WTR PWR <input type="checkbox"/> ART RECHRG</p> <p><input type="checkbox"/> IND SIC: _____ <input type="checkbox"/> OTHER: _____</p>		
10. Completion Date: <u>12/31/2018</u> 11. Perfection Date: <u>12/31/2022</u> 12. Exp Date: _____			
13. Conservation Plan Required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date Required: _____ Date Approved: _____ Date to Comply: _____			
14. Water Level Measuring Device? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date to Comply: _____ Date WLMD Installed: _____			
<p>Date Prepared: 4/3/2017 By: DWS Date Entered: <i>5/3/2017</i> By: <i>LM</i></p>			

File No. **49,750** 15. Formation Code: Drainage Basin: MARAIS DES CYGNES RIVER County: MI Special Use: Stream: NORTH WEA CREEK TRIB 10 (MDC)

16. Points of Diversion										17. Rate and Quantity								
MOD	DEL	ENT	PDIV	Qualifier	S	T	R	ID	'N	'W	Authorized		Additional		Overlap PD Files			
											Rate gpm	Quantity af	Rate gpm	Quantity af				
√				85817	SE	SE	NE	25	15	24E	1	3003	625	1200	125	1200	125	NONE

18. Storage: Rate _____ NF Quantity **167.7** ac/ft Additional Rate _____ NF Additional Quantity **167.7** ac/ft

19. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

20. Meter Required? Yes No To be installed by **12/31/2018** Date Acceptable Meter Installed _____

21. Place of Use							NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg? NO	Overlap Files		
MOD	DEL	ENT	PUSE	S	T	R	ID	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼					
✓				68169	25	15	24E	1	10.8	39.0	33.0	0.5												83.3	7a.	No	NONE	

Comments:

KANSAS DEPARTMENT OF AGRICULTURE
Division of Water Resources

M E M O R A N D U M

TO: Files

DATE: April 3, 2017

FROM: Doug Schemm

RE: Application, File No. 49,750

Steve Guetterman Farms, LLC has filed the application referred to above for a permit to appropriate 167.7 acre-feet of surface water at the rate of natural flows to be stored in an existing reservoir located in the Northeast Quarter of Section 25, in Township 15 South, Range 24 East, Miami County, Kansas. The dam is located on North Wea Creek Trib 10 (Marais des Cygnes). The point of diversion is located on property owned by Steve Guetterman, who has signed the application form stating he has legal access to the point of diversion. The place of use is wholly owned by the applicant, and comprises 83.3 acres. The applicant has requested 125 acre-feet of direct use quantity, based on 1.5 acre-feet per acre, which is reasonable for turf grass farming and is a value that is consistent with other turf grass water rights in this area. There are no overlapping files in point of diversion or place of use.

Runoff computations are not necessary based on information from nearby senior files, showing typical runoff values ranging from 18 inches to 20 inches per acre. With these values, 148 acres of drainage area will produce well over the requested storage quantity of 167.7 acre-feet of runoff quantity in 1 out of every five (5) years (a 20% chance). Therefore, per K.A.R. 5-6-5, this runoff quantity IS NOT the limiting factor, and the application can be processed with the requested storage quantity of 167.7 acre-feet. This storage quantity was based on one year of direct use (125 AF) + capacity (40 AF) + evaporation (2.7 AF).

The applicant identified upstream and downstream landowners within one-half (½) mile upstream and downstream, which complies with K.A.R. 5-3-4. Notification letters were sent out on March 8, 2017. No responses of any kind were received. There are multiple other surface water rights within a two-mile radius according to the WRIS database. These senior files also authorize storage in reservoirs for irrigation use. There are no senior files downstream of this dam, and all the other files are located on different streams. As noted above, this is an existing reservoir and irrigation project that has been in use for many years. No senior water rights will be impaired with approval of this application.

The existing structure was determined to be non-jurisdictional for permitting by the DWR Water Structures Program. However, the applicant was required to submit a "Registration Form for Exempt Class A Dams". As allowed by K.S.A. 82a-706(c) an approved water flow meter shall be installed on the secondary re-diversion works (pump site) for this file. If any chemical or foreign substance is injected into the water pumped under this permit, a check valve will also need to be installed.

In a March 29, 2017 discussion, Katie Tietsort, Water Commissioner, Topeka Field Office, stated that the referenced new application should be approved. Based on the above discussion, that this area is open to new appropriations, the proposed appropriation of water is reasonable, the structure has been properly registered with the DWR Water Structures Program, and senior rights will not be impacted, it is recommended that the referenced new application be approved.

Doug Schemm
Environmental Scientist
Topeka Field Office

1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700



900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

May 4, 2017

STEVE GUETTERMAN FARMS LLC
22666 ANTIOCH RD
BUCYRUS KS 66013

FILE COPY

Re: Appropriation of Water, File No. 49,750

Dear Mr. Guetterman:


There is enclosed a permit to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the source and at the location specified in the permit, and to use it for the purpose and at the location described in the permit.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approval documents. A water meter is required on the proposed re-diversion works and you must install it prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meter should be used to provide the information required on the annual water use report.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of this permit. Enclosed is a form which may be used to notify the Chief Engineer that the proposed diversion works have been completed. All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in the permit to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in this permit. Failure to comply with this regulation will result in the dismissal of your permit or your water right. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00.

There is also enclosed an information sheet setting forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your water right. If you have any questions, please contact our office. If you wish to discuss this specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,


Brent A. Turney, P.G.
Change Application Unit Supervisor
Water Appropriation Program

BAT:dws
Enclosures

pc: Topeka Field Office

KANSAS DEPARTMENT OF AGRICULTURE
 Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
 David W. Barfield, Chief Engineer

APPROVAL OF APPLICATION
and
PERMIT TO PROCEED
 (This is not a Certificate of Appropriation)

This is to certify that I have examined Application, **File No. 49,750** of the applicant

STEVE GUETTERMAN FARMS LLC
22666 ANTIOCH RD
BUCYRUS KS 66013

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

1. That the priority date assigned to such application is **December 29, 2016**.
2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

Sec. Twp. Range	NE¼				NW¼				SW¼				SE¼				TOTAL
	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
25 15S 24E	10.8	39.0	33.0	0.5													83.3

3. That the appropriation sought shall be limited to all natural flows of an unnamed tributary to North Wea Creek, designated in the office of the Chief Engineer as North Wea Creek Trib 10 (Marais des Cygnes), not needed to satisfy all vested rights and prior appropriation rights to be incrementally accumulated as reservoir storage space becomes available to a maximum extent of **167.7 acre-feet** per calendar year in one (1) reservoir created by a dam located in the Southeast Quarter of the Southeast Quarter of the Northeast Quarter (SE¼ SE¼ NE¼) of Section 25, more particularly described as being near a point 3,003 feet North and 625 feet West of the Southeast corner of said section, in Township 15 South, Range 24 East, Miami County, Kansas, to provide **125 acre-feet** of water as needed for direct irrigation use to be withdrawn, released or otherwise diverted from the reservoir at a re-diversion rate of approximately **1,200 gallons per minute (2.67 c.f.s.)**. A reasonable maximum re-diversion rate will be established during the perfection period and assigned at certification.

4. That installation of works for diversion of water shall be completed on or before **December 31, 2018** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee, which is currently \$400.00, when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.

5. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before **December 31, 2022** or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.
6. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.
7. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.
8. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.
9. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.
10. That all re-diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the re-diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.
11. That an acceptable water flow meter shall be installed and maintained on the re-diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).
12. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.
13. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.
14. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.
15. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

This Order shall become a final agency action, as defined by K.S.A. 77-607(b), without further notice to the parties, if a request for hearing or a petition for administrative review is not filed as set forth below.

Request for Hearing. According to K.A.R. 5-14-3(c), any party who desires a hearing must submit a request within 15 days after the date shown on the Certificate of Service attached to this Order. Filing a request for a hearing will give you the opportunity to submit additional facts for consideration, contest any findings made by the Chief Engineer, or present any other information you believe should be considered in this matter. A timely-filed request for hearing will stay the deadline for requesting administrative review of this Order pending the outcome of the hearing.

Petition for Review. The applicant, if aggrieved by this Order, may petition for administrative review, pursuant to K.S.A. 82a-711(c) and K.S.A. 82a-1901(a). The petition must be filed within 30 days after the date shown on the Certificate of Service attached to this Order and must set forth the basis for the review, unless stayed by the timely filing of a request for hearing.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564-6777.

Ordered this 2nd day of May, 2017, in Topeka, Shawnee County, Kansas.

Lane P. Letourneau

Lane P. Letourneau, P.G.
Program Manager
Water Appropriation Program
Division of Water Resources
Kansas Department of Agriculture

State of Kansas)
) SS
County of Riley)

The foregoing instrument was acknowledged before me this 2nd day of May, 2017, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of Agriculture.



Danielle Wilson

Notary Public


CERTIFICATE OF SERVICE

On this 4th day of May, 2017, I hereby certify that the foregoing Approval of Application, File No. 49,750, dated May 2, 2017 was mailed postage prepaid, first class, US mail to the following:

STEVE GUETTERMAN FARMS LLC
22666 ANTIOCH RD
BUCYRUS KS 66013

With photocopies to:

Topeka Field Office



Division of Water Resources

APPLICATION COMPLETE

3/24/2017

Reviewer DWS

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE
Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

File Number 49750
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

DEC 29 2016

10:00

KS DEPT OF AGRICULTURE

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE
Filing Fee Must Accompany the Application
(Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
1320 Research Park Drive, Manhattan, KS 66502:

1. Name of Applicant (Please Print): STEVE GUETTERMAN FARMS, LLC
Address: 22666 ANTIOCH RD
City: BUCYRUS State: KS Zip Code 66013
Telephone Number: (913) 533-4040

2. The source of water is: [X] surface water in TRIBUTARY TO NORTH WEA CREEK TRIB 10 (stream)
OR [] groundwater in MARAIS DES CYGNES RIVER (drainage basin)

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources. Re-divert 125 acre-feet at 1,200 gpm.

3. The maximum quantity of water desired is (storage) 167.7 acre-feet OR gallons per calendar year, to be diverted at a maximum rate of NF gallons per minute OR cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4. The water is intended to be appropriated for (Check use intended):
(a) [] Artificial Recharge (b) [X] Irrigation (c) [] Recreational (d) [] Water Power
(e) [] Industrial (f) [] Municipal (g) [] Stockwatering (h) [] Sediment Control
(i) [] Domestic (j) [] Dewatering (k) [] Hydraulic Dredging (l) [] Fire Protection
(m) [] Thermal Exchange (n) [] Contamination Remediation

YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:

F.O. 1 GMD 0 Meets K.A.R. 5-3-1 (YES/NO) Use FRR Source G S County ME By AJW Date 12/29/16
Code REG REQ Fee \$ 300 TR # Receipt Date 12/29/16 Check # 7631

5. The location of the proposed wells, pump sites or other works for diversion of water is:

Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.

- (A) One in the SE quarter of the SE quarter of the NE quarter of Section 25, more particularly described as being near a point 3,003 feet North and 625 feet West of the Southeast corner of said section, in Township 15 South, Range 24 East, MIAMI County, Kansas.
- (B) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (C) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (D) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):


Steve Guettman 22606 Antioch Rd Bixby, KS 66013 913-533-4040
(name, address and telephone number)

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on December 15, 2016.



Applicant's Signature

7. The proposed project for diversion of water will consist of One Dam & Reservoir
(number of wells, pumps or dams, etc.)

and (was)(will be) completed (by) Existing _____
(Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be Spring 2017
(Mo/Day/Year)

WATER RESOURCES
RECEIVED

DEC 29 2016

9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?

Yes No If "yes", a check valve shall be required.

All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

10. If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? Yes No

• If yes, show the Water Structures permit number here _____

• If no, explain here why a Water Structures permit is not required _____

To be Determined by DWR Structures Program.

11. The application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:

(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.

(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.

(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.

(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.

(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

NONE

New Application is requesting 167.7 AF of storage and 125 AF Direct Use. 83.3 Acres x 1.5 AF/Acre (turf grass) = 125 acre-feet direct use. Capacity = 40 AF and Evap = 2.7 AF, for a combined total of 167.7 acre-feet.

WATER RESOURCES
RECEIVED

DEC 29 2016

13. Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: Test holes Well as completed Drillers log attached

Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	_____	_____	_____	_____
Total depth of well	_____	_____	_____	_____
Depth to water bearing formation	_____	_____	_____	_____
Depth to static water level	_____	_____	_____	_____
Depth to bottom of pump intake pipe	_____	_____	_____	_____

14. The relationship of the applicant to the proposed place where the water will be used is that of OWNER
(owner, tenant, agent or otherwise)

15. The owner(s) of the property where the water is used, if other than the applicant, is (please print):

(name, address and telephone number)

(name, address and telephone number)

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at Burns, Kansas, this 15 day of December, 2016.
(month) (year)

[Signature]
(Applicant Signature)

01-0726129
APPLICANT(S) SOCIAL SECURITY IDENTIFICATION NUMBER(S)

By Angie Galloway
(Agent or Officer Signature)

01-0726129
and/or
APPLICANT(S) TAXPAYER I.D. NO.(S)

Angie Galloway
(Agent or Officer - Please Print)

Assisted by DWS TOPEKA FO Date: 11/17/2016
(office/title)

WATER RESOURCES RECEIVED

DEC 29 2016

SCANNED

IRRIGATION USE SUPPLEMENTAL SHEET

File No. _____

Name of Applicant (Please Print): STEVE GUETTERMAN FARMS, LLC

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Landowner of Record STEVE GUETTERMAN FARMS, LLC

ADDRESS: 22666 ANTIOCH RD, BUCYRUS KS 66013-9468

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
25	15S	24E	10.8	39.0	33.0	0.5													83.3

Landowner of Record NAME: _____

ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Landowner of Record NAME: _____

ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

2. Please complete the following information for the description of the operation for the irrigation project. Attach supplemental sheets as needed.

a. Indicate the soils in the field(s) and their intake rates:

Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
Total:	100 %		

b. Estimate the average land slope in the field(s): _____%

Estimate the maximum land slope in the field(s): _____%

c. Type of irrigation system you propose to use (check one):

- Center pivot Center pivot - LEPA "Big gun" sprinkler
 Gravity system (furrows) Gravity system (borders) Sideroll sprinkler

Other, please describe: _____

d. System design features:

i. Describe how you will control tailwater:

ii. For sprinkler systems:

(1) Estimate the operating pressure at the distribution system: _____ psi

(2) What is the sprinkler package design rate? _____ gpm

(3) What is the wetted diameter (twice the distance the sprinkler throws water) of a sprinkler on the outer 100 feet of the system? _____ feet

(4) Please include a copy of the sprinkler package design information.

e. Crop(s) you intend to irrigate. Please note any planned crop rotations:

f. Please describe how you will determine when to irrigate and how much water to apply (particularly important if you do not plan a full irrigation).

You may attach any additional information you believe will assist in informing the Division of the need for your request.

49750

12/22/16
(Date)

Kansas Department of Agriculture
Division of Water Resources
David W. Barfield, Chief Engineer
1320 Research Park Drive
Manhattan, Kansas 66502

Re: Application
File No. 49,750

Minimum Desirable Streamflow


Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.




Signature of Applicant

State of Kansas)
County of Miami) ss

Steve Guetterman
(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 22nd day of Dec, 20 16.

 4-5-2020
Notary Public

My Commission Expires:



WATER RESOURCES
RECEIVED

DEC 29 2016

495
49750

**MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN
APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT
TO APPROPRIATE WATER FOR BENEFICIAL USE**

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

WATER RESOURCES
RECEIVED

DEC 29 2016

KS DEPT OF AGRICULTURE

SCANNED

49750

NEW STREAM WORKSHEET

ES ADW

Date: 12/29/16

File No. _____

Basin Name: Marais Des Cygnus River Basin No. 3

Stream Name: North Wea Creek Trib 10 (Marais Des Cygnus)

Stream location (confluence with parent stream):

Section 31, Township 15 South, Range 25 (East)

Map Color Coding:

Basin Stream – Blue

Named Main Stream off Basin Stream – Yellow

Named Stream off Main Stream – Green

Unnamed Trib (1, 2, 3, 4, etc.) – Pink

Unnamed Trib to Unnamed Trib (A, B, C, etc.) – Orange

Unnamed Trib to Unnamed Trib to Unnamed Trib (1, 2, 3, etc.) – Purple

Stream No. 3 8 9 3 (computer assigned - entered by data entry staff)

Date Entered 1/5/2017 By LCM

Schemm, Doug

From: Angie Galloway <angie@sgfarms.com>
Sent: Tuesday, March 7, 2017 1:00 PM
To: Schemm, Doug
Subject: RE: New Application
Attachments: map.pdf

Paul Guetterman
PO Box 44
Bucyrus, KS 66013

Mick Seuferling / George & Susan Jacobs
9888 W 231st Street
Bucyrus, KS 66013

Don & Roberta Worthington
23191 Antioch Road
Bucyrus, KS 66013

Stephanie Dunham
22691 Switzer Road
Bucyrus, KS 66013

Angie Galloway

GTE, LLC &
Steve Guetterman Farms, LLC
22666 Antioch Road

Bucyrus, KS 66013
913-533-4040
913-533-4048 – Fax
913-207-9185 - Cell
www.sgfarms.com
angie@sgfarms.com

From: Schemm, Doug [mailto:Doug.Schemm@ks.gov]
Sent: Thursday, March 02, 2017 11:14 AM
To: Angie Galloway
Subject: RE: New Application

Angie,
If you can also provide mailing addresses for the landowners that would be great. And then please sign the map and send it to me.
Thanks, Doug

From: Angie Galloway [mailto:angie@sgfarms.com]
Sent: Thursday, March 2, 2017 10:32 AM
To: Schemm, Doug <Doug.Schemm@ks.gov>
Subject: RE: New Application

I am not sure if this is what you want so let me know if I need to get you more info. Thank you.

Angie Galloway
GTE, LLC &
Steve Guetterman Farms, LLC
22666 Antioch Road
Bucyrus, KS 66013
913-533-4040
913-533-4048 – Fax
913-207-9185 - Cell
www.sgfarms.com
angie@sgfarms.com

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 49750 00

#####

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 49750 00 IRR

Water Right and Points of Diversion Within 2.00 miles of point defined as:

3003 Feet North and 625 Feet West of the Southeast Corner of Section 25 T 15S R 24E

SURFACE WATER ONLY

```

=====
File Number   Use ST SR Dist (ft) Q4 Q3 Q2 Q1 FeetN FeetW Sec Twp Rng ID Batt Auth_Quan Add_Quan Unit
A__ 885 03 DOM NK S      6232 -- NE NE NE 5200 100 30 15 25E 1          .59      .59 AF
Same
      5130 -- SW NE NE 4000 900 30 15 25E 2
A__ 38250 00 IRR NK S     3037 -- CE SE SE 700 100 24 15 24E 1          41.00    41.00 AF
A__ 40149 00 IRR NK S    10241 -- NE NW SE 2630 1650 13 15 24E 1          197.00   197.00 AF
A__ 47284 00 IRR NK S     5925 -- NW SW NE 3710 2130 31 15 25E 2           43.00    43.00 AF
A__ 49232 A IRR KE S      8934 -- NW NE SW 2051 3408 20 15 25E 1          222.00   222.00 AF
Same
      8250 -- SE NW SW 1657 3972 20 15 25E 2
***** Authorized storage =          .00 AF Additional storage =          .00 AF
Same
      6807 -- NW SW SW 676 5088 20 15 25E 3
***** Authorized storage =          .00 AF Additional storage =          .00 AF
Same
      6598 -- SW SW SW 253 5126 20 15 25E 4
***** Authorized storage =          .00 AF Additional storage =          .00 AF
A__ 49271 00 IRR GY S     2893 -- SE SW SW 159 4402 19 15 25E 1           54.00    54.00 AF
A__ 49525 00 IRR KE S     3037 -- CE SE SE 700 100 24 15 24E 1          130.00    89.00 AF
A__ 49696 00 IRR AY S     8718 -- SW NW SE 1610 2630 29 15 25E 1          100.00   100.00 AF
A__ 49723 00 IRR GY S     5925 -- NW SW NE 3710 2130 31 15 25E 2           96.00    53.00 AF
A__ 49750 00 IRR AY S      0 -- SE SE NE 3003 625 25 15 24E 1          125.00   125.00 AF
=====

```

```

=====
Total Net Quantities Authorized:   Direct      Storage
Total Requested Amount (AF) =      225.00      291.70
Total Permitted Amount (AF) =      418.00      461.10
Total Inspected Amount (AF) =         .00         .00
Total Pro_Cert Amount (AF) =         .00         .00
Total Certified Amount (AF) =      281.59      455.80
Total Vested Amount (AF) =          .00         .00
TOTAL AMOUNT (AF) =          924.59      1208.60
=====

```

An * after the source of supply indicates a pending application for change under the file number.
 An * after the ID indicates a 15 AF exemption was granted under the file number.
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 2.00 miles of point defined as:

3003 Feet North and 625 Feet West of the Southeast Corner of Section 25 T 15S R 24E

SURFACE WATER ONLY

WATER USE CORRESPONDENTS:

```

=====
File Number   Use ST SR
A__ 885 03 DOM NK S
> TOM ROSNER
>
> 10218 DELMAR
> OVERLAND PARK KS 66207
>-----
A__ 38250 00 IRR NK S

```



Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katharine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov
Sam Brownback, Governor

March 8, 2017

DON & ROBERTA WORTHINGTON
23191 ANTIOCH ROAD
BUCYRUS KS 66013

Re: Pending Application, File No. 49,750

Dear Sir or Madam:

This is to advise you that Steve Guetterman Farms, LLC has filed the application referred to above for a permit to appropriate 167.7 acre-feet of surface water per calendar year to be stored in an **existing** reservoir, and re-divert 125 acre-feet of the stored water for irrigation use. The proposed point of diversion (where the structure crosses the centerline of the stream) is located in the Southeast Quarter of the Southeast Quarter of the Northeast Quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$) of Section 25, in Township 15 South, Range 24 East, Miami County, Kansas.

Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

You can find the application and site map posted by the file number referenced above at:
<http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices>

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Doug Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

pc: Steve Guetterman Farms, LLC



1320 Research Park Drive
Manhattan, Kansas 66502
Jackie McClaskey, Secretary

Phone: (785) 564-6700
Fax: (785) 564-6777
Email: ksag@kda.ks.gov
www.agriculture.ks.gov
Sam Brownback, Governor

December 29, 2016

STEVE GUETTERMAN FARMS, LLC
22666 ANTIOCH RD
BUCYRUS KS 66013

FILE COPY

RE: Application
File No. 49750

Dear Sir or Madam:

Your application for permit to appropriate water in 25-15S-24E in Miami County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.
Change Application Unit Supervisor
Water Appropriation Program

BAT: dlw
pc: TOPEKA Field Office
GMD 0

SCANNED

STEVE GUETTERMAN FARMS, LLC
Section 25, Township 15 South, Range 24 East
Miami County

49,750



Proposed Place of Use



Proposed Point of Diversion

All known landowners adjacent to the stream within one-half mile upstream and downstream of the property lines have been shown.

1:12,000

