NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



OCT 2 9 2019

/2://
KS DEPT OF AGR!CULTURE

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCESDavid W. Barfield, Chief Engineer

File Number _	50307
This item to be complet	ed by the Division of Water Resources

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	Name of Assiltance												
1.		Print): WIETHARN TRUSTS, RO		BERT WIETHARN_TRUSTEE									
		D											
	City: CLAY CENTER		State KS	Zip Code: 67432									
	Telephone Number: (785) 630-0611 OR 447—0671 email= bob@riverscreen.com												
2.	The source of water is:		CREEK										
	OR groundwater in REPUBLICAN RIVER												
	Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.												
3.	The maximum quantity of	water desired is 100	acre-feet OR	gallons per calendar year,									
	to be diverted at a maximu	um rate of 1,400 gallons p	er minute OR	cubic feet per second.									
	Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.												
4.	The water is intended to b	e appropriated for (Check use	intended):										
	(a) Artificial Recharge	(b) Irrigation	(c) Recreational	(d) Water Power									
	(e) Industrial	(f) Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control									
	(i) Domestic	(j) Dewatering	(k) Hydraulic Dredging	(I) Fire Protection									
	(m) Thermal Exchange	(n) Contamination Rei	mediation										
	YOU MUST COMPLETE AND A TO SUBSTANTIATE YOUR REC	ATTACH ADDITIONAL DIVISION QUEST FOR THE AMOUNT OF WA	OF WATER RESOURCES FOR ATER FOR THE INTENDED USE	RM(S) PROVIDING INFORMATION E REFERENCED ABOVE.									
or Office	ce Use Only: GMD Meets K.A.R. 5 REG	5-3-1 (YE\$/NO) Use RR Fee \$	_ Source G / S County(Receipt Date _ l0 2	CY By KJN Date 10/29/19 19/19 Check # 5623									

The location of the proposed wells, pump sites or other works for diversion of water is:	
Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.	
(A) One in the NW quarter of the SW quarter of the SE quarter of Section 3, more particul	arly
described as being near a point 946 feet North and 2,033 feet West of the Southeast corner of	said
section, in Township 7 South, Range 2 EAST, CLAY County, Kansas.	
(B) One in the quarter of the quarter of the quarter of Section, more particul described as being near a point feet North and feet West of the Southeast corner of section in Tournship South Renge Feet/Meet (single end)	said
section, in Township South, Range East/West (circle one), County, Kans	5a5.
(C) One in the quarter of the quarter of the quarter of Section, more particul	arly
described as being near a point feet North and feet West of the Southeast corner of s	said
section, in Township South, Range East/West (circle one), County, Kans	sas.
(D) One in the quarter of the quarter of the quarter of Section, more particul	arly
described as being near a point feet North and feet West of the Southeast corner of s	said
section, in Township South, Range East/West (circle one), County, Kans	sas.
If the source of supply is groundwater, a separate application shall be filed for each proposed well or ba of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons minute per well.	mile
A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not me than four wells in the same local source of supply within a 300 foot radius circle which are being operated pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to common distribution system.	d by
The owner of the point of diversion, if other than the applicant is (please print):	
APPLICANT (name, address and telephone number)	
You must provide evidence of legal access to, or control of, the point of diversion from the landowner or	the
landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or of document with this application. In lieu thereof, you may sign the following sworn statement:	
I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on/0~/8, 2019	
Executed on	
The proposed project for diversion of water will consist ofONE PUMP SITE	
and (was) completed (by) 2020 12-31-2020 (Month/Day/Year - each was or will be completed)	<u>_</u> .
The first actual application of water for the proposed beneficial use was or is estimated to be Spring 2020	

5.

6.

7.

8.

WATER RESOURCES RECEIVED (Mo/Day/Year)

File No. _____

File No.	

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion
	works?
	es 🕅 No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
	Not building impoundment

- 11. The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
 - (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
 - (b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
 - (c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
 - (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
 - (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
 - A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
- 12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

OVERLAP IN PU WITH FILE NOS. 16,611 & 17,097 (After PU Changes). NO PD OVERLAP.



OCT 2 9 2019

KS DEPT OF AGRICULTURE

13.	Furnish the following well in well has not been complete					groundwater.	If the
	Information below is from:	☐ Test holes	☐ Well	as completed	☐ Drillers	log attached	
	Well location as shown in pa	aragraph	(A)	(B)	(C)	(D)	
	Date Drilled						
	Total depth of well	_					
	Depth to water bearing form	nation					
	Depth to static water level						
	Depth to bottom of pump int	take pipe					
15.	Owner (owner, tenant, agent or otherwise) The owner(s) of the property					olease print):	
		(name, addre	oo ana ton	opriorio riumo	01)		
		(name, addre	ess and tel	ephone numb	er)		
16.	The undersigned states that this application is subm	itted in good faith				/her knowledg ,2019 (year	
	Role J. Litus	re)	_				
Ву	(Agent or Officer Signal	ature)	_				
	(Agent or Officer - Pleas	,			Date: 40	N46/2040	
Assiste	d by <u>DWS</u>	10	OPEKA FO	office/title)	Date: 10)/16/2019	

WATER RESOURCES

File No. _____

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET FEE

0-100 \$200.00
101-320 \$300.00

More than 320 \$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET

0-250

More than 250

\$200.00

\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS


1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

ROBERT J & DEBORAH A WIETHARN TRUSTS NEW APPLICATION SITE MAP

1:18,000



Proposed Place of Use

Proposed Point of Diversion

All Known Upstream and Downstream landowners adjacent to the stream within 1/2 mile of property lines have been identified.

Leon: Mugler Attn Laree Mugler 1187 Quarter Horse CT Cincinnati, OH 45249-1280

Don Martin 2060 Broughton Rd. Clay Center, KS 67432

Jayhawk LLC 1809 Da. Vista Lane Lexington, NE 68850

WATER RESOURCES

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No	·										
			Nan	ne of	Appli	cant (Pleas	e Prir	nt): <u>R</u>	OBEF	RTJ&	DEB	ORAH	A WI	ETHA	RN TE	RUST	S	
1. I	Please lesign	supp ate th	ly the	e nam ıal nu	ne and mber	d add	ress o	of each	h lan	down	er, th	e legarity ac	al des	ct or	on of	the lonal p	lands ortion	to be	e irrigated, and
Land	owne	r of F	Recor	d	NAME	: <u>ROI</u>	BERT	J&D	EBOF	RAH A	WIET	HARI	N TRL	ISTS	%R(OBER	T WIE	THAF	RN TRUSTEE
				ADD	RES	S: <u>19</u> 2	25 KIC	DWA	RD, (CLAY	CEN	TER,	KS 6	7432					
				N	E¼			N	W1/4		SW¼				SE¼				
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
34	68	2E											40	40					80
3	78	2E							40	37	22	14	22	35	15	15	30	39	269
Land	Landowner of Record NAME: ADDRESS:																		
				N	E1/4			N	W1/4			SV	V1/4			SI	E1/4		
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
Land	lowne	er of l	Recor		NAM														
S	Т	R			E1/4				W1/4				V1/4		SE ¹ / ₄				TOTAL
	<u> </u>		NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																		_	

WATER RESOURCES KESEIVED

Page 1 of 2

a.	Indicate the	e soils in the field(s) and the	neir intake rates:		
		Soil Iame	Percent of field	Intake Rate	Irrigation Design
	1	anie	(%)	(in/hr)	Group
	7	Total:	100 %		
b.	Estimate th	ne average land slope in the	e field(s):	%	
	Estimate th	ne maximum land slope in	the field(s):		
c.	Type of irr	igation system you propos	e to use (check one):		
	C	enter pivot	Center pivo	t - LEPA	"Big gun" sprinkler
	G	ravity system (furrows)	Gravity syst	tem (borders)	Sideroll sprinkler
	Other, plea	ase describe:			
d.	System des	sign features:			
	i. Descr	ribe how you will control t	ailwater:		
	ii. For s	prinkler systems:			
	(1)	Estimate the operating p	pressure at the distribut	tion system:	psi
	(2)	What is the sprinkler pa	ckage design rate?	gpm	
	(3)	What is the wetted diam	neter (twice the distanc	e the sprinkler throw	vs water) of a sprinkler on
		the outer 100 feet of the	system?	feet	
	(4)				
	(4)	Please include a copy of			
e.	Crop(s) yo	u intend to irrigate. Please	note any planned crop	rotations:	
f.		cribe how you will determing f you do not plan a full irri		d how much water to	apply (particularly
	important i	i you do not plan a fun im	gation).		
	-	additional information yo	u believe will assist in	informing the Divisi	on of the need for your
equest					

Page 2 of 2

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER	50307				·		
APPLICANT PERSON ID & SEQ #		87720	PDIN	/ ID		BATTER	Y ID
28589 1	·			Stream 1	408 ??		
(
-	· ·						
							
_	· · · · · · · · · · · · · · · · · · ·	-				***************************************	
LANDOWNER PERSON ID & SEQ #		40342	PUSI	E ID			
28589 1		69648					•
		١.					
							
							
WATER USE CORRESP	PONDENT						
PERSON ID & SEQ #							
28589 1				•			
					,		
,							
				•	·		

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

December 17, 2019

WIETHARN TRUSTS 1925 KIOWA RD **CLAY CENTER KS 67432**

> RE: Application, File No. 50307

Dear Mr. Wietharn:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at agriculture.ks.gov/divisionsprograms/dwr. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

rister a Baum

Water Appropriation Program