# **NOTICE**

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



### KANSAS DEPARTMENT OF AGRICULTURE Mike Beam, Secretary of Agriculture

DWR 1-100 (Revised 05/17/2019)

#### DIVISION OF WATER RESOURCES Earl D. Lewis Jr., Chief Engineer

File Number

50525

This item to be completed by the Division of Water Resources.

### APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

WATER RESOURCES RECEIVED

> FEB 23 2021 11:15 AM

KS DEPT OF AGRICULTURE

2/25/2021 LMoody

	Address: 2718 INDUSTRIAL DRIVE						
	City: JUNCTION CITY	State KS	Zip Code <b>66441</b>				
	Telephone Number: (785) 238-1101	TOVING Into a ne	Argulet as broncest				
2.	The source of water is:   surface water in		Academical of upuros				
	OR ⊠ groundwater in <u>KA</u>	NSAS RIVER	ream) ige basin)				
	Certain streams in Kansas have minimum target flow when water is released from storage for use by water to these regulations on the date we receive your apparent of the Division of Water Resources.	er assurance district membe	ers. If your application is subject				
3.	The maximum quantity of water desired is 36.3	acre-feet OR	gallons per calendar year,				
	to be diverted at a maximum rate of 1800 gallons per minute OR cubic feet per second.						
	RATE LIMITED TO 1800 GPM WHEN COMBINED WITH FILE NO. 49896						
	Once your application has been assigned a priority	y, the requested maximum	rate of diversion and maximum				
	requested quantity of water under that priority number can NOT be increased. Please be certain your						
	requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your						
	proposed project and are in agreement with the Di	vision of Water Resources'	requirements.				
4.	The water is intended to be appropriated for (Check	use intended):					
	(a) ☐ Artificial Recharge (b) ☐ Irrigation	(c) ☐ Recreational	(d) ☐ Water Power				
	(e) ☐ Industrial (f) ☐ Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control				
	(i) ☐ Domestic (j) ☐ Dewatering	(k) ☐ Hydraulic Dredgi	ing (I) Fire Protection				
	(m) ☐ Thermal Exchange (n) ☐ Contamination	Remediation					
	YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF W	N OF WATER RESOURCES FOR	RM(S) PROVIDING INFORMATION TO E REFERENCED ABOVE.				

The	e location of the proposed wells, pump sites or other works for diversion of water is:	
Not	te: For the application to be accepted, the point of diversion location must be described acre tract, unless you specifically request a 60 day period of time in which to locate specifically described, minimal legal quarter section of land.	
(A)	One in the <u>SE</u> quarter of the <u>NW</u> quarter of the <u>NE</u> quarter of Section <u>26</u> , more partic	ularly described as
	being near a point 4020 feet North and 1410 feet West of the Southeast corner	of said section, in
	Township 10 South, Range 8 EAST, RILEY	_ County, Kansas.
(B)	One in the quarter of the quarter of the quarter of Section	. more particularly
LT	described as being near a point feet North and feet West of the South	
	section, in Township South, Range East/West (circle one),	
(C)	One in the quarter of the quarter of the quarter of Section	more particularly
(-)	described as being near a point feet North and feet West of the South	
	section, in Township South, Range East/West (circle one),	
(D)		
(D)	described as being near a point feet North and feet West of the South	
	section, in Township South, Range East/West (circle one),	
in the		arter (¼) mile radius llons per minute pe
thar	attery of wells is defined as two or more wells connected to a common pump by a man four wells in the same local source of supply within a 300 foot radius circle which are upper not to exceed a total maximum diversion rate of 800 gallons per minute and which the mondistribution system.	being operated by
The	e owner of the point of diversion, if other than the applicant is (please print):	
BIG	G LAKES DEV CENTER INC 1416 HAYES DR MANHATTAN KS 66502-5066 (name, address and telephone number)	behavib ad of 3
	(name, address and telephone number)	
land	must provide evidence of legal access to, or control of, the point of diversion from the downer's authorized representative. Provide a copy of a recorded deed, lease, enument with this application. In lieu thereof, you may sign the following sworn statemen	easement or other
	I have legal access to, or control of, the point of diversion described in this applicate landowner or the landowner's authorized representative. I declare under penalty of the foregoing is true and correct.  Executed on 10 FEBRUARY, 2021.  Applicant's Signature	
	applicant must provide the required information or signature irrespective of whe	
	downer. Failure to complete this portion of the application will cause it to be unacceptablication will be returned to the applicant.	ole for filing and the
The	proposed project for diversion of water will consist of ONE WELL (number of wells, pumps or o	lams etc)
and	(was)(will be) completed (by) ALREADY COMPLETE  (Month/Day/Year - each was or will be completed	THE REAL PROPERTY OF THE PARTY
The (Mo/	first actual application of water for the proposed beneficial use was or is estimated	
a la tr		CEIVED

5.

6.

7.

FEB 2 3 2021

File No. \_

Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
☐ Yes ☐ No If "yes", a check valve shall be required.
All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres or surface drainage area above the reservoir.
Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
If yes, show the Water Structures permit number here
If no, explain here why a Water Structures permit is not required NOT APPLICABLE
A Company of the Comp
The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North- South distance and the East-West distance from a section line or southeast corner of section.
(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
(d) The location of the proposed place of use should be shown by crosshatching on the topographic map aerial photograph or plat.
(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence Kansas 66047.
List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
POINT OF DIVERSION – 49896 & 20179059
15-815 at 2 MARCO STAW TRANSPILL THOMSE TERR ALCOHOL
AMATER RESOURCES
WATER RESOURCES RECEIVED \.

File No. \_\_

FEB 2 3 2021

KS DEPT OF AGRICULTURE

Assiste	d by BRETT BUNGER	TFO/ASST WATER COM (office/title)	M Date: 2-8	-21
	(Agent or Officer - Please Print)	RADERTOS S.A		Ag se throst
Pinta 1	(Agent or Officer Signature)	ordinal latery removed to real		
Ву		Total Control of the		
	one richement, notices and generating the			
	(Applicant Signature)	lae.		
C	A . I .			
			(monun)	(year)
	Dated at 12:14 p.m. CST , Ka	insas, this $10^{10}$ day of $\overline{FEF}$	(month)	, 2021
16.	The undersigned states that the information that this application is submitted in good	d faith.		ner knowledge and
	(name,	address and telephone numb	er)	
	e. Coloro and filler calley colores veget mair	address and telephone numb	emenoliai nedia	ukra nuuodi Udos en alivid
	BIG LAKES DEV CENTER INC 1416 I	HAYES DR MANHATTAN K	S 66502-5066	v net george
15.	The owner(s) of the property where the	water is used, if other than th	e applicant, is (pl	ease print):
14.	The relationship of the applicant to the powner (owner, tenant, agent or otherwise)	proposed place where the wa	er will be used is	tnat of
14	lisabre fordom storin Satem, gos, supel-	inaani 'k ale u a vu kamam	stadus ed femirio	all allows and the
	Depth to bottom of pump intake pipe			
	Depth to static water level	14'	Wis your stand the	liges comits and
	Depth to water bearing formation	urės pėrmit suraber here	of Chataly and A	out Soy N
	Total depth of well	86'	say() Say	miecelijaski.
	Date Drilled	5-1-18		
	Well location as shown in paragraph No.	(A) (B)	(C)	(D)
	Information below is from: ☐ Test ho	oles	☐ Drillers lo	og attached
10.	well has not been completed, give information			groundwater. If the
13.	Furnish the following well information if	the proposed appropriation	a for the use of a	roundwater If the

WATER RESOURCES RECEIVED

File No. \_\_\_\_

FEB 2 3 2021

#### **FEE SCHEDULE**

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

ote: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### **ATTENTION**

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

#### **CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

FEB 2 3 2021

KS DEPT OF AGRICULTURE

# IRRIGATION USE SUPPLEMENTAL SHEET

			-	
ands to portio	nds orti	nds orti	be irrigated, and thereof:	and
E1/4	E1/4	E1/4	тоти	TOTAL
SW	SV	SV	SE TOTAL	
			33	
			<u> </u>	_
E <sup>1</sup> / <sub>4</sub>			TOTAL	
E <sup>1</sup> / <sub>4</sub> SW			SE TOTAL	
Т				
Т				
Т				
Т				
Т				
Т				
Т				
SW SW	SV	SV	TOTAL	
SW	SV	SV	SE	
SW SW	SV	SV	TOTAL	
SW SW	SV	SV	TOTAL	
	P	P	portion	SW SE TOTAL

		ne soils in the field(s) and the Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
		Total:	100 %		
b.	Estimate 1	the average land slope in the		%	
		he maximum land slope in th		 %	
c.		rigation system you propose			
•		Center pivot Gravity system (furrows)	Center piv	ot - LEPA	
	Other, p	lease describe:		· · · · · ·	Sideron sprinkler
d.	_	esign features:			
	i. Des	cribe how you will control tai	ilwater:		
	ii. For	sprinkler systems:			
	ii. For (1)	sprinkler systems: Estimate the operating pr	essure at the distribu	tion system:	psi
					psi
	(1)	Estimate the operating pr	kage design rate?	gpm	
	(1) (2)	Estimate the operating property What is the sprinkler pack	kage design rate?	gpm gpm ee the sprinkler throws	
	(1) (2)	Estimate the operating property What is the sprinkler pack.  What is the wetted diame	kage design rate? ster (twice the distance system?	gpm ee the sprinkler throws feet	
e.	<ul><li>(1)</li><li>(2)</li><li>(3)</li><li>(4)</li></ul>	Estimate the operating process What is the sprinkler pack.  What is the wetted diamed the outer 100 feet of the second control of th	kage design rate? ster (twice the distance system? the sprinkler package	gpm ee the sprinkler throws feet design information.	
e.	<ul><li>(1)</li><li>(2)</li><li>(3)</li><li>(4)</li></ul>	Estimate the operating process What is the sprinkler pack.  What is the wetted diamed the outer 100 feet of the second process include a copy of the second process.	kage design rate? ster (twice the distance system? the sprinkler package	gpm ee the sprinkler throws feet design information.	

2. Please complete the following information for the description of the operation for the irrigation project. Attach


You may attach any additional information you believe will assist in informing the Division of the need for your request.

#### **WELLS WITHIN ONE-HALF MILE**

- #1) Darrell Schroll (Dom.)
  3181 Zeandale Rd
  Manhattan KS 66502-9383
- #2) I-70 Properties (DOM.)
  314-F Tuttle Creek BLVD
  Manhattan KS 66502
- #3) John Taylor (DOM.) 2860 Zeandale Rd Manhattan KS 66502-9383
- #4) David & Mary Ann Beck (DOM.) 1111 E 26<sup>th</sup> Ave Manhattan KS 66502-9315
- #5) Darrell Parks (DOM.) 1001 E 26<sup>th</sup> Ave Manhattan KS 66502-9315

## 1:12,000

### **New Application**



### **DATA ENTRY SYSTEM ID NUMBER SHEET**

50525

FILE NUMBER			· · · · · · · · · · · · · · · · · · ·	•			
APPLICANT PERSON ID & SEQ #		86318	PDIV ID	٠		BATTERY I	ID
65715					_		
					-		
					_		
·					_		
	. •	•					
LANDOWNER PERSON ID & SEQ #		70275	PUSE ID				,
67723					_		
		`			_	•	
					_		
		·			_		
WATER USE CORRESPO	NDENT						
PERSON ID & SEQ # 67723						•	
					,		
	<del></del>						