## Kansas Department of Agriculture Division of Water Resources APPROVAL OF NEW APPLICATION WORKSHEET

1. File No.: <b>29914</b>	2. Status Change Date:	10/3/2024	GMD:	fice: <b>01 - Topeka</b> es File No.: <b>N/A</b>								
3. Package File No(s): 50625		Filing/Pr	Priority Date: <b>9/26/22</b> Ition Complete Date:									
5a. ⊠ Applicant ⊠ Owner ⊠ WU ☐ Address Change ARTHUR NEIS 1575 NW 106TH ST	C Person ID <b>63276</b> Add Seq#	5b. ⊠ Owne ⊠ Addre	r ⊠ WUC ss Change		Person ID Add Seq#							
CLIVE, IA 50325												
5c.  Owner  WUC Address Change	Person ID Add Seq#	5d. 🗌 Owne	r 🔲 WUC ss Change		rson ID d Seq#							
6. Change No.: C1 PD PU Base Acres: Year: Min F Previous UMW: Not changing MDS Gauge: Active Admin? C Completion/Start Date: 12/24/1980 Perfe	Reasonable Q:	/98	<ul> <li>7. Use of Water</li> <li>Groundwater Surface Water</li> <li>UMW: IRR-Irrigation</li> <li>UMW:</li> <li>UMW:</li> </ul>									
8. Action Trail Comment: ORD												
9. Special Conditions												
10. 5YR Allocation Type: Start Year: 5YR Quantity: Base Acres: Comment:												
11. Sand & Gravel Proj ID:	Active Dredge	IND Evap	] Jr Evap	Other Diversion	☐ Rpt on Sr							
12. Waiver Rule ID:       New Date Requested: 12/30/2023         Applies:       Statewide         Rule Type:       Justification:         Rule SubType:       Image: Comparison of the state of the st												
Comments Change Application filed for 29914 to c		),625		Processed BMM	Entered							
Rescind C&Ds 1/19/2014 1/4/2017 and 3	3/17/2022			Reviewed KAK 9/30/2024	10/4/2024 KAnderson							

File No. <b>29914</b>			13. County: LV-Leavenworth Basin: Kansas River Stream:																					
Structures File No:						Aquifer Code: 113 Main Stem Alluvium     Special Use Area:																		
14. F	14. Points of Diversion, Rates & Quantities Oty Rate Storage													orage Qty	St.	orage Rate								
	PDIV	Qual	ifier		s	т	R	ID	'N	'W	Cor	nment (	AKA Li	ne)	Aut		٨dd	Auth	Add				th/Add	Overlaps
снк	12539	SE I	NE NE		32	12	21	1	4000	450				13			595						*	
																								+
																								#
																								۸
																								**
																								++
15.	Limitations	-	rpe: <b>Co</b> rpe: <b>Oth</b>			t <b>e &amp; Qu</b> ty:	-	Quan ate:	tity: <b>m</b> e				mbine no(s):		file no(									
16.	Metering	$\boxtimes$	Meteri	ng Re	quired	a 🗆 y	Anti-Re	verse	Require	ed [	] Sea	ıl Requ	ired	Comp	liance	Date:	12/31/	2025						
17.	Place of Use	•																						
	PDIV S	Т	R	ID	NE		IE¼ sw	SE	NE	N\ NW	W¼ <b>sw</b>	SE	NE		W <sup>1</sup> ⁄4	SE	NE	SE <sup>1</sup> /4		SE	Total	Owner(s	s) Chg	? Overlaps
снк	18951 32	2 12	21E	1	40		40	40	15.5				11				20	40	Lot 7 17	L-6	263.5	5a	$\boxtimes$	*
снк	31934 29	9 12	21	1													16.5			40	56.5	5a	$\boxtimes$	*
																								#
																								٨
									I	1	1		1	1	1	1								**
																			++					
	Point of Di <b>29914</b>	versio	on and F	Place	of Use	Overlap	os						** ++ ## ^^								1			