CHIE Divisi Kansa 1320 Manh	it To: F ENGINEER on of Water Resources as Department of Agriculture Research Park Drive attan, KS 66502-5000 agriculture.ks.gov/dwr	APPROPRIA		State of Kansas
			ile attached to this application f	form.
				11/07/2024
		File Number: This item to be completed by t	51352 the Division of Water Resources staff.	Water Resources Received 1:03 PM KS Dept Of Agricultur
1.	Name of Applicant: Grimm Bro	os LLC		
	Address: 570 280th ST			
	City: Morrill		State: KS Zip	Code: 66515
	Phone: 785-459-2876	E	Email: kentmollygrimm@gmail.co	om
2.	The source of water is:	surface water in <u>unna</u> groundwater in <u>Terrap</u>	med tributary NEEDS STRE (streation Creek SFBIG NEMAH) (drainage	<sup>m)</sup> A RIVER
		101	· · ·	
3.		y of water desired is 13		acre-feet gallons
3.	to be diverted at a maximum i			
3.	to be diverted at a maximum i	rate of <u>ALL NAT FLOWS</u>	gpm 🗌 c.f.s. 🔳 na	☐ acre-feet ☐ gallons tural flows ☐ natural evaporation ual quantity of water desired to be 
3.	to be diverted at a maximum in This project involves surfar rediverted is <u>192.01</u>	rate of <u>ALL NAT FLOWS</u> ice water storage and re <u>PN-</u> acre-feet <u>Conver</u> 1 acre-foot (Al 1 million gallons (n	diversion. The maximum ann	tural flows    natural evaporatio ual quantity of water desired to b
IMI div cer	to be diverted at a maximum in This project involves surfar rediverted is <u>192.01</u> 7/ 1 cub PORTANT: Once your application ersion and maximum requested	rate of <u>ALL NAT FLOWS</u> ice water storage and re <b>P.V.</b> <b>acre-feet</b> <b>Conver</b> 1 acre-foot (Al 1 million gallons (n ic foot per second (c.f.s ion has been assigned annual quantity of wate	gpm ☐ c.f.s. ■ na diversion. The maximum annu- gallons, at a rate of <u>1200</u> sion Factors =) = 325,851 gallons ng) = 3.07 acre-feet (AF) .) = 448.8 gallons per minute (g a priority date and file number er under that priority number c	tural flows    natural evaporation ual quantity of water desired to be
IMI div cer	to be diverted at a maximum in This project involves surfar rediverted is <u>192.01</u> 7/ 1 cub <u>PORTANT:</u> Once your application ersion and maximum requested tain your requested maximum r	rate of <u>ALL NAT FLOWS</u> the water storage and re <b>P</b> <b>acre-feet</b> <b>Conver</b> 1 acre-foot (All 1 million gallons (n bic foot per second (c.f.s ion has been assigned annual quantity of water rate of diversion and magent	gpm ☐ c.f.s. ■ na diversion. The maximum annu- gallons, at a rate of <u>1200</u> sion Factors =) = 325,851 gallons ng) = 3.07 acre-feet (AF) .) = 448.8 gallons per minute (g a priority date and file number er under that priority number co ximum annual quantity of wate	tural flows    natural evaporation ual quantity of water desired to be
IMI div cer for	to be diverted at a maximum in This project involves surfar rediverted is <u>192.01</u> 7/ 1 cub PORTANT: Once your application ersion and maximum requested tain your requested maximum reproposed project.	rate of <u>ALL NAT FLOWS</u> the water storage and re <b>P</b> <b>acre-feet</b> <b>Conver</b> 1 acre-foot (All 1 million gallons (n bic foot per second (c.f.s ion has been assigned annual quantity of water rate of diversion and magent	gpm ☐ c.f.s. ■ na diversion. The maximum annu- gallons, at a rate of <u>1200</u> sion Factors =) = 325,851 gallons ng) = 3.07 acre-feet (AF) .) = 448.8 gallons per minute (g a priority date and file number er under that priority number co ximum annual quantity of wate	tural flows    natural evaporation ual quantity of water desired to be
IMI div cer for	to be diverted at a maximum in This project involves surfar rediverted is <u>192.04</u> 7/ 1 cub PORTANT: Once your application resion and maximum requested tain your requested maximum reducted tain your proposed project. The water is intended to be application	rate of <u>ALL NAT FLOWS</u> ace water storage and re <b>N</b> <b>acre-feet</b> <b>Conver</b> 1 acre-foot (Alf 1 million gallons (n bic foot per second (c.f.s ion has been assigned annual quantity of wate rate of diversion and man ppropriated for the follow	gpm ☐ c.f.s. ■ na diversion. The maximum annu- gallons, at a rate of <u>1200</u> sion Factors F) = 325,851 gallons ng) = 3.07 acre-feet (AF) .) = 448.8 gallons per minute (g a priority date and file number er under that priority number c ximum annual quantity of wate	tural flows in natural evaporation ual quantity of water desired to be gpm c.f.s gpm) r, the requested maximum rate of an <u>NOT</u> be increased. Please be ar are appropriate and reasonable
IMI div cer for	to be diverted at a maximum in This project involves surfar rediverted is <u>192.04</u> 7/ 1 cub <b>PORTANT:</b> Once your application tersion and maximum requested tain your requested maximum reduces to tain your proposed project. The water is intended to be application Artificial Recharge*	rate of <u>ALL NAT FLOWS</u> the water storage and re <b>N</b> <b>n</b> <b>n</b> <b>n</b> <b>n</b> <b>n</b> <b>n</b> <b>n</b> <b>n</b>	gpm ☐ c.f.s. ■ na diversion. The maximum annu- gallons, at a rate of <u>1200</u> sion Factors F) = 325,851 gallons ng) = 3.07 acre-feet (AF) .) = 448.8 gallons per minute (g a priority date and file number er under that priority number c ximum annual quantity of wate wing use(s): ☐ Recreational*	tural flows in natural evaporation ual quantity of water desired to b gpm) r, the requested maximum rate of an <u>NOT</u> be increased. Please b er are appropriate and reasonable
IMI div cer for	to be diverted at a maximum in This project involves surfared rediverted is <u>192.04</u> 7/ 1 cub <b>PORTANT:</b> Once your application tain your requested maximum reducested tain your requested maximum reducested tain your proposed project. The water is intended to be application Artificial Recharge* Industrial*	rate of <u>ALL NAT FLOWS</u> the water storage and re <b>P.</b> <b>acre-feet</b> <b>Conver</b> 1 acre-foot (AI 1 million gallons (n ic foot per second (c.f.s ion has been assigned d annual quantity of wate rate of diversion and ma ppropriated for the follow <b>I</b> Irrigation* Municipal*	gpm □ c.f.s. ■ na     diversion. The maximum annu     gallons, at a rate of 1200 <u>sion Factors</u> = 325,851 gallons     ng) = 3.07 acre-feet (AF)     .) = 448.8 gallons per minute (g     a priority date and file number er under that priority number c     ximum annual quantity of wate wing use(s):     □ Recreational*     □ Stockwatering*     □ Hydraulic Dredging	tural flows in natural evaporation ual quantity of water desired to be gpm) r, the requested maximum rate of an <u>NOT</u> be increased. Please be er are appropriate and reasonable in Water Power*
IMI div cer for	to be diverted at a maximum in This project involves surfar rediverted is <u>192.04</u> 7/ 1 cub <b>PORTANT:</b> Once your applications tersion and maximum requested tain your requested maximum reducested tain your proposed project. The water is intended to be an Artificial Recharge* Industrial* Domestic Thermal Exchange	rate of <u>ALL NAT FLOWS</u> the water storage and reside water storage and reside and reside a convert a conv	gpm □ c.f.s. ■ na     diversion. The maximum annu     gallons, at a rate of 1200 <u>sion Factors</u> = 325,851 gallons     ng) = 3.07 acre-feet (AF)     .) = 448.8 gallons per minute (g     a priority date and file number er under that priority number coximum annual quantity of wate wing use(s):     □ Recreational*     □ Stockwatering*     □ Hydraulic Dredging emediation orm providing information to a	tural flows in natural evaporation ual quantity of water desired to be image gpm in c.f.s gpm) r, the requested maximum rate of an <u>NOT</u> be increased. Please be er are appropriate and reasonable image of the reasonable of Water Power* image of the sediment Control

DWR 1-100 (Revised 02/16/2023)

#### Water Resources Received

File No.

#### KS Dept Of Agriculture

5. The location(s) of the proposed diversion work(s) (well, pumpsite, etc.) are described below. Note that for the application to be accepted, the point of diversion location(s) <u>must</u> be described to at least a 10-acre tract, unless you specifically request a 60-day period of time in which to locate the site within a specifically described, minimal legal quarter section of land. You can specify a nickname for the point of diversion via the A.K.A. line to help you identify it.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300-foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800gpm and which supply water to a common distribution system.

- (A) One in the <u>NW</u> quarter of the <u>SW</u> quarter of the <u>SE</u> quarter of Section <u>35</u>, more particularly described as being near a point <u>1022</u> feet North and <u>2596</u> feet West of the Southeast corner of said section, in Township <u>1</u> South, Range <u>15</u> **E W**, Brown County, KS. A.K.A: \_\_\_\_\_
- (B) One in the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of Section \_\_\_\_\_, more particularly described as being near a point \_\_\_\_\_ feet North and \_\_\_\_\_ feet West of the Southeast corner of said section, in Township \_\_\_\_\_ South, Range \_\_\_\_\_ E □W, \_\_\_\_\_ County, KS. A.K.A: \_\_\_\_\_
- (C) One in the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of Section \_\_\_\_\_, more particularly described as being near a point \_\_\_\_\_ feet North and \_\_\_\_\_ feet West of the Southeast corner of said section, in Township \_\_\_\_\_ South, Range \_\_\_\_ E □W, \_\_\_\_\_ County, KS. A.K.A: \_\_\_\_\_
- (D) One in the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of Section \_\_\_\_\_, more particularly described as being near a point \_\_\_\_\_ feet North and \_\_\_\_\_ feet West of the Southeast corner of said section, in Township \_\_\_\_\_ South, Range \_\_\_\_\_ E □W, \_\_\_\_\_ County, KS. A.K.A: \_\_\_\_\_
- (E) One in the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of the \_\_\_\_\_ quarter of Section \_\_\_\_\_, more particularly described as being near a point \_\_\_\_\_ feet North and \_\_\_\_\_ feet West of the Southeast corner of said section, in Township \_\_\_\_\_ South, Range \_\_\_\_\_ E □W, \_\_\_\_\_ County, KS. A.K.A: \_\_\_\_\_\_
- 6. The proposed project for diversion of water will consist of 1 Dam (number of wells, pumps, dams, etc.) and was/will be completed on or by the following date: Sept 2024

(date each was or will be completed)

7. The first actual application of water for the proposed beneficial use was or is estimated to be April 2025

(Date)

8. List any application, appropriation of water, water right, or vested right file number that covers the same point(s) of diversion or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application. This dam will act as a storage structure for a couple of batteries of wells and will have a complete overlap in place of use with file numbers 48,063; 46,934; 47,143; 48,164; 50,389; 50,336 and a new proposed point of diversion application submitted with this application.

Page 2 of 4

11/7/2024 BSchleicher RECEIVED

Topeka Field Office DIVISION OF WATER RESOURCES

NOV 06 2024

#### Water Resources Received

File No.

#### KS Dept Of Agriculture

9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?

🗌 Yes 🔳 No

If yes, a check valve shall be required. All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

10. If you are planning to impound water, please contact DWR prior to submitting this application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you made an application for a permit for construction of this dam and reservoir with DWR?

If yes, write the Water Structures permit number here:

11. Furnish a detailed topographic or aerial map that depicts the following information:

The application <u>must</u> be supplemented by a topographic map, aerial photograph or a detailed plat showing the information described in A-D below.

- (A) The center of the section, the section lines or the section corners, and labels showing the appropriate section, township and range numbers, as well as a north arrow and scale,
- (B) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) described in Item No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section,
- (C) The location of the proposed place of use identified by crosshatching,
- (D) For Groundwater Use, the location of any existing water wells of any kind within ½ mile of the proposed well or wells and indicate for each well its type of use and the name and mailing address of the property owner or owners, (If there are no wells within ½ mile, please indicate that on the map.)

For Surface Water Use, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines, and

- (E) The locations of proposed or existing dams, dikes, reservoirs, canals, pipelines, power houses, and any other structures for the purpose of storing, conveying, or using water.
- 12. For groundwater use, furnish copies of the driller's logs for all test holes or completed wells. Please ensure that the driller's logs provide depth to the static water level. If driller's logs cannot be obtained for an existing well, provide the following information:

Well location as shown in Item No. 5	(A)	(B)	(C)	(D)	(E)
Date drilled					
Total depth of well			<u> 10 10 1</u>		
Depth to static water level	<u> </u>				

13. The owner(s) of the point of diversion, if other than the applicant is:

APPLICANT

(name, address, and phone)

(name, address, and phone)

Page 3 of 4

11/7/2024 BSchleicher RECEIVED

Topeka Field Office DIVISION OF WATER RESOURCES

NOV 06 2024

#### Water Resources Received

File No.

#### KS Dept Of Agriculture

14. The owner(s) of the property where the water is used, if other than the applicant, is:

See Supplemental Sheet for multiple owners

(name, address, and phone)

(name, address, and phone)

15. The relationship of the applicant to the proposed place where the water will be used is that of:

Owner Agent Tenant Other:

16. A water use correspondent (WUC) must be designated. The WUC will be mailed the annual water use report, which must be filed with the Division by March 1 of each year. Failure to timely file an accurate water use report will subject the owner(s) to a civil fine of up to \$1,000 and potential suspension of the water appropriation or right. By signing this application, I verify that the owner(s) of the water right or permit have confirmed that the following person or agent should be designated as the WUC:

#### APPLICANT

(name, address, and phone)

17. I understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. This could affect the economics of my decision to appropriate water. Situations where this might occur may include times when minimum desirable streamflow (MDS) requirements are not met, when Assurance District or Water Marketing releases are made from storage in federal reservoirs, when a Water Reservation Right upstream of a federal reservoir is administered, or when water rights administration becomes necessary to prevent impairment.

I declare, under penalty of perjury, that I have legal access to or control of, the point(s) of diversion described in this application from the landowner or the landowner's authorized representative.

By signing below, I verify that the information set forth above is true to the best of my knowledge, I agree with all statements made above, and that this application is submitted in good faith.

(Applicant Signature)

(Applicant Name - please print)

(Applicant Title, if applicable - please print)

Assisted by Darcy Nightingale	MWI LLC	Date: 8/13/	2024
	(office/title)		
			RECEIVED
	Page 4 of 4	11/7/2024 BSchleicher	NOV 06 2024

Topeka Field Office DIVISION OF WATER RESOURCES

10-29-2; (Date)

Water Resources Received

KS Dept Of Agriculture

#### FEE SCHEDULE

Make checks payable to the Kansas Department of Agriculture.

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic, waterpower, dewatering, or sediment control use, shall be (see No. 2 below if requesting storage):

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 32.585	≤ 100	\$200.00
32.586 - 104.272	100.1 - 320.0	\$300.00
> 104.272	> 320	\$300.00 plus \$20 for each additional 100AF (32.586mg) or any part thereof

2. The fee for an application in which storage of water is requested, except for domestic use, shall be:

Million Gallons (mg)	Acre-Feet (AF)	Fee
≤ 81.462	≤ 249.9	\$200.00
≥ 81.463	≥ 250	\$200.00 plus \$20 for each additional 100AF (32.586mg) or any part thereof

**Note:** If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

**3.** The fee for an application for **waterpower** or **dewatering** use shall be \$100.00 plus \$200.00 for each 44,880 gallons per minute (100 c.f.s.), or part thereof, of the diversion rate requested.

#### **IMPORTANT NOTICE**

If this application is approved, the applicant shall notify the Chief Engineer when the diversion works (well, pump, reservoir, pit, etc.) has/have been completed via the *Notice of Completion of Diversion Works* form (DWR 1-203.11) and along with the statutorily required field inspection fee of:

- \$200.00 for sediment control use or groundwater pits for industrial use, or
- \$400.00 for all other uses made of water

Failure to complete the diversion works by the deadline specified in the *Approval of Application and Permit to Proceed* (or any subsequent extension of time of said deadline) and/or failure to submit the proper notice and field inspection fee will result in the dismissal of the appropriation and forfeiture of any priority associated with it.

#### For assistance with this application, please contact the Division of Water Resources (DWR).

Manhattan HQ 1320 Research Park Dr. Manhattan, KS 66502 785-564-6638

**Topeka Field Office** 1131 SW Winding Rd, Ste 400 Topeka, KS 66615 785-296-5733 Stafford Field Office 300 S. Main St Stafford, KS 67578 620-234-5311

Stockton Field Office 820 S. Walnut Stockton, KS 67669 785-425-6787 Garden City Field Office 4532 W. Jones Ave, Ste B Garden City, KS 67846 620-276-2901

#### **Helpful Sources of Information**

DWR Water Appropriation Program DWR Water Appropriation Forms KGS Water Well Completion Records DWR Structures Program https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-appropriation-forms https://www.kgs.ku.edu/Magellan/WaterWell/index.html https://agriculture.ks.gov/divisions-programs/dwr/dam-safety/permit-requirements





NOV 06 2024

Topeka Field Office DIVISION OF WATER RESOURCES

Water Resources Received

KS Dept Of Agriculture

#### **IRRIGATION USE** SUPPLEMENTAL SHEET

File No.

Name of Applicant (Please Print): Grimm Bros

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Landowner of Record NAME: Kent & Molly Grimm Living Trust

ADDRESS: 570 280th ST Morrill, KS 66515

		т			N	Е¼			NV	V1⁄4			SV	V1⁄4			SE	E1/4		TOTAL
	5	1	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	ACRES
59249	35	1	15E	18	35	25.5	40													118.5
70290	36	1	15E														32.5	-		72.5

Subtotal = 191

Landowner of Record NAME: Grimm Bros

ADDRESS: 570 280th St Morrill KS 66515

	S	т	D		NI	E¼			NV	V1⁄4			SV	V1⁄4			SE	21/4		TOTAL
	5	I	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	ACRES
59248	35	1	15E	0	0	0	0	0	0	0	0	32.5	0	0	32	40	39.5	25.5	34.5	204
56163	2	2	15E	40	40															80
72040	36	2	15E													35			40	75

Landowner of Record NAME: Gerald R. Grimm Loving Trust

ADDRESS: 1776 Rachel LN Sabetha, KS 66534

	-	-			NI	E <sup>1</sup> /4			NV	V1⁄4			SV	V¼			SE	E <sup>1</sup> /4		TOTAL
	S	1	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
56413	2	2	15E			40	35.3	40	40											155.3
	-																	S	ihtote	1 155.3

Landowner of Record NAME: Darin & Marci Grimm

ADDRESS: 2722 Dewberry RD Morrill KS 66515

1.11		T	D		NI	Ξ¼			NV	V1/4			SV	V1⁄4			SE	E <sup>1</sup> /4		TOTAL
	S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
72041	2	1	15E				2.5													2.5


RECEIVED Page 1 of 4

11/7/2024 **BSchleicher** 


NOV 06 2024

DWR 1-100.23 (Revised 07/07/2000)

#### Water Resources Received



Topeka Field Office



#### Water Resources Received

#### KS Dept Of Agriculture

1.37 1.33 1.35

7.75 8.64 7.75

#### PDFs Mean Annual Precipitation Soil Cover Complex

Mean Annual Precip, in	35
Soil Cover Complex No.	80
Drainage Area, acres	56.4
Runoff at 20% Chance, AF	71.31

Std. Dev. 90% Std. Dev. 80%

Avg

Mean annual runoff for CN = 80, inches Mean annual runoff for CN = 85, inches Interp. Mean annual runoff for CN = 80, inches

DO NOT EDIT BELOW THIS LINE

	% Chance Firm	Coefficients	
10111	50%	80%	90%
а	0.5317	0.1216	0.0527
b	1.0815	1.2538	1.3547

%Chance Firm	Runoff, in	Comp. Runoff, in
50%	4.87	4.87
80%	1.58	1.56
90%	0.84	0.86
20%		15.17



**Grimm Bros** 

#### RECEIVED

#### 11/7/2024 BSchleicher

#### NOV 06 2024

Topeka Field Office DIVISION OF WATER RESOURCES

#### 11/07/2024

Water Resources Received

KS Dept Of Agriculture

#### STORAGE CALCULATIONS

TOTAL RESERVOIR CAPACITY =48.3 AFDIRECT USE =76.71 AFTOTAL RESERVOIR SURFACE AREA =8.4 ACRES1 YEAR NET EVAPORATION =8.4 ACRES X 10"/12" =7 AFSTORAGE =76.7 AF+48.3 +7 = morrill AF

#### UPSTREAM AND DOWNSTREAM LANDOWNERS

Upstream -

2

- #1) Rodney Grimm
   ATTN: Collin Grimm
   3126 Bittersweet RD
   Sabetha, KS 66534
- #2) James & Jena 109 Walnut Axtell, KS 66403


Downstream -

#1) Kruse Family TST 10425 S Millbrook LN Olathe, KS 66061 Jim McKim 2811 K246 HWY Morrill KS 66515


Kevin Grimm 477 K246 HWY Morrill, KS 66515 NOV 0 6 2024 BSchleicher


Topeka Field Office

## Proposed Place of Use Site Map



Received





# MWI, LLC

### **PREPARED BY:**

#### **Darcy Nightingale**

Please copy any applicant correspondence to the email and address below:

1215 Oregon St. Hiawatha, KS 66534 785-285-8065 Darcy@mwivalley.com RECEIVED

NOV 06 2024 **BSchleicher** 1:00pm Topeka Field Offi DIVISION OF WATER RESOURCES

11/07/2024


Water Resources Received

KS Dept Of Agriculture

NEW APP Rock Roman

## **Grimm Bros Quarry Permit**

11/7/2024



1:

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov

Mike Beam, Secretary



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Laura Kelly, Governor

November 15, 2024

GRIMM BROS LLC 570 280TH ST MORRILL KS 66515

RE: Application, File No(s). 51352

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-</u> <u>programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

enhans

Kris Neuhauser New Applications Lead Water Appropriation Program