# THE STATE



## **OF KANSAS**

WATER RESOURCES RECEIVED

FEB 1 0 2025

12:11

KS Dept. of Agriculture

#### KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

## **DIVISION OF WATER RESOURCES**

Earl D. Lewis, Jr., Chief Engineer

Current File Number 49461-00
This item to be completed by Division of Water Resources

51423

# APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form)

	To the Chief Engir		ne Division of Water esearch Park Drive,		es, Kansas Department an, Kansas 66502	of Agric	ulture
1.	Name of Applicant: Jennifer A. Gerety, Livestoc J-SIX ENTERPRISES, LLC 604 Nemaha Street Seneca, Kansas 66538 785-336-2148 (Office)	k Opera C — ANI	tions Coordinator DERSON SITE	PID 64	1465		
2.	The source of water is:		□ surface water	in	(stream)		
	OR			in the Lov	ver Republican drainag	ge basin	
	Certain streams in Kansas have is released from storage for use on the date we receive your ap Water Resources.	e by wate	er assurance district i	nembers.	If your application is s	subject to	these regulations
3.	The maximum quantity of wat maximum rate of <u>40</u> gallons p	ter desire er minut	d is <u>8.08</u> acre feet C e OR cub	OR <u>2,634.</u> ic feet per	138 gallons per calend second.	ar year,	to be diverted at a
	Once your application has bee quantity under than priority nu- and maximum quantity of water Division of Water Resources in	mber can er are app	NOT be increased. propriate and reasona	Please be	certain your requested	maximui	n rate of diversion
4.	The water is intended to be ap	propriate	ed for (check use int	ended):			
	(a)   Artificial Recharge	(b) 🗆	Irrigation	(c) 🗆	Recreational	(d) 🗆	Water Power
	(e) □ Industrial	(f) 🗆	Municipal	(g) ⊠	Stock watering	(h) 🗆	Sediment Control
	(I) □ Domestic	(j) 🗆	Dewatering	(k) □	Hydraulic Dredging	(l) 🗆	Fire Protection
	(m) □ Thermal Exchange	(n) 🗆	Contamination Remediation				
	U <u>MUST</u> COMPLETE AND ATTA SUBSTANTIATE YOUR REQUI						

For Office Use Only:
F.O. 1 GMD - Meets K.A.R. 5-3-1 (Yes/No) Use STK Source G/S County WS By KJN Date 2/11/28
Code Receipt Date 2-/0-25 Check # / 935 8

# FEB 1 0 2025

5. The location of the proposed wells, pump sites or other works for diversion of water is:

KS Dept. of Agriculture

٥.	The location of the proposed wens, painty sites of other works for diversion of water is.
	Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A) ONE WELL One well in the <u>NE</u> quarter of the <u>NE</u> quarter of the <u>SE</u> quarter of Section <u>6</u> , more particularly described as being near a point <u>2017</u> feet North and <u>149</u> feet West of the Southeast corner of said section, in Township <u>4</u> South, Range <u>1</u> ( <u>East</u> / West) of <u>Washington</u> County, Kansas.
	If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four (4) wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.
	A battery of wells is defined as two (2) or more wells connected to a common pump by a manifold, or not more than four (4) wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minuted and which supply water to a common distribution system.
6.	The owner of the point of diversion, if other than the applicant is (please print): SAME as APPLICANT
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu, thereof, you may sign the following sworn statement:
	I have legal access to, or control of, the point of diversion as described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
	Applicant's Signature  The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned
	to the applicant.
7.	The proposed project for diversion of water will consist of One (1) Well (number of wells, pumps or dams, etc.).
8.	The first actual application of water for the proposed beneficial use will be <u>February 15, 2025</u> .
9.	Will pesticide, fertilizer or other foreign substance be injected into the water pumped from the diversion works:
	□ Yes ⊠ No
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made application for a permit for construction of this dam and reservoir with the Division of Water Resources?
	□ Yes □ No ⋈ N/A

- If yes, show the Water Structures permit number here.
- If no, explain here why a Water Structures permit is not required.
- 11. The application <u>must</u> be supplemented by a USGS topographic map, aerial photograph or a detailed plan showing the following information. On the topographic map, aerial photograph or plat identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also please show the following information:

## FEB 1 0 2025

## KS Dept. of Agriculture

- (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams or other diversion works) should be plotted as described in Paragraph 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of the section.
- (b) If the application is for groundwater, please show the location of any existing water wells of any kind within one-half (½) mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within one-half (½) mile, please advise us.
- (c) If the application is for surface water, the names and addresses of the landowner(s) one-half (½) mile downstream and one-half (½) mile upstream from your property lines must be shown.
- (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
  - A 7.5 minutes USGS topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
- 12. List any application, appropriation of water, water right or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

49461-00 — Same "Place of Use" and "Point of Diversion"

13. Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: □ Test Holes ⊠ Well as Completed ⊠ Drillers Log Attached

Well location as shown in paragraph #	(A)	(B)	(C)	(D)
Date Drilled	3/13/2008			
Total Depth of Well	235'			
Depth to Water Bearing Formation	171'			
Depth to Static Water Level	162'			
Depth to Bottom of Pump Intake Pipe	235'			

14. The relationship	of the applicant to the	proposed place where	the water will be used is that of:	
	□ Tenant	□ Agent	□ Other	

15. The owner of the property where the water is used, if other than the applicant, is (please print):

Applicant is the Owner.

FEB 10 2025

KS Dept. of Agriculture

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at Seneca, Kansas, this 3rd day of February, 2025

Applicant Signature

By

Agent or Officer Signature

Duane H. Mueting, P.E., P.L.S., Agent

Agent or Officer (Please Print)

## Assisted By:

Duane H. Mueting, P.E., P.L.S. Mueting Engineering 612 Community Drive Seneca, Kansas 66538 785-334-6044 / 785-336-1361 (Cell) mueting-eng@rainbowtel.net

FEB 1 0 2025

KS Dept. of Agriculture

#### FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph #2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus @\$20.00 for each additional
	100 acre-feet or any part thereof

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional
	250 acre-feet of storage or any part thereof

NOTE: If an application requests both direct use and storage, the fee charged shall be as determined under paragraph #1 or paragraph #2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

NOTE:

The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by the field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### ATTENTION:

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

AERIAL IMAGE OF PLACE OF USE, LOCATION OF DIVERSION WORK and DISTRIBUTION SYSTEM (to be pasted in by DWR). Please label the following on the map below:

Location of Well 1)


2) 3) 4) Livestock Barn(s)

Well

Water Flowmeter

WATER RESOURCES RECEIVED

FEB 1 0 2025



# WATER WELL LOG

FEB 1 0 2025

Water Right #49461-00

KS Dept. of Agriculture

Section Number   Township Number   Range Number   Township Numbe
Distance and direction from pergrest town or city street address of well if located within city?   Mode
2 WATER WELL OWNER: JSX FARMS RRB, St. Address, Box # 644 NEMBER 57. City, State, ZIP Code
2 WATER WELL OWNER: JSX FARMS RRB, St. Address, Box # 644 NEMBER 57. City, State, ZIP Code
2 WATER WELL OWNER:  RR#, St. Address, Box #
RR#, St. Address, Box # City, State, ZIP Code      SEVERANS   LISSE
City, State, ZIP Code  3 LOCATE WELL'S  LOCATION WITH AN "X' IN SECTION BOX:  N SECTION BOX: N WELL'S STATIC WATER LEVEL
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Note that the properties of th
WITH AN "X" IN SECTION BOX:  N
SECTION BOX:  N  WELL'S STATIC WATER LEVEL  Well water was  h. after  hours pumping.  gpm  Well WATER TO BE USED AS: 5 Public water supply  SITINGTONESTED  I Trigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes  Sample was submitted.  Water well disinfected? Yes  No  STYPE OF CASING USED: 5 Wrought Iron  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Welded.  Threaded.  Blank casing diameter  in. to 235 ft., Diameter  in. to 6.  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass  2 Brass 4 Galvanized Steal 6 Concrete tile  1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (specify)  SCREEN OR PERFORATION DEPNINGS ARE:  1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (specify)  SCREEN-PERFORATED INTERVALS: From  SCREEN-PERFORATEAL: 1 Neat cement 2 Cement grout 1 Bentonits 4 Other  Grout Intervals: From  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 14 Abandoned water well below)  below)
Pump test data: Well water was
Est. Yield. S. gpm: Well water was
WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify below)  1 Injection well pomestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well 12 Other (Specify below)  Was a chemical/bacteriological sample submitted to Department? Yes
Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)    Second
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes
Sample was submitted
Sample was submitted
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued. Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Blank casing diameter into 235 ft., Diameter into ft. Threaded Blank casing height above land surface 2 into 1 casing height above land surface 2 into 235 ft. Wall thickness or guage No. 502.24.  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 215 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 2 ft. to 235 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Benton to ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 14 Abandoned water well below)
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued. Clamped.  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded. Welded. Melded. Mel
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
Blank casing diameter in to 2.35 ft., Diameter in to ft. Diameter in to ft.  Casing height above land surface in, Weight
Blank casing diameter
Casing height above land surface
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 16. to 16. From 16. To
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From. 16.5 ft. to 2.15 ft., From ft. to ft.  From. 16. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From. 2.5 ft. to 2.35 ft., From ft. to ft.  From. 16. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to 2.5 ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 6 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot Mills 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 165 ft. to 2.15 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to ft., From ft. to ft.  From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to ft., From ft. to ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 6 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
1 Continuous slot Millslet 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 165 ft. to 215 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to 235 ft., From ft. to ft.  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to 25 ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 165 ft. to 2.15 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to 235 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to 25 ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
SCREEN-PERFORATED INTERVALS: From
From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to 25 ft., From ft. to ft., From ft. to ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 6 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 3 ft. to 25 ft., From ft. to ft., From ft. to ft., From ft. to ft.  What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 6 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonts 4 Other  Grout Intervals: From
Grout Intervals: From
Grout Intervals: From
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
J wateright sower files of scepage pit / recovate 12 retuined stolage 13 On well/gas well
Direction from well? How many feet?
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
O Z SOFL Rh 124 SHALE WAY
2 12 LIMBSTINE, WHITE THN 124 185 SAND STORE
12 17 SHALE TAN 185 208 SHALK, GOLAY
17 19 LIMESTONE 208 214 SANISTONE
19 ZB SHALK, GRAY 214 235 SHALB, GRAY
28 30 LIMETINE BLOWN
72 74 SANTER GRAY
74 BS SHALE GRAY
B < QL SAND STANE
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year)3.//3/08 and this record is true to the best of my knowledge and belief.
under my jurisdiction and was completed on (mo/day/year)3.//3/06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No
under my jurisdiction and was completed on (mo/day/year)3.//3/06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No
under my jurisdiction and was completed on (mo/day/year)3.//3/06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No

## **WWC-5 PROXIMITY MAP**

WATER RESOURCES RECEIVED

FEB 1 0 2025

KS Dept. of Agriculture

J-SIX ENTERPRISES, LLC ANDERSON SITE — #49461-00



# STOCK WATER USE SUPPLEMENTAL SHEET

WATER RESOURCES RECEIVED

FEB 1 0 2025

KS Dept. of Agriculture

File #49461-00

Name of Applicant (please print): 64465

Ms. Jennifer Gerety

J-Six Enterprises, LLC — Anderson Site

604 Nemaha Street Seneca, Kansas 66538

Please indicate the type of livestock (cattle, hogs, etc.)
 Swine

2. Please complete the following table showing past and present water requirements:

PAST NUMBER OF HEAD AND WATER DIVERTED, IF APPLICABLE

LAST 5 YEARS	NUMBER OF HEAD	WATER DIVERTED (Gallons)	GALLONS PER HEAD PER DAY
5 Years Ago (2019)	2490	1,299,710	1.43
Last Year (2024)	2490	1,615,518	1.78
Present Year	2490		

3. Please complete the following table showing estimated future water requirements.

#### ESTIMATED FUTURE NUMBER OF HEAD AND WATER DIVERTED

NEXT 5 YEARS	NUMBER OF HEAD	WATER DIVERTED (Gallons)	GALLONS PER HEAD PER DAY
Year 1	2490	2,634,138	2.90
Year 2	2490	2,634,138	2.90
Year 3	2490	2,634,138	2.90
Year 4	2490	2,634,138	2.90
Year 5	2490	2,634,138	2.90

Please attach any additional information, tables or curves showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used. Show in the space provided below the Section (S), Township (T) and Range (R) and the number of acres in each forty acre tract or fractional portion thereof.

C	т	D		NI	E1⁄4			NV	N1/4			SV	V1/4			SE	1/4		
5	1	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
6	4	1E													Х				

67238

FEB 1 0 2025

KS Dept. of Agriculture

5. Show quantities of water used and all associated water used at the feedlot such as water used in feed mills, cooling of animals, washing, flushing of waste, etc:

#### **Drinking Water**

2490 Head of Swine x 2.75 gallons /head (avg) x 365 days/year = 2,499,338 Gallons

## **Cooling Water**

100 gallons/hour x 8 hours/day x 110 days = 88,000 Gallons

#### **Sanitation Water**

5 GPM x 60 minutes/hour x 3 hours/week x 52 weeks/year = 46,800 Gallons

Other Use 0 Gallons

#### **TOTAL**

2,634,138 Gallons

- 6. Show location of present and future location of confinement pens on your attached maps or photographs.
- 7. Total feed bunk space for cattle or livestock is <u>N/A</u> linear feet.
- 8. Total size of stock pens for confinement area of cattle, hogs, etc is 20,500 square feet two (2) confinement barns for swine finishing.

You may attach any additional information you believe will assist in informing the Division of Water Resources of the need for you request.

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

February 26, 2025

J-SIX ENTERPRISES LLC 604 NEMAHA STREET SENECA KS 66538

RE: Application, File No(s). 51423

#### Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kris Neuhauser New Applications Lead Water Appropriation Program